



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 16, 2023

Hillcrest Estates
16 Mount Carson Avenue, Mount Pearl, NL

Yearly Operation

For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection Dec 14, 2023	Non-Critical Item(s)	606 - Adequate mechanical ventilation	The fume hood professional cleaning is overdue. Service the hood every six months.
		703 - Food handlers properly attired	Food handlers are required to wear hair covers in the kitchen.
		901 - Other Non-Critical Item	Do not leave scoops/utensils in bulk food products.
Food - Routine Inspection May 09, 2023	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Please get a better seal on the back door
Food - Annual Inspection Dec 01, 2022	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Please repair counter edge.
		704 - Adequate protection from vermin and insect pests	Please get better weather-stripping on exterior doors



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 16, 2023

Hillcrest Estates
16 Mount Carson Avenue, Mount Pearl, NL

Yearly Operation

For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection Dec 01, 2022	Non-Critical Item(s)	901 - Other Non-Critical Item	Ensure sanitizer is 200ppm
		901 - Other Non-Critical Item	Monitor white fridge temperature. High at beginning of inspection but went down at end of the inspection.
Food - Follow-Up Inspection Jun 14, 2022	Non-Critical Item(s)	501 - Adequate facilities available to wash, rinse, and sanitize utensils and equipment	Use bleach 100ppm
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Back door has been repaired, other items from last inspection are still outstanding. Storage area has not been changed to allow a 6 inch gap underneath.
		804 - Temperature logs maintained for refrigerated storage units	Start logging dishwasher temp today
		901 - Other Non-Critical Item	Dedicate a hand sink today, work to get food safety certification



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 16, 2023

Hillcrest Estates
16 Mount Carson Avenue, Mount Pearl, NL

Yearly Operation

For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection May 13, 2022	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Please fix weather-stripping on back door, repair broken countertop and damaged areas in open shelf. Please arrange storage so there is at least a 6 inch gap under shelves.
		804 - Temperature logs maintained for refrigerated storage units	Please log dishwasher rinse and cooler temps daily
		901 - Other Non-Critical Item	Please dedicate a sink for handwashing and put a paper towel dispenser next to it
		901 - Other Non-Critical Item	Ensure at least one staff person on site has their food safety certificate
Food - Complaint/Demand Insp. Dec 20, 2021	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	1-Replace/repair the edge of the countertop. 2-Replace/repair the seal on the splash guard. 3-Repair the counter in the food serve area.