



**FOOD PREMISES INSPECTION REPORT  
for Non-Compliant  
Critical / Non-Critical Items  
Date of Report - March 25, 2024**

**St. Peter's Primary School  
108 Ashford Drive, Mount Pearl, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection <b>May 19, 2023</b>	<b>Non-Critical Item(s)</b>	702 - Non-food contact surfaces properly constructed, in good repair and clean	Replace stained ceiling tiles in cafeteria
		901 - Other Non-Critical Item	Please find the new certificate for the hood cleaning
Food - Annual Inspection <b>Jan 12, 2023</b>	<b>Non-Critical Item(s)</b>	503 - Proper Storage of Frozen Food Items	Monitor freezer as it should be -18oC, was -14oC during inspection. Repair if needed
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Please repair the ceiling of the cafeteria. Get more storage racks for coolers. Dust fans in back storage.
Food - Routine Inspection <b>May 03, 2022</b>		Compliant at the time of this inspection	