



**FOOD PREMISES INSPECTION REPORT**  
**for Non-Compliant**  
**Critical / Non-Critical Items**  
**Date of Report - March 22, 2024**

**The Golden Years Estate, Bldg. B**  
**348 Grenfell Heights, Grand Falls-Windsor, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:*  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection <b>Mar 21, 2024</b>	<b>Non-Critical Item(s)</b>	804 - Temperature logs maintained for refrigerated storage units	Temperature logs required for coolers in exterior storage unit. This is a repeat issue, must be adhered to.
Food - Routine Inspection <b>Jul 31, 2023</b>	<b>Non-Critical Item(s)</b>	605 - Adequate lighting; lighting protected	Light cover missing in kitchen, must be replaced
		802 - Working dishwasher temperature and pressure gauge	Dishwasher broken at time of inspection, must be repaired
		804 - Temperature logs maintained for refrigerated storage units	Temperature logs required daily for separate food storage area
Food - Routine Inspection <b>Mar 08, 2023</b>	<b>Critical Item(s)</b>	402 - Food Contact Surfaces Cleaned and Sanitized	Sanitizer not being used on surfaces in kitchen. Sanitizer to be used on surfaces in between tasks to ensure surfaces are sanitized properly.
	<b>Non-Critical Item(s)</b>	605 - Adequate lighting; lighting protected	Light in kitchen missing light cover, to be replaced to protect from possible broken glass.



**FOOD PREMISES INSPECTION REPORT  
for Non-Compliant  
Critical / Non-Critical Items  
Date of Report - March 22, 2024**

**The Golden Years Estate, Bldg. B  
348 Grenfell Heights, Grand Falls-Windsor, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:*

[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection <b>Mar 08, 2023</b>	<b>Non-Critical Item(s)</b>	804 - Temperature logs maintained for refrigerated storage units	Temperature logs required daily for coolers in separate food storage area.
Food - Annual Inspection <b>Oct 20, 2022</b>	<b>Non-Critical Item(s)</b>	804 - Temperature logs maintained for refrigerated storage units	Keep up on temperature logs in kitchen. Food storage building requires temperature logs to be kept daily for coolers.
Food - Routine Inspection <b>Mar 31, 2022</b>		Compliant at the time of this inspection	