



**FOOD PREMISES INSPECTION REPORT  
for Non-Compliant  
Critical / Non-Critical Items  
Date of Report - November 28, 2023**

**Woodland Primary #71715  
18A St. Catherine Street, Grand Falls-Windsor, NL**  
*Yearly Operation*  
*For additional information on the Inspection process, please see:*  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

| Inspection<br>Type and Date                      | Compliance Item<br>Type         | Code - Description   | Observations and Corrective Actions   |
|--|---------------------------------|--|---|
| Food - Annual Inspection<br><b>Nov 21, 2023</b>  | <b>Non-Critical<br/>Item(s)</b> | 506 - Equipment in good repair,<br>cleaned and sanitized                             | double cooler door requires repair.   |
| Food - Routine Inspection<br><b>Nov 08, 2022</b> |                                 | Compliant at the time of this<br>inspection  |   |
| Food - Annual Inspection<br><b>Mar 29, 2022</b>  | <b>Non-Critical<br/>Item(s)</b> | 702 - Non-food contact surfaces<br>properly constructed, in good<br>repair and clean | double cooler door not self-closing - door staying slightly ajar. Please repair |