



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - February 01, 2024**

**Grand Falls-Windsor Long Term Care
9 Scott Avenue, Grand Falls-Windsor, NL**

Yearly Operation

*For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf*

Inspection Type and Date	Compliance Item Type	Code - Description	Observations and Corrective Actions
Food - Annual Inspection Jan 29, 2024		Compliant at the time of this inspection	
Food - Routine Inspection Sep 28, 2023		Compliant at the time of this inspection	
Food - Routine Inspection Jun 19, 2023	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	when sink is drained it overflows up through floor drain - causing possible contamination due to food particles and standing water/suds on floor. Please have corrected.
Food - Routine Inspection Mar 13, 2023	Critical Item(s)	401 - Food Separated and Protected	ice machine - storage must be inaccessible to non-staff.
	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	backsplash behind dishwasher inadequate. Requires taller backsplash (non-absorbent and easy to clean) as food particles are splashing on brick
Food - Annual Inspection Dec 13, 2022	Critical Item(s)	105 - Adequate equipment to maintain food temperatures	additional refrigeration required if residents are to have access to fridges



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - February 01, 2024**

**Grand Falls-Windsor Long Term Care
9 Scott Avenue, Grand Falls-Windsor, NL**

Yearly Operation

For additional information on the Inspection process, please see:

http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection Dec 13, 2022	Critical Item(s)	401 - Food Separated and Protected	residents, family members etc able to access facility fridge. Possible source of contamination. Recommend separate fridge for residents and barrier to prevent access to food service area as required. ice machine - storage must be inaccessible to non-staff or removed from use(REPEAT).
	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	dishwasher in main kitchen requires hose for proper cleaning as per instructions. Please ensure hose with hot water is available to facilitate proper cleaning.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	backsplash behind dishwasher inadequate. requires taller backsplash (non-absorbent and easy to clean) as food particles are splashing on brick
Food - Routine Inspection Jun 29, 2022	Critical Item(s)	401 - Food Separated and Protected	ice machines - ice holding compartment must be inaccessible to public. currently covered and public not generally permitted in area.
	Non-Critical Item(s)	501 - Adequate facilities available to wash, rinse, and sanitize utensils and equipment	Floor drain under large steam jacket kettle is difficult to clean. Recommend hose with hot and cold water to help facilitate cleaning.