



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - November 04, 2023**

**Labrador South Health Centre
West Street, Forteau, NL**

Yearly Operation

*For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection Aug 04, 2023	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	Sanitizer solution too strong - operator requested to follow manufacture instructions when making solution
Food - Annual Inspection Mar 03, 2023	Non-Critical Item(s)	601 - Food contact surfaces properly constructed or located, acceptable material	Lament Covering (on Island in the Kitchen) damaged or coming off - please replace it with impermeable material.
		605 - Adequate lighting; lighting protected	Light in the storage basement require protective sleeves or protective covers + one of the lights in the kitchen burnt-out - Please replace;
		701 - Garbage and refuse properly disposed and facilities maintained	Garbage Can in the Kitchen missing a lid - Replace lid or get a new bin with cover;
Food - Routine Inspection Aug 18, 2022		Compliant at the time of this inspection	
Food - Annual Inspection Mar 18, 2022	Non-Critical Item(s)	606 - Adequate mechanical ventilation	Exhaust Fan making to much noise - please have it checked and fixed.