



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 29, 2023**

**Pennywell Convenience
87 Old Pennywell Road, St. John's, NL**

Yearly Operation

*For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection Nov 07, 2023	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	Replace or upgrade the spray nozzle system in the front pizza area 3 cmpt sink to include a faucet to reach all 3 compartments.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	All surfaces to be smooth, cleanable, non-absorbent with tight joints. Finish/refinish all bare wooden, chipboard, MDF etc. surfaces to this standard. Finish the wall section beneath the 3 cmpt sink and repair or replace the damaged flooring in the pizza area.
Food - Annual Inspection Feb 17, 2023		Compliant at the time of this inspection	
Food - Routine Inspection Sep 27, 2022	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	Cleaning of in line cooler conducted during inspection.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Thorough cleaning of front prep area to be completed. Scheduled for upcoming weekend.
Food - Annual Inspection Feb 10, 2022		Compliant at the time of this inspection	