



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 18, 2019**

**C. C. Loughlin School
1 Citadel Drive, Corner Brook, NL**

Yearly Operation

*For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection Nov 05, 2019	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Repair or replace missing floor tiles in back storage area.
		804 - Temperature logs maintained for refrigerated storage units	Temperature log for hot holding
Food - Routine Inspection Jun 03, 2019	Critical Item(s)	101 - Cold holding temperatures <= 4 degrees celsius	Corrected During Inspection All hazardous foods to be stored at 4 degrees C or below
		402 - Food Contact Surfaces Cleaned and Sanitized	Corrected During Inspection All food contact surfaces are to be disinfectant
	Non-Critical Item(s)	501 - Adequate facilities available to wash, rinse, and sanitize utensils and eq	Sinks to be able to wash, rinse and sanitize
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Cleaning of ceiling vent



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 18, 2019**

**C. C. Loughlin School
1 Citadel Drive, Corner Brook, NL**

Yearly Operation

For additional information on the Inspection process, please see:

http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Compliance Item Type	Code - Description	Observations and Corrective Actions
Food - Routine Inspection Jun 03, 2019	Non-Critical Item(s)	801 - Proper location of thermometers and thermometers working accurately	Working thermometers for all coolers
Food - Annual Inspection Oct 03, 2018		Compliant at the time of this inspection	
Food - Routine Inspection Apr 24, 2018		Compliant at the time of this inspection	