



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - March 23, 2019

New York Fries #4129
430 Topsail Road, St. John's, NL

Yearly Operation

For additional information on the Inspection process, please see:

http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

| Inspection Type and Date | Compliance Item | | Observations and Corrective Actions |
|--|---------------------------------|--|--|
| | Type | Code - Description | |
| Food - Annual Inspection Mar 07, 2019 | Non-Critical Item(s) | 601 - Food contact surfaces properly constructed or located, acceptable material | The cover of the ice machine was broke off at the time of inspection. Ensure this is repaired. |
| Food - Routine Inspection Nov 30, 2018 | | Compliant at the time of this inspection | |
| Food - Annual Inspection Mar 26, 2018 | Non-Critical Item(s) | 702 - Non-food contact surfaces properly constructed, in good repair and clean | A) Please clean or repair the wall by the ice machine. B) Repair the broken floor tiles that were identified. |
| Food - Routine Inspection Oct 17, 2017 | Non-Critical Item(s) | 702 - Non-food contact surfaces properly constructed, in good repair and clean | Canopy is due for cleaning - due in October. A few tiles are in need of repair on the wall and floor |