



**FOOD PREMISES INSPECTION REPORT**  
**for Non-Compliant**  
**Critical / Non-Critical Items**  
**Date of Report - September 28, 2023**

**Menchie's**  
**74 Old Placentia Road, Mount Pearl, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:*  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

Inspection Type and Date	Compliance Item Type	Code - Description	Observations and Corrective Actions
Food - Routine Inspection <b>Aug 25, 2023</b>	<b>Non-Critical Item(s)</b>	605 - Adequate lighting; lighting protected	Please replace burnt out bulb in ladies room
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Please put back missing or change out stained ceiling tiles
		704 - Adequate protection from vermin and insect pests	Please fix seal on back door as pests can enter - there is a large gap
Food - Annual Inspection <b>Feb 23, 2023</b>	<b>Non-Critical Item(s)</b>	501 - Adequate facilities available to wash, rinse, and sanitize utensils and equipment	Ensure staff are aware they need to use quat 200ppm on food contact surfaces.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Put back missing ceiling tiles and replace any stained ceiling tiles
		704 - Adequate protection from vermin and insect pests	Get a better seal on back door so that pests can't enter



**FOOD PREMISES INSPECTION REPORT**  
**for Non-Compliant**  
**Critical / Non-Critical Items**  
**Date of Report - September 28, 2023**

**Menchie's**  
**74 Old Placentia Road, Mount Pearl, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:*  
[http://www.servicelnl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicelnl.gov.nl.ca/inspections/inspection_information.pdf)

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection <b>Feb 23, 2023</b>	<b>Non-Critical Item(s)</b>	803 - Chemical Test Kits and/or Papers provided	Get test papers for Quat 200ppm
Food - Routine Inspection <b>Jul 22, 2022</b>	<b>Non-Critical Item(s)</b>	501 - Adequate facilities available to wash, rinse, and sanitize utensils and equipment	Please ensure staff have a labeled spray bottle or bucket for Quat 200ppm.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Please put missing ceiling tiles back in place. Please try to get walk-in freezer storage up off the floor with a 6 inch gap underneath.
		704 - Adequate protection from vermin and insect pests	Please get better weather-stripping or a tighter fit for the back door so pests don't enter
		803 - Chemical Test Kits and/or Papers provided	Have test papers for Quat 200ppm