

FOOD PREMISES INSPECTION REPORT for Non-Compliant Critical / Non-Critical Items Date of Report - October 18, 2023

Full House Chinese Restaurant 74 Old Placentia Road, Mount Pearl, NL

Yearly Operation

For additional information on the Inspection process, please see: http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Complian Type	ce Item Code - Description	Observations and Corrective Actions
Food - Complaint/Demand Insp. Jun 16, 2023		Compliant at the time of this inspection	
Food - Follow-Up Inspection Jun 09, 2023		Compliant at the time of this inspection	
Food - Routine Inspection Jun 09, 2023		Compliant at the time of this inspection	
Food - Complaint/Demand Insp. Mar 02, 2023		Compliant at the time of this inspection	
Food - Annual Inspection Aug 11, 2022	Non-Critical Item(s)	605 - Adequate lighting; lighting protected	Get light in walk-in covered
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Please get vent canopy cleaned. Resurface rough areas (paint or board)



FOOD PREMISES INSPECTION REPORT for Non-Compliant Critical / Non-Critical Items Date of Report - October 18, 2023

Full House Chinese Restaurant 74 Old Placentia Road, Mount Pearl, NL

Yearly Operation

For additional information on the Inspection process, please see: http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Complian Type	ce Item Code - Description	Observations and Corrective Actions
Food - Annual Inspection Aug 11, 2022	Non-Critical Item(s)	803 - Chemical Test Kits and/or Papers provided	Get test papers for bleach
		804 - Temperature logs maintained for refrigerated storage units	Please keep a temperature log for each cooler
		901 - Other Non-Critical Item	Make sure to keep ice scoops out of product and cover all items. Ensure all goods are at least 6 inches off the floor.
		901 - Other Non-Critical Item	Ensure dishwasher rinse is 180oF (taking a long time to reach temp.) Get it serviced.