

Government of Newfoundland and Labrador Department of Environment and Climate Change Water Resources Management Division

PERMIT TO ALTER A BODY OF WATER

Pursuant to the Water Resources Act, SNL 2002 cW-4.01, specifically Section(s) 48

Date: **NOVEMBER 23, 2023** File No: <u>524</u>

Permit No: <u>ALT13395-2023</u>

Permit Holder: City of Mount Pearl

3 Centennial Street Mount Pearl, NL

A1N 1G4

gdollimount@mountpearl.ca

Attention: Glen Dollimount

Re: Powers Pond - Culvert and Walking Trail

Permission is hereby given for: the installation a 600mm HDPE culvert and the infilling of approximately 3869 cubic meters of 6" blasted rock, class 'A', 1/4" minus surfacing stone, and armour stone within the shorewater zone of Powers Pond within the City of Mount Pearl for the purpose of replacing the existing aging boardwalk trail with a new granular trail, in reference to the application received on September 22, 2023.

- This Permit does not release the Permit Holder from the obligation to obtain appropriate approvals from other concerned municipal, provincial and federal agencies.
- The Permit Holder must obtain the approval of the Crown Lands Administration Division if the project is being carried out on Crown Land.
- This Permit is subject to the terms and conditions indicated in Appendices A and B (attached).
- It should be noted that prior to any significant changes in the design or installation of the proposed works, or in event of changes in ownership or management of the project, an amendment to this Permit must be obtained from the Department of Environment and Climate Change under Section 49 of the *Water Resources Act*.

(for) MINISTER

GOVERNMENT OF NEWFOUNDLAND AND LABRADOR

Department of Environment and Climate Change

File No: <u>**524**</u>

Permit No: ALT13395-2023

APPENDIX A

Terms and Conditions for Permit

Culvert Installation

- 1. Drainage ditches must collect and transport surface runoff in a manner that does not cause flooding, erosion or sedimentation of adjacent land or receiving waters.
- 2. Inlet and outlet areas of culvert installations must be adequately protected from erosion by placing rip-rap, fitted stone, or concrete headwalls.
- 3. Culvert installations must follow the stream channel gradient to the maximum extent possible and placed in line with the direction of the main flow to minimize disturbance to the channel. Culverts must not disrupt the flow of water or cause ponding at the upstream side of the installation.
- 4. Where pumping is used to bypass flow, cofferdams must be installed both above and below areas of construction. The Permit Holder must provide pumps with sufficient capacity to prevent washout of cofferdams.
- 5. Cofferdams must be properly designed and constructed of suitable materials to prevent leakage and to resist loss of any material as a result of erosion. Cofferdams must be removed upon completion of their intended function. All material must be removed carefully to prevent disturbance of the water body and to prevent water quality degradation.
- 6. All work involving minor alteration to the stream channel to permit culvert placement must be carried out at a time of low flow, and in a manner that prevents downstream siltation and unnecessary alteration of the channel.
- 7. Grading and finishing of roadways or road embankments must not cause damage to culverts or allow road material to enter the watercourse.
- 8. Roadside embankments near the watercourse must be adequately protected from erosion by sodding, seeding or placing of rip-rap.
- 9. Culverts must be inspected regularly so that immediate action can be taken to clear blockages caused by ice or debris or to undertake repairs as required.
- 10. The inlet and outlet of culverts must be clearly marked so that operators of road grading and snow clearing equipment can avoid blocking culverts.
- 11. Any damage to culverts during installation or due to inadequate capacity and/or improper construction must be reported to this Department. Damaged culverts must be replaced immediately to prevent overtopping, erosion, or flooding.
- 12. If a culvert is installed in natural fish habitat it must be embedded a minimum of 150 mm below the natural streambed (up to a maximum of 1/3 of the culvert diameter).

Trails

13. The use of creosote treated wood is strictly prohibited within 15 metres of all bodies of fresh water in the province.

- 14. Fill material must be obtained from an approved quarry site. It must not be taken from beaches or streams, and must not be dredged from a body of water.
- 15. Removal of streambank vegetation or trees is not permitted. Overhanging brush that collects snow and blocks ice movement may be pruned and cut back to allow free flow of water.
- 16. Where sand or gravel is used in the construction of trails, these areas must be closely monitored during and after periods of heavy rainfall for any signs of erosion or washout. Where washouts occur, these sections of trail must be replaced with boardwalks.
- 17. Outside the scope of work outlined in this Permit, a minimum 15 metre wide vegetated buffer zone must be maintained along the edge of all waterbodies in order to provide bank stability, maintain local aesthetics and to help protect water quality.
- 18. Pedestrian trails must be constructed at a finished elevation above the high water mark of adjacent waterbodies.
- 19. Trail embankments near watercourses must be adequately protected from erosion by sodding, seeding or placing of rip-rap.
- 20. This Permit is valid for two (2) years from the date of issue. If required, an application for Permit renewal must be submitted prior to the expiry date.

General Alterations

- 21. Any work that must be performed below the high water mark must be carried out during a period of low water levels.
- 22. Any flowing or standing water must be diverted around work sites so that work is carried out in the dry.
- 23. Water pumped from excavations or work areas, or any runoff or effluent directed out of work sites, must have silt and turbidity removed by settling ponds, filtration, or other suitable treatment before discharging to a body of water. Effluent discharged into receiving waters must comply with the *Environmental Control Water and Sewage Regulations*, 2003.
- 24. All operations must be carried out in a manner that prevents damage to land, vegetation, and watercourses, and which prevents pollution of bodies of water.
- 25. The use of heavy equipment in streams or bodies of water is not permitted. The operation of heavy equipment must be confined to dry stable areas.
- 26. All vehicles and equipment must be clean and in good repair, free of mud and oil, or other harmful substances that could impair water quality.
- 27. Any areas adversely affected by this project must be restored to a state that resembles local natural conditions. Further remedial measures to mitigate environmental impacts on water resources can and will be specified, if considered necessary in the opinion of this Department.
- 28. The bed, banks and floodplains of watercourses, or other vulnerable areas affected by this project, must be adequately protected from erosion by seeding, sodding or placing of rip-rap.
- 29. All waste materials resulting from this project must be disposed of at a site approved by the Department of Digital Government and Service NL.

- 30. Periodic maintenance such as painting, resurfacing, clearing of debris, or minor repairs, must be carried out without causing any physical disruption of any watercourse. Care must be taken to prevent spillage of pollutants into the water.
- 31. The owners of structures are responsible for any environmental damage resulting from dislodgement caused by wind, wave, ice action, or structural failure.
- 32. Sediment and erosion control measures must be installed before starting work. All control measures must be inspected regularly and any necessary repairs made if damage is discovered.
- 33. Fill material must be of good quality, free of fines or other substances including metals, organics, or chemicals that may be harmful to the receiving waters.
- 34. The attached Completion Report (Appendix C) for Permit No. 13395 must be completed and returned to this Department upon completion of the approved works. Pictures must be submitted along with the completion report, showing the project site prior to and after development.
- 35. This Permit is valid for two years from the date of issue. Work must be completed by that date or the application and approval procedure must be repeated.
- 36. The location of the work is highlighted on the Location Map for this Permit attached as Appendix D.
- 37. All work must be carried out within the Permit Holder's legal property boundaries.

GOVERNMENT OF NEWFOUNDLAND AND LABRADOR

Department of Environment and Climate Change

File No: **524**

Permit No: ALT13395-2023

APPENDIX B

Special Terms and Conditions for Permit

- 1. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall keep all systems and works in good condition and repair and in accordance with all laws, by-laws, directions, rules and regulations of any governmental authority. The Permit Holder or its agent(s), subcontractor(s), or consultant(s) shall immediately notify the Minister if any problem arises which may threaten the structural stability of the systems and works, endanger public safety and/or the environment or adversely affect others and/or any body of water either in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for all damages suffered by the Minister and Government resulting from any defect in the systems and works, operational deficiencies/inadequacies, or structural failure.
- 2. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall operate the said Project and its systems and works in a manner which does not cause any water related and/or environmental problems, including but not limited to problems of erosion, deposition, flooding, and deterioration of water quality and groundwater depletion, in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for any and all damages associated with these problems caused as a result of changes, deficiencies, and inadequacies in the operational procedures by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
- 3. If the Permit Holder or its agent(s), subcontractor(s), or consultant(s) fails to perform, fulfil, or observe any of the terms and conditions, or provisions of this Permit, as determined by this Department, the Minister may, without notice, amend, modify, suspend or cancel this Permit in accordance with the *Water Resources Act*.
- 4. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) indemnify and hold the Minister and Government harmless against any and all liabilities, losses, claims, demands, damages or expenses including legal expenses of any nature whatsoever whether arising in tort, contract, statute, trust or otherwise resulting directly or indirectly from granting this Permit, systems and works in or outside the said Project areas, or any act or omission of the Permit Holder or its agent(s), subcontractor(s), or consultant(s) in or outside the said Project areas, or arising out of a breach or non-performance of any of the terms and conditions, or provisions of this Permit Holder or its agent(s), subcontractor(s), or consultant(s).
- 5. This Permit is subject to all provisions of the *Water Resources Act* and any regulations in effect either at the date of this Permit or hereafter made pursuant thereto or any other relevant legislation enacted by the Province of Newfoundland and Labrador in the future.
- 6. This Permit shall be construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador.

File No: <u>**524**</u>

Permit No: <u>ALT13395-2023</u>

cc: Chris LeMessurier
Grand Concourse Authority
439 Allandale Road
St. John's NL A1B 4E8
clemessurier@grandconcourse.ca

cc: Ms. Paula Dawe, P.Eng.

Manager, Water Rights, Investigations and Modelling Section
Water Resources Management Division
Department of Environment and Climate Change
P.O. Box 8700
4th Floor, West Block, Confederation Building
St. John's, NL A1B 4J6
pauladawe@gov.nl.ca

cc: Eastern Lands Office
Fisheries & Land Resources
P.O. Box 8700
Howley Building, Higgins Line
St. John's NL A1B 4J6
easternlandsoffice@gov.nl.ca

cc: Fish and Fish Habitat Protection Program Aquatic Ecosystems Branch Fisheries and Oceans Canada P.O. Box 5667
St. John's, NL A1C 5X1
dfo.fppnl-ppptnel.mpo@dfo-mpo.gc.ca



Government of Newfoundland and Labrador **Department of Environment and Climate Change Water Resources Management Division**

Pursuant to the Water Resources Act, SNL 2002 cW-4.01, specifically Section(s) 48		
	, , , , , , , , , , , , , , , , , , , ,	
Date:	NOVEMBER 23, 2023	File No: <u>524</u>
D 1. TT 11	C' AM AD	Permit No: <u>ALT13395-2023</u>
Permit Holder:	City of Mount Pearl 3 Centennial Street	
	Mount Pearl, NL	
	A1N 1G4	
	gdollimount@mountpearl.ca	
	guommount@mountpearnea	
Attention:	Glen Dollimount	
Re:	Powers Pond - Culvert and Walking Trail given for : the installation a 600mm HDPE	culvert and the infilling of approximately 3869 cubic
ermission was neters of 6" bla Powers Pond w	given for : the installation a 600mm HDPE of asted rock, class 'A', 1/4" minus surfacing s	one, and armour stone within the shorewater zone of se of replacing the existing aging boardwalk trail with
Permission was neters of 6" bla Powers Pond wew granular to	given for: the installation a 600mm HDPE of asted rock, class 'A', 1/4" minus surfacing so within the City of Mount Pearl for the purporail, in reference to the application received armit Holder named above or agent authorize	tone, and armour stone within the shorewater zone of see of replacing the existing aging boardwalk trail with on September 22, 2023. It to represent the Permit Holder) do hereby certify
Permission was neters of 6" bla Powers Pond wew granular to I (the Pethat the Jubinitte	given for: the installation a 600mm HDPE of asted rock, class 'A', 1/4" minus surfacing so within the City of Mount Pearl for the purporail, in reference to the application received armit Holder named above or agent authorized project described above was completed in according to the interest of the supplication.	tone, and armour stone within the shorewater zone of see of replacing the existing aging boardwalk trail with on September 22, 2023. It to represent the Permit Holder) do hereby certify ordance with the plans and specifications mate Change and that the work was carried out in

This completion report must be completed and forwarded to the following address upon completion of the approved work.

> Department of Environment and Climate Change Water Resources Management Division PO Box 8700 St. John's NL A1B 4J6

GOVERNMENT OF NEWFOUNDLAND AND LABRADOR

Department of Environment and Climate Change

File No: <u>**524**</u>

Permit No: <u>ALT13395-2023</u>

APPENDIX D Location Map for Permit

Powers Pond - Boardwalk Replacement

Pojet Location
52:83316, 47:520925

Legend
Wetlands
Wetlands
Wetlands