

AMENDMENT TO PERMIT

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 49

Date: **JUNE 20, 2022**

File No: 522-13
Permit No: ALT11151-2020
Amendment No: 2

Permit Holder: **10718 NFLD Inc.
P.O. Box 1919, Station 'C'
St. John's, NL A1C 5R4**


Attention: **Cheryl Walsh, P.Eng.**

Re: **Galway (South Brook - Waterford River Area) - Installation of orifice plates on the inlet headwall of the existing culverts and installation of emergency overflow culverts**

The original Permit dated SEPTEMBER 04, 2020 is amended as follows:

1. As per the email request of Cheryl Walsh, Director of Land Development, DEWCOR dated May 18, 2022, the number and diameter of emergency overflow culverts are being changed from 8-450 mm to 18-300 mm.
2. All other terms and conditions of the permit will remain unchanged.

All other terms and conditions of the original Permit will apply and failure to comply with the terms and conditions of this amendment and the original Permit will render this Permit null and void, place the Permit Holder and their agent(s) in violation of the *Water Resources Act* and make the Permit Holder responsible for taking any remedial measures as may be prescribed by this Department.



(for) MINISTER

File No: 522-13
Permit No: ALT11151-2020
Amendment No: 2

- cc: City of St. John's
Jason Sinyard, P.Eng.
Director of Planning & Development
P.O. Box 908
St. John's, NL A1C 5M2
planning@stjohns.ca
- cc: Eastern Lands Office
Fisheries & Land Resources
P.O. Box 8700
Howley Building, Higgins Line
St. John's NL A1B 4J6
easternlandsoffice@gov.nl.ca
- cc: Fisheries Protection Division
Ecosystem Management Branch
Fisheries and Oceans Canada
P.O. Box 5667
St. John's, NL A1C 5X1
FPP-NL@dfo-mpo.gc.ca
- cc: Richard Harvey, Ph.D., P.Eng.
Manager, Water Rights, Investigations and Modelling Section
Water Resources Management Division
Department of Environment and Climate Change
RHarvey@gov.nl.ca

APPENDIX D
Location Map for Permit

