



**PERMIT FOR DEVELOPMENT**

---

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 39

Date: **JANUARY 19, 2023** File No: **550-01-02-04-000**  
Permit No: **PRO12917-2023**  
Permit Holder: **Department of Fisheries, Forestry and Agriculture (Gambo)**  
**1 Crosses Street**  
**Gambo, NL**  
**A0G 1T0**  
[Redacted]  
Attention: [Redacted]  
Re: **Forest Management Districts 5 and 6 - Various PPWSAs - Domestic Forestry Blanket Approval - DFFA**

---

Permission is hereby given for : **blanket approval for domestic forest harvesting activities within multiple Protected Public Water Supply Areas (details listed in Table 1 of Appendix D) with reference to the applications dated November 14, 2022.**

- This Permit does not release the Permit Holder from the obligation to obtain appropriate approvals from other concerned municipal, provincial and federal agencies.
- The Permit Holder must obtain the approval of the Crown Lands Administration Division if the project is being carried out on Crown Land.
- This Permit is subject to the terms and conditions indicated in Appendices A and B (attached).
- It should be noted that prior to any significant changes in the design or installation of the proposed works, or in event of changes in ownership or management of the project, an amendment to this Permit must be obtained from the Department of Environment and Climate Change under Section 49 of the *Water Resources Act*.

(for) MINISTER

**APPENDIX A**  
**Terms and Conditions for Permit**

---

**PPWSA General**

1. All operations must be carried out in a manner that prevents damage to land, vegetation, and watercourses, and which prevents pollution of bodies of water.
2. Any areas adversely affected by this project must be restored to a state that resembles local natural conditions. Further remedial measures to mitigate environmental impacts on water resources can and will be specified, if considered necessary in the opinion of this Department.
3. All persons working on this project must be informed that they are within a Protected Public Water Supply Area, and must be made aware of all conditions of this Permit. A copy of this Permit must be on site during operations.
4. The attached Completion Report (Appendix C) for Permit No. 12917 must be completed and returned to this Department upon completion of the approved works. Pictures must be submitted along with the completion report, showing the project site prior to and after development.
5. Unless otherwise stated on your cutting permit, an undisturbed (no cutting or ground disturbance) buffer zone of at least **150 metres** shall be maintained around all intake ponds and along both sides of all intake rivers for a distance of 1 km upstream, **75 metres** along the remainder of intake rivers, at least **50 metres** around major lakes and ponds and along both sides of all streams and main tributaries running into intake ponds and rivers, and at least **30 metres** around all ponds and along both sides of all other water bodies. Activity or development within these buffer zones is prohibited.
6. All waste material is to be collected in refuse containers, and disposed of at an approved waste disposal site outside the Protected Public Water Supply Area in accordance with the *Environmental Protection Act, SNL 2002 cE-14.2*.
7. The Department reserves the right to require that the Permit Holder follow, and cover all costs incurred by the Permit Holder or this department, associated with any water quality monitoring program that may be ordered by the Minister for the purpose of ensuring that the water quality is maintained within acceptable guidelines.
8. Officials of the Department and the appropriate Municipal Authority, Operator, or Watershed Management Committee may visit the site to ensure compliance with this Permit.
9. Liaison is to be maintained with the Environmental Scientist. If there are any specific problems (i.e. sedimentation, fuel spill, other potential water quality impairment), the Environmental Scientist must be notified immediately at (709)292-4280.
10. Motorized vehicles, including snowmobiles and ATVs, shall not be used to cross the frozen surface of intake ponds and rivers within Protected Public Water Supply Areas.
11. The location of the work is highlighted on the Location Map for this Permit attached as Appendix D.

12. This Blanket Permit is valid for five (5) years from the date of issue.
13. Any changes in water quality resulting directly from this project, rendering the water unsuitable as a public water supply, are the responsibility of the Permit Holder. The Minister may order the Permit Holder to provide an alternate source of potable water to the affected community until water quality returns to an accepted level.
14. All vehicles and equipment must be in good working order with no leaking fuel, oil, or other harmful substances that could impair water quality.
15. All stationary motorized equipment and associated fuel tanks shall have metal trays, absorbent pads or impervious liners under them to catch and contain in excess of 110 % of the aggregate volume of any fuel, lubricant and oil.
16. Drainage from roads and other disturbed areas into any body of water must first be discharged into a settling pond, a vegetated area or pass through a sedimentation fence where all suspended material can settle out before draining into any body of water.
17. Any streams not visible on a 1:50,000 scale map (including field identified streams) shall require a minimum buffer of 30 m.
18. Where permits, licences, approvals or authorizations are issued by multiple governments, departments or agencies, in the case of similar conditions, the more stringent of those shall prevail; in the case of conflicting conditions, the Permit Holder shall seek clarification and direction in writing from each of the respective departments or agencies.
19. The issuance of this permit does not guarantee, nor set precedent, that additional or similar permits or amendments will be issued in this or any other Protected Public Water Supply Area for additional or similar activity or development.
20. Any activity within a freshwater body (including wetlands and flood risk areas), requires a Permit under Section 48 of the Water Resources Act, 2002. This Permit refers to Section 39 of the Water Resources Act, 2002 and does not grant permission for the above stated work including fording and/or culvert or bridge installation.

### **Domestic Harvesting**

21. Unless listed below, all conditions of the *Guidelines for Forest Operations Within Protected Water Supply Areas*, outlined in the **2018 Environmental Protection Guidelines for Forestry Operations in Newfoundland and Labrador**, must be strictly adhered to.
22. The felling or disposing of trees, parts of trees, sawdust, bark, logging debris or slash into a water body or upon the frozen surface of a water body is strictly prohibited.
23. The use of heavy equipment is strictly prohibited.
24. Conditions #1, 3, 5, 6, 8, 10, 14-17, 20-23, and 26-28, shall be included as special conditions for any Domestic Wood Cutting Permits issued by the Department of Fisheries, Forestry and Agriculture, in any Protected Public Water Supply Area.

### **Fuel Storage**

25. There shall be no bulk fuel storage associated with this project within the protected water supply area. Fuel shall be brought to the operating area in no more than two (2), 205 litre barrels or one (1) 500 litre slip tank. The Permit Holder is hereby informed that fuel storage and handling requires a separate approval under the *Storage and Handling of Gasoline and Associated Products Regulations*, CNR 775/96.
26. Contaminated snow and soil must be removed from the site and disposed of at an approved location outside the protected public water supply area, in accordance with the *Environmental Protection Act, SNL 2002 cE-14.2*.
27. Any spills of gasoline, fuel or oil, regardless of volume, shall be reported immediately to the Environmental Scientist by calling (709)292-4280. Furthermore, all spills in excess of 70 litres shall be reported immediately to the 24 hour spill report line at 1-800-563-9089.
28. Refueling sites shall be located at least 150 metres from any water body or wetland.

**APPENDIX B**  
**Special Terms and Conditions for Permit**

---

1. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall keep all systems and works in good condition and repair and in accordance with all laws, by-laws, directions, rules and regulations of any governmental authority. The Permit Holder or its agent(s), subcontractor(s), or consultant(s) shall immediately notify the Minister if any problem arises which may threaten the structural stability of the systems and works, endanger public safety and/or the environment or adversely affect others and/or any body of water either in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for all damages suffered by the Minister and Government resulting from any defect in the systems and works, operational deficiencies/inadequacies, or structural failure.
2. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall operate the said Project and its systems and works in a manner which does not cause any water related and/or environmental problems, including but not limited to problems of erosion, deposition, flooding, and deterioration of water quality and groundwater depletion, in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for any and all damages associated with these problems caused as a result of changes, deficiencies, and inadequacies in the operational procedures by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
3. If the Permit Holder or its agent(s), subcontractor(s), or consultant(s) fails to perform, fulfil, or observe any of the terms and conditions, or provisions of this Permit, as determined by this Department, the Minister may, without notice, amend, modify, suspend or cancel this Permit in accordance with the *Water Resources Act*.
4. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) indemnify and hold the Minister and Government harmless against any and all liabilities, losses, claims, demands, damages or expenses including legal expenses of any nature whatsoever whether arising in tort, contract, statute, trust or otherwise resulting directly or indirectly from granting this Permit, systems and works in or outside the said Project areas, or any act or omission of the Permit Holder or its agent(s), subcontractor(s), or consultant(s) in or outside the said Project areas, or arising out of a breach or non-performance of any of the terms and conditions, or provisions of this Permit by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
5. This Permit is subject to all provisions of the *Water Resources Act* and any regulations in effect either at the date of this Permit or hereafter made pursuant thereto or any other relevant legislation enacted by the Province of Newfoundland and Labrador in the future.
6. This Permit shall be construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador.

cc: Mr. Trent Pollett  
Environmental Scientist, Drinking Water  
Water Resources Management Division  
Department of Environment and Climate Change  
3 Crommer Avenue  
Grand Falls - Windsor, NL  
A2A 1W9  
trentpollett@gov.nl.ca

cc: Ms. Deneen Spracklin, P.Eng.  
Manager, Drinking Water and Wastewater Section  
Water Resources Management Division  
Department of Environment and Climate Change  
P.O. Box 8700  
4th Floor, West Block, Confederation Building  
St. John's, NL A1B 4J6  
dspracklin@gov.nl.ca

cc: Local Service District of Deadman's Bay  
Chairperson  
General Delivery  
Deadman's Bay, NL A0G 1V0  
lsdeadmansbay@hotmail.com

cc: Local Service District of Gander Bay South  
Mr. Marvin Hodder, Chairperson  
General Delivery  
Gander Bay South, NL A0G 2H0  
[REDACTED]

cc: Town of Appleton  
P.O. Box 31, Site 4  
Appleton, NL A0G 2K0  
townofappleton@personainternet.com

cc: Town of Centreville-Wareham-Trinity  
Ms. Michelle Brown  
355 JW Pickersgill Blvd  
P.O. Box 130  
Centreville, NL A0G 4P0  
townofcwt@bellaliant.com

cc: Town of Gambo  
Mr. Lorne Greene  
P.O. Box 250  
Gambo, NL A0G 1T0  
[REDACTED]

cc: Town of Gander  
100 Elizabeth Drive  
Gander, NL A1V 1G7

info@gandercanada.com

- cc: Town of Glenwood  
P.O. Box 130  
Glenwood, NL A0G 2K0  
townofglenwood@hotmail.com
- cc: Town of Hare Bay  
Mr. George R. Collins  
P.O. Box 130  
Hare Bay, NL A0G 2P0  
harebaytowncouncil@bellaliant.com
- cc: Town of Indian Bay  
Ms. Triffie Parsons, Town Clerk/Manager  
10-18 Municipal Cres.  
Indian Bay, NL A0G 2V0  
townofindianbay@hotmail.com
- cc: Town of Musgrave Harbour  
Ms. Kim Osbourne  
P.O. Box 159  
Musgrave Harbour, NL A0G 3J0  
musgravetowncouncil@nf.aibn.com



**Appendix C - Completion Report**

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 39

Date: **JANUARY 16, 2023**

File No: **550-01-02-04-000**  
Permit No: **PRO12917-2023**

Permit Holder: **Department of Fisheries, Forestry and Agriculture (Gambo)**  
**1 Crosses Street**  
**Gambo, NL**  
**A0G 1T0**  
[Redacted]

Attention: [Redacted]

Re: **Forest Management Districts 5 and 6 - Various PPWSAs - Domestic Forestry**  
**Blanket Approval - DFFA**

Permission was given for : **blanket approval for domestic forest harvesting activities within multiple Protected Public Water Supply Areas (details listed in Table 1 of Appendix D) with reference to the applications dated November 14, 2022.**

*I (the Permit Holder named above or agent authorized to represent the Permit Holder) do hereby certify that the project described above was completed in accordance with the plans and specifications submitted to the Department of Environment and Climate Change and that the work was carried out in strict compliance with the terms and conditions of the Permit issued for this project.*

Date: \_\_\_\_\_ Signature: \_\_\_\_\_

This completion report must be completed and forwarded to the following address upon completion of the approved work.

Department of Environment and Climate Change  
Water Resources Management Division  
PO Box 8700  
St. John's NL A1B 4J6



**Appendix D - Location Maps for Permit**

Community	Protected Public Water Supply Area	Domestic Cutting (DC) Areas	Annual DC Area Estimate (km <sup>2</sup> )	Total Watershed Area (km <sup>2</sup> ) of the PPWSA	% of Watershed impacted by DC Annually
Centreville- Wareham - Trinity	Northwest Pond PPWSA	Area 7	0.09	57.6	0.15%
Deadman's Bay	Deadman's Pond PPWSA	Areas 10, 13 and 15	0.05	394	0.01%
Gambo	Dark Cove Pond PPWSA	Area 20	0.01	5.75	0.17%
Gander Bay South	Barry's Brook PPWSA	Areas 5 and 33	0.06	75.9	0.07%
Gander WSMC	Gander Lake PPWSA	Areas 31, 39, 42, and 43	0.10	1552	0.006%
Hare Bay	Hare Bay Pond PPWSA	Area 18	0.06	20.7	0.23%
Indian Bay	Indian Bay Brook PPWSA	Areas 7, 3, 15, 39, and 40	0.34	584	0.06%
Musgrave Harbour	Rocky Pond PPWSA	Area 9	0.03	20.5	0.14%

**Table 1 - List of Domestic Cutting Details Associated with PPWSAs Within Forest Management Districts 5 and 6.**

















