

**PERMIT FOR DEVELOPMENT**

---

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 39


Date: **MAY 24, 2022**

File No: **550-01-04-05-017**  
Permit No: **PRO12511-2022**

Permit Holder: **Search Minerals Inc.**



Attention:




Re: **St. Lewis - Tub Harbour Pond PPWSA - Mineral Exploration - Search Minerals**

---

Permission is hereby given for : **the drilling of 60 drill holes and the creation of a 131 metre access road for the drill program in the Tub Harbour Pond Protected Public Water Supply Area (used by the Town of St. Lewis) with reference to the application received Jan 27, 2022 and additional information provided May 3, 2022.**

- This Permit does not release the Permit Holder from the obligation to obtain appropriate approvals from other concerned municipal, provincial and federal agencies.
- The Permit Holder must obtain the approval of the Crown Lands Administration Division if the project is being carried out on Crown Land.
- This Permit is subject to the terms and conditions indicated in Appendices A and B (attached).
- It should be noted that prior to any significant changes in the design or installation of the proposed works, or in event of changes in ownership or management of the project, an amendment to this Permit must be obtained from the Department of Environment and Climate Change under Section 49 of the *Water Resources Act*.



(for) MINISTER

**APPENDIX A**  
**Terms and Conditions for Permit**

---

**PPWSA General**

1. All operations must be carried out in a manner that prevents damage to land, vegetation, and watercourses, and which prevents pollution of bodies of water.
2. Any areas adversely affected by this project must be restored to a state that resembles local natural conditions. Further remedial measures to mitigate environmental impacts on water resources can and will be specified, if considered necessary in the opinion of this Department.
3. All persons working on this project must be informed that they are within a Protected Public Water Supply Area, and must be made aware of all conditions of this Permit. A copy of this Permit must be on site during operations.
4. The attached Completion Report (Appendix C) for Permit No. 12511 must be completed and returned to this Department upon completion of the approved works. Pictures must be submitted along with the completion report, showing the project site prior to and after development.
5. An undisturbed (no cutting or ground disturbance) buffer zone of at least **150 metres** shall be maintained around Tub Harbour Pond, at least **50 metres** along both sides of all streams and main tributaries running into Tub Harbour Pond, and at least **30 metres** around all ponds and along both sides of all other water bodies. Activity or development within these buffer zones is prohibited. All buffer zones must be marked with signs or flagging tape to avoid encroachment into the buffer zones.
6. All waste material is to be collected in refuse containers, and disposed of at an approved waste disposal site outside the Protected Public Water Supply Area in accordance with the *Environmental Protection Act, SNL 2002 cE-14.2*.
7. Equipment storage, maintenance facilities associated with this project, and all maintenance other than emergency repairs must not be located/carried out within the Protected Public Water Supply Area.
8. The Department reserves the right to require that the Permit Holder follow, and cover all costs incurred by the Permit Holder or this department, associated with any water quality monitoring program that may be ordered by the Minister for the purpose of ensuring that the water quality is maintained within acceptable guidelines.
9. Officials of the Department and the appropriate Municipal Authority, Operator, or Watershed Management Committee may visit the site to ensure compliance with this Permit.
10. Liaison is to be maintained with the appropriate Municipal Authority and Environmental Scientist. If there are any specific problems (i.e. sedimentation, fuel spill, other potential water quality impairment), the appropriate Town Manager/Clerk, Mayor, Chair of the Local Service District Committee, or Chair of the Water Supply Committee must be notified immediately at (709)939-2282. The Environmental Scientist must also be notified immediately at **(709)637-2542**.
11. The felling or disposing of trees, parts of trees, sawdust, bark, logging debris or slash into a water body or upon the frozen surface of a water body is strictly prohibited.
12. Motorized vehicles, including snowmobiles and ATVs, shall not be used to cross the frozen surface of **Tub Harbour Pond**, the intake pond within the Protected Public Water Supply Area.

13. Drainage from roads and other disturbed areas, and all water, runoff or effluent from the site, that is pumped or flows by gravity, shall have silt, sludge, sediment, cuttings, and visible turbidity removed by means of sediment boxes, settling tanks, settling ponds, sumps dug into the ground, filtration or other suitable treatment, to less than or equal to 30 milligrams per litre of Total Suspended Solids (TSS), before being discharged to the environment. More specifically, at the last point of control, the final discharge of all water, runoff or effluent must conform to the limits specified in Schedule A of the Environmental Control Water and Sewer Regulations, 2003, <https://www.assembly.nl.ca/Legislation/sr/Regulations/rc030065.htm>. It is the responsibility of the Permit Holder to demonstrate, that the final discharge meets the requirement of these Regulations.
14. Treated wood shall not be used in a water body or within buffer zones established in Condition #5 of any water body measured from the high water mark. The use of creosote treated wood anywhere within the Protected Public Water Supply Area is strictly prohibited.
15. The Permit Holder must inspect the site hourly during drilling activities, and any water quality impairment related problems are to be reported immediately to the Environmental Scientist at (709)637-2542 and the appropriate Municipal Authority or Watershed Monitoring Committee at (709)939-2282.
16. The location of the work is highlighted on the Location Map for this Permit attached as Appendix D.
17. This Permit is valid for one (1) year from the date of issue. If required, an application for Permit renewal must be submitted prior to the expiry date.
18. Any changes in water quality resulting directly from this project, rendering the water unsuitable as a public water supply, are the responsibility of the Permit Holder. The Minister may order the Permit Holder to provide an alternate source of potable water to the affected community until water quality returns to an accepted level.
19. All vehicles and equipment must be clean and in good working order with no leaking fuel, oil, or other harmful substances that could impair water quality.
20. All stationary motorized equipment and associated fuel tanks shall have metal trays, absorbent pads or impervious liners under them to catch and contain in excess of 110 % of the aggregate volume of any fuel, lubricant and oil.
21. Any streams not visible on a 1:50,000 scale map (including field identified streams) shall require a minimum buffer of 30 m.
22. Exploration activities must not extend within 200 meters of a scheduled salmon river without prior registration for and release under the Environmental Protection Act, Environmental Assessment Division, Department of Municipal Affairs and Environment.
23. Where permits, licences, approvals or authorizations are issued by multiple governments departments or agencies, in the case of similar conditions, the more stringent of those shall prevail; in the case of conflicting conditions, the Permit Holder shall seek clarification and direction in writing from each of the respective departments or agencies.
24. The Permit Holder is required to ensure that adequate sanitary (bathroom) facilities are available or provided on site. This may be in the form of a portable toilet, chemical toilet, or municipal sewer system. If a portable toilet or chemical toilet is used, the waste water must be disposed of in a septic disposal system approved by Service NL, or at an approved waste disposal site, outside the Protected Public Water Supply Area in accordance with the Environmental Protection Act, SNL 2002 cE-14.2.
25. The issuance of this permit does not guarantee, nor set precedent, that additional or similar permits or amendments will be issued in this or any other Protected Public Water Supply Area for additional or similar activity or development.

26. Any activity within a freshwater body (including wetlands and flood risk areas), requires a Permit under Section 48 of the Water Resources Act, 2002. This Permit refers to Section 39 of the Water Resources Act, 2002 and does not grant permission for the above stated work including fording and/or culvert or bridge installation.

### **Exploration**

27. All drill rigs, pumps, generators, other motorized equipment and associated fuel tanks shall have metal trays, absorbent pads or impervious liners under them to catch and contain in excess of 110 % of the aggregate volume of any fuel, lubricant and oil.
28. Fuel storage within the Protected Public Water Supply Area shall be limited to the amount of fuel required to drill each borehole up to the maximum noted below. Fuel shall be brought to the operating area in no more than two (2) new 205 litre drums, or one (1) CSA or ULC approved slip tank having a capacity of 500 litres. All fuel drums or slip tanks must be in good condition. Refueling sites shall be located at least 150 metres from any water body or wetland. Fuel drums or slip tanks shall have metal trays, absorbent pads or impervious liners under them to catch and contain in excess of 110 % of the aggregate volume of fuel.
29. All water, runoff or effluent from the mineral exploration activity (or any other type of similar undertaking), that is pumped or flows by gravity, shall have silt, sludge, sediment, cuttings, and visible turbidity removed by means of sediment boxes, settling tanks, settling ponds, sumps dug into the ground, filtration or other suitable treatment, to less than or equal to 30 milligrams per litre of Total Suspended Solids (TSS), before being discharged to the environment. More specifically, at the last point of control, the final discharge of all water, runoff or effluent must conform to the limits specified in Schedule A of the Environmental Control Water and Sewer Regulations, 2003, <https://www.assembly.nl.ca/Legislation/sr/Regulations/rc030065.htm>. It is the responsibility of the Permit Holder to demonstrate, that the final discharge meets the requirement of these Regulations.
30. Drilling fluids other than water must be approved by this Department prior to their use.
31. Unless listed above, all conditions outlined in the **Environmental Guidelines for Construction and Mineral Exploration Companies**, must be strictly adhered to.
32. All silt, sludge, sediment, cuttings, drilling additives, and drilling mud must be collected, properly disposed of and not permitted to flow freely over the ground. A layered risk mitigation is required. The primary layer of risk mitigation is as follows: in areas outside of the buffers outlined in Condition #5 and where the physical conditions exist to construct a working sump pit, that is an acceptable method. In areas where there is no way to dig a sump pit, a settling tank will be required. Hourly inspections of both options will be required during operation, after heavy precipitation events, and reported to WRMD staff when issues arise. The secondary layer is the use of sediment traps (e.g. constructed of bales of hay or straw stacked and staked in place used in conjunction with silt fencing) to intercept water that may flow from the sump pit or settling tank. Sediment traps should be checked after heavy rain events to repair any damage and to remove accumulated sediment. Should an accumulated mass of cuttings be collected by either risk mitigation layer, the accumulation shall be excavated and deposited in the sump pit before rehabilitation.
33. At least seven (7) days advance notice of the beginning and end of the planned drilling operation is required. The municipal authority must be notified at (709)939-2282 and the Environmental Scientist must be notified at (709)637-2542. Any changes in the planned drilling operation must also be communicated in a timely manner, and approved with a subsequent Permit or amendment before being undertaken.
34. All boreholes shall be sealed with bentonite to prevent any artesian flow.
35. There shall be no reinjection of silt, sludge, sediment, cuttings, drilling additives, and drilling mud back into the drill hole.
36. All storm runoff shall be diverted away from any engineered excavation for the retention of sediment (e.g. sump, sediment basin, settling pond).

37. In the case of an event that may impact drinking water quality, the Proponent's Contingency Plan shall be followed.

### **Fuel Storage**

38. There shall be no bulk fuel storage associated with this project within the protected water supply area. Fuel shall be brought to the operating area in no more than two (2), 205 litre barrels or one (1) 500 litre slip tank. Refueling sites shall be located at least 150 metres from any water body or wetland. The Permit Holder is hereby informed that fuel storage and handling requires a separate approval under the *Storage and Handling of Gasoline and Associated Products Regulations*, CNR 775/96.

39. A complete oil spill clean-up kit must be on site at all times when gasoline or fuel powered equipment is being used or refueled. The kit must contain the following:

- Fire pump and 100 metres of hose
- Two hand operated fuel pumps
- Six recovery containers such as empty 205 litre drums
- Four shovels
- Two pick axes
- Ten metres of containment boom
- Twenty-five absorbent pads
- One hundred litres of loose absorbent material

40. Contaminated snow and soil must be removed from the site and disposed of at an approved location outside the protected public water supply area, in accordance with the *Environmental Protection Act, SNL 2002 cE-14.2*.

41. Any spills of gasoline, fuel or oil, regardless of volume, shall be reported immediately to the Environmental Scientist and the appropriate Municipal Authority or Watershed Management Committee by calling (709)637-2542 and (709)939-2282 respectively. Furthermore, all spills in excess of 70 litres shall be reported immediately to the 24 hour spill report line at 1-800-563-9089.

42. Refueling sites shall be located at least 150 metres from any water body or wetland.

### **Protected Miscellaneous**

43. The Permit Holder is required to provide this Department with all documentation, information and data which may be requested or required in order to carry out the inspection or investigation.

44. Sawdust, bark, and logs must not be stored within undisturbed buffer zones of any body of water, and must be removed at regular intervals to prevent excessive accumulation at the site.

45. Wood and brush removed from the work site must not be stored within undisturbed buffer zones of any water body.

46. The Permit Holder is required to undertake a water quality monitoring program as outlined below, and all water quality data must be submitted to this Department, within 14 days of the samples being taken.

- Water samples shall be collected from the intake area on Tub Harbour Pond.
- Water samples shall be collected before the drilling begins, once per week while the operation is ongoing, after any extreme rain event of more than 20mm of rain in a 24 our period and approximately 7 days after the completion of the drilling project.
- The following parameters will be analyzed: Alkalinity, Aluminum, Ammonia, Antimony, Arsenic, Barium, Boron, Bromide, Cadmium, Calcium, Chloride, Chromium, Colour, Conductivity, Copper, Dissolved Organic Carbon, Fluoride, Hardness, Iron, Lead, Magnesium, Manganese, Mercury, Nickel, Nitrate, Nitrite, pH, Potassium, Selenium, Sodium, Strontium, Sulphate, Total Dissolved Solids, Total Suspended Solids, Total Kjeldahl Nitrogen, Total Organic Carbon, Total Phosphorus, Turbidity, Uranium, Zinc, BTEX/TPH and Polycyclic Aromatic Hydrocarbons.

### **Special Conditions**

47. Prior to completion of the project, sump pits/trenches/test pits/any engineered excavation for the retention of sediment shall be rehabilitated appropriately. Rehabilitation may include backfilling of stockpiled materials such as subsoils and till, re-covering the backfilled site with stockpiled organic cover and any additional organic materials, seeding, or other measures.

#### **Trails**

48. Fill material must be obtained from an approved quarry site. It must not be taken from beaches or streams, and must not be dredged from a body of water.
49. Where sand or gravel is used in the construction of trails, these areas must be closely monitored during and after periods of heavy rainfall for any signs of erosion or washout. Where washouts occur, these sections of trail must be replaced with boardwalks.
50. Permit Holder must avoid construction activities in a wetlands wherever possible.
51. A Domestic Wood Harvesting Permit is required from the Regional Services Division of the Forestry Services Branch for any wood cutting activities.
52. Design and construction of ATV or multi-use trails within PPWSAs must adhere to the **Guidelines for Construction and Maintenance of ATV Trails inside Protected Public Water Supply Areas.**
53. The Crown Lands Division must approve all trails on crown land.
54. Motorized Snow Vehicles and All-Terrain Vehicles Regulations must be strictly adhered to.
55. Heavily travelled areas must be kept well drained to prevent the formation of mud puddles which can contribute to erosion and siltation events.

**APPENDIX B**

**Special Terms and Conditions for Permit**

---

1. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall keep all systems and works in good condition and repair and in accordance with all laws, by-laws, directions, rules and regulations of any governmental authority. The Permit Holder or its agent(s), subcontractor(s), or consultant(s) shall immediately notify the Minister if any problem arises which may threaten the structural stability of the systems and works, endanger public safety and/or the environment or adversely affect others and/or any body of water either in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for all damages suffered by the Minister and Government resulting from any defect in the systems and works, operational deficiencies/inadequacies, or structural failure.
2. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall operate the said Project and its systems and works in a manner which does not cause any water related and/or environmental problems, including but not limited to problems of erosion, deposition, flooding, and deterioration of water quality and groundwater depletion, in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for any and all damages associated with these problems caused as a result of changes, deficiencies, and inadequacies in the operational procedures by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
3. If the Permit Holder or its agent(s), subcontractor(s), or consultant(s) fails to perform, fulfil, or observe any of the terms and conditions, or provisions of this Permit, as determined by this Department, the Minister may, without notice, amend, modify, suspend or cancel this Permit in accordance with the *Water Resources Act*.
4. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) indemnify and hold the Minister and Government harmless against any and all liabilities, losses, claims, demands, damages or expenses including legal expenses of any nature whatsoever whether arising in tort, contract, statute, trust or otherwise resulting directly or indirectly from granting this Permit, systems and works in or outside the said Project areas, or any act or omission of the Permit Holder or its agent(s), subcontractor(s), or consultant(s) in or outside the said Project areas, or arising out of a breach or non-performance of any of the terms and conditions, or provisions of this Permit by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
5. This Permit is subject to all provisions of the *Water Resources Act* and any regulations in effect either at the date of this Permit or hereafter made pursuant thereto or any other relevant legislation enacted by the Province of Newfoundland and Labrador in the future.
6. This Permit shall be construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador.

- cc: Ms. Carla Hayes, P.Tech  
Environmental Scientist, Drinking Water Section  
Water Resources Management Division  
Department of Environment and Climate Change  
P.O. Box 2006  
Corner Brook, NL A2H 6J8  
CarlaHayes@gov.nl.ca
- cc: Ms. Paula Dawe, P.Eng.  
Manager, Drinking Water and Wastewater Section  
Water Resources Management Division  
Department of Environment and Climate Change  
P.O. Box 8700  
4th Floor, West Block, Confederation Building  
St. John's, NL A1B 4J6  
pauladawe@gov.nl.ca
- cc: Mr. Jeff Pickett (Corner Brook - Western)  
Manager of Operations  
Digital Government and Service NL  
Sir Richard Squires Building  
PO Box 2006  
Corner Brook NL A2H 6J8  
jeffpickett@gov.nl.ca
- cc: Town of St. Lewis  
Ms. Lorraine Poole  
P.O. Box 106  
St. Lewis, NL A0K 4W0  
stlewistownoffice@nf.aibn.com
- cc: Ms. Bernadine Lawlor  
Mineral Industry Analyst, Mining Industry Analysis Section  
Mineral Development Division  
Department of Natural Resources  
50 Elizabeth Avenue, P.O. Box 8700  
St. John's, NL A1B 4J6  
bernadinelawlor@gov.nl.ca



**Appendix C - Completion Report**

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 39

Date: **MAY 24, 2022**

File No: **550-01-04-05-017**

Permit No: **PRO12511-2022**

Permit Holder: **Search Minerals Inc.**



Attention:



Re: **St. Lewis - Tub Harbour Pond PPWSA - Mineral Exploration - Search Minerals**

Permission was given for : **the drilling of 60 drill holes and the creation of a 131 metre access road for the drill program in the Tub Harbour Pond Protected Public Water Supply Area (used by the Town of St. Lewis) with reference to the application received Jan 27, 2022 and additional information provided May 3, 2022.**

*I (the Permit Holder named above or agent authorized to represent the Permit Holder) do hereby certify that the project described above was completed in accordance with the plans and specifications submitted to the Department of Environment and Climate Change and that the work was carried out in strict compliance with the terms and conditions of the Permit issued for this project.*

Date: \_\_\_\_\_ Signature: \_\_\_\_\_

This completion report must be completed and forwarded to the following address upon completion of the approved work.

Department of Environment and Climate Change  
Water Resources Management Division  
PO Box 8700  
St. John's NL A1B 4J6

**APPENDIX D**  
**Location Map for Permit**

