

Source Water Quality for Public Water Supplies in Newfoundland and Labrador Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc		
			Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.01	0.02	5.0		
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A		
Change Islands																									
Change Islands fill up station	#1 Fox Cove Well	Feb 28, 2023	0.140	11.0	LTD	0.310	0.006	0.049	0.001300	0.006	0.150	0.00009	LTD	0.008	0.130	0.003	17.000	0.460	LTD	LTD	LTD	0.0007	0.032		
Change Islands - PWDU	#1 Fox Cove Well	Feb 28, 2023	0.140	11.0	LTD	0.310	0.006	0.049	0.001300	0.006	0.150	0.00009	LTD	0.008	0.130	0.003	17.000	0.460	LTD	LTD	LTD	0.0007	0.032		
Clarenville																									
Clarenville, Shoal Harbour	Shoal Harbour River	Feb 23, 2023	LTD	9.6	0.099	0.200	LTD	0.170	LTD	LTD	0.003	LTD	LTD	0.020	0.230	LTD	0.390	0.026	LTD	LTD	LTD	LTD	LTD		
Deep Bight																									
Deep Bight	Deep Bight River	Mar 07, 2023	0.073	6.6	0.072	0.100	LTD	0.120	LTD	LTD	0.003	LTD	LTD	0.002	0.190	LTD	0.420	0.004	LTD	LTD	LTD	LTD	LTD		
Ferryland																									
Ferryland	Deep Cove Pond	Jan 17, 2023	LTD	9.4	LTD	0.200	LTD	0.260	LTD	LTD	0.003	0.00002	LTD	LTD	0.130	LTD	0.800	0.008	LTD	LTD	LTD	LTD	LTD		
Georgetown																									
Georgetown	Third Pond	Feb 17, 2023	LTD	4.4	0.130	0.190	LTD	0.074	LTD	LTD	0.006	0.00001	LTD	0.001	LTD	LTD	0.900	0.006	LTD	LTD	LTD	LTD	LTD		
Indian Bay																									
Indian Bay	Indian Bay Brook	Feb 22, 2023	LTD	5.9	0.058	0.280	LTD	0.081	LTD	LTD	0.002	LTD	LTD	LTD	0.120	LTD	0.660	0.013	LTD	LTD	LTD	LTD	LTD		
Mainland																									
Mainland	Cointres Brook (Backup Supply)	Jan 25, 2023	LTD	4.8	0.190	0.170	0.007	0.140	LTD	LTD	0.021	LTD	LTD	0.001	0.140	LTD	5.400	0.003	LTD	LTD	LTD	LTD	LTD		
Mainland	Cointres Brook (Backup Supply)	Mar 17, 2023	LTD	2.0	0.300	LTD	LTD	0.110	LTD	LTD	0.038	LTD	LTD	LTD	0.120	LTD	9.700	0.002	LTD	LTD	LTD	0.0002	LTD		

Source Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
			Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.01	0.02	5.0
Aesthetic (A) or Contaminant (C) Parameter						C			C	C	C	C	C	A / C	A	C		A / C	C		C	C	A

Source water samples are collected directly from the source such as a groundwater well, lake, pond, or stream prior to disinfection or other treatment. The source water quality is analyzed to determine the quality of water that flows into your water treatment and distribution system. The quality of this water is a direct indicator of the health of the ecosystem that makes up the natural drainage basin, well head recharge area or watershed area. Monitoring of source water quality is the most important tool to assess the impact of land use changes on source water quality, the presence of disinfection by-product (DBP) pre-cursors and to ensure the integrity of a public water supply. The values for each parameter are as reported by the lab and verified by the department.

Quality Assurance / Quality Control (QA/QC) - The department is striving to improve the quality of the data using standard QA/QC protocols. This is an evolving process which may result in minor changes to the reported data.

LTD - Less Than Detection Limit - The detection limit is the lowest concentration of a substance that can be determined using a particular test method and instrument. Detection limits vary from parameter to parameter and change from time to time due to improvements in analytical procedures and equipment.

The exceedance report for source water provides a brief discussion and interpretation of health related water quality parameters, if any, that exceed the acceptable limits as set out in the Guidelines for Canadian Drinking Water Quality (GCDWQ). This comparison is only for screening purposes since at present there are no guidelines for untreated source water. The GCDWQ applies to water at the consumers tap. However in the absence of water treatment these guidelines could be applicable to source water quality

Aesthetic (A) Parameters - Aesthetic parameters reflect substances or characteristics of drinking water that can affect its acceptance by consumers but which usually do not pose any health effects. Aesthetic exceedances are highlighted in **blue text** and underlined.

Contaminants (C) - Contaminants are substances that are known or suspected to cause adverse effects on the health of some people when present in concentrations greater than the established Maximum Acceptable Concentrations (MACs) or the Interim Maximum Acceptable Concentrations (IMACs) of the GCDWQ. Each MAC has been derived to safeguard health assuming lifelong consumption of drinking water containing the substance at that concentration. IMACs are reviewed periodically as new information becomes available. Please consult your Medical Officer of Health for additional information on the health aspects on contaminants. Contaminant exceedances are highlighted in **red text** and enclosed in a box.

The reported information is for supplies selected for sampling and may not include all public water supplies.

Contaminant and Aesthetic Exceedances

Nitrate(ite) - The maximum acceptable concentration for nitrate(ite) in drinking water is 10 mg/L expressed as nitrate-nitrogen. Nitrate and nitrite are naturally occurring ions that are widespread in the environment. High levels of this contaminant can cause adverse health effects for some people.

Antimony - The interim maximum acceptable concentration (IMAC) for antimony in drinking water is 0.006 mg/L. It is a naturally occurring metal that is introduced into water through the natural weathering of rocks, runoff from soils, effluents from mining and manufacturing operations, industrial and municipal leachate discharges and from household piping and possibly non-lead solder. High levels of this contaminant can cause adverse health effects for some people.

Arsenic - The interim maximum acceptable concentration for arsenic in drinking water is 0.01 mg/L. Arsenic is introduced into water through the dissolution of minerals and ores, from industrial effluents and via atmospheric deposition. High levels of this contaminant can cause adverse health effects for some people.

Barium - The maximum acceptable concentration for barium in drinking water is 2.0 mg/L. Barium is not found free in nature but occurs as in a number of compounds. High levels of this contaminant can cause adverse health effects for some people.

Cadmium - The maximum acceptable concentration for cadmium in drinking water is 0.007 mg/L. Cadmium that is present as an impurity in galvanized pipes, a constituent of solders used in fitting water heaters or incorporated into stabilizers in black polyethylene pipes may contaminate water supplies during their distribution. High levels of this contaminant can cause adverse health effects for some people.

Chromium - The maximum acceptable concentration for chromium in drinking water is 0.05 mg/L. High levels of this contaminant can cause adverse health effects for some people.

Lead - The maximum acceptable concentration for lead in drinking water is 0.005 mg/l. Lead is present in tap water as a result of dissolution from natural sources or from the distribution systems and plumbing containing lead in pipes, solder or service connections. High levels of this contaminant can cause adverse health effects for some people.

Mercury - The maximum acceptable concentration for mercury in drinking water is 0.001 mg/L. High levels of this contaminant can cause adverse health effects for some people

Selenium - The maximum acceptable concentration for selenium in drinking water is 0.01 mg/L. High levels of this contaminant can cause adverse health effects for some people.

Uranium - The interim maximum acceptable concentration for uranium in drinking water is 0.02 mg/L. Uranium may enter drinking water from naturally occurring deposits or as a result of human activity, such as mill tailings and phosphate fertilizers. High levels of this contaminant can cause adverse health effects for some people.

Copper - The maximum acceptable concentration for copper in drinking water is 2.0 mg/L and the aesthetic objective for copper in drinking water is 1.0 mg/L. Copper is widely distributed in nature and is found frequently in surface water and in some groundwater. Usually, copper in tap water is the result of dissolution of copper piping within the distribution system. The aesthetic objective was set to ensure palatability and to minimize staining of laundry and plumbing fixtures. Copper is an essential element in human metabolism and copper deficiency results in a variety of clinical disorders. At extremely high doses copper intake can result in adverse health effects. High levels of copper in tap water may result in blue-green staining on some fixtures.

Manganese - The maximum acceptable concentration for manganese in drinking water is 0.12 mg/L and the aesthetic objective for manganese in drinking water is 0.02 mg/L. Usually, manganese in drinking water is the result of high amounts of manganese in the source water supply's bedrock. Levels above the maximum acceptable concentration can cause adverse health effects for some people. Levels above the aesthetic objective may cause staining of plumbing and laundry and undesirable tastes in beverages.

Iron - The aesthetic objective for iron in drinking water is 0.3 mg/L. Usually, iron in tap water is the result of high iron content in the raw water and dissolution of iron piping within the distribution system. Iron is an essential element in nutrition. High levels of iron in tap water can cause staining of laundry and plumbing fixtures, unpleasant taste, colour and promote biological growths in the distribution system.

Zinc - The aesthetic objective for zinc in drinking water is 5.0 mg/L. Zinc in water can be naturally occurring or due to zinc in plumbing materials. Zinc is an essential element for human nutrition. Long term ingestion of zinc has not resulted in adverse effects. Water with zinc concentrations higher than the aesthetic objective has an astringent taste and may be opalescent and develop a greasy film on boiling.

mg/L = milligrams per litre or parts per million µS/cm = micro Siemens per centimeter NTU = nephelometric turbidity units TDS = total dissolved solids TSS = total suspended solids TCU = true colour units Nitrate(ite) = Nitrate + Nitrite DOC = dissolved organic carbon

Notes:
Guidelines for Canadian Drinking Water Quality have not been developed for all the parameters listed in this report.
pH has no units