

APPENDIX R

Plant Characteristics of Various Wetland Types

APPENDIX R

| Binomial | Common Name | Wetland Form | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--------------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|-----|------|-----|-----|
| | | db | db | db | bb | bb | bb | shb | shb | shb | shb | shb | shb | slb | slb | slb | slb | strb | strb | strb | strb | strb | strb | rf | rf | rf | slf |
| | | Wetland Identification Number | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 346 | 4 | 310 | 3 | 342 | 287 | 1 | 263 | 95 | 2 | 266 | 335 | 345 | 32 | 207 | 273 | 336 | 24 | 118 | 190 | 5 | 340 | 334 | 299a | 79 | |
| Trees | Trees | Cover (%) | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Picea mariana</i> | black spruce | 0 | 0.5 | 0 | 8 | 2 | 5 | 2 | 4 | 0 | 0 | 0 | 1 | 5 | 3 | 5 | 0.5 | 2 | 1 | 2 | 5 | 0 | 1 | 0 | 0 | 1 | |
| <i>Larix laricina</i> | tamarack | 0 | 0.5 | 0 | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 8 | 1 | 0 | 1 | 0.5 | 1 | 0 | 1 | 0 | 0 | 0.5 | 1 | 0 | 10 | |
| Shrubs | Shrubs | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Chamaedaphne calyculata</i> | leatherleaf | 35 | 15 | 30 | 25 | 20 | 10 | 25 | 40 | 5 | 25 | 35 | 7 | 20 | 12 | 2 | 10 | 20 | 20 | 15 | 20 | 40 | 8 | 6 | 15 | 0 | |
| <i>Andromeda glaucophylla</i> | bog-rosemary | 2 | 2 | 1 | 0 | 0.5 | 0 | 0 | 1 | 0 | 5 | | 0 | 0 | 2 | 0 | 0 | 1 | 3 | 5 | 1 | 0.5 | 0 | 1 | 0.5 | 5 | |
| <i>Picea mariana</i> | black spruce | 5 | 10 | 5 | 15 | 30 | 35 | 10 | 7 | 0.5 | 0 | 20 | 10 | 20 | 7 | 30 | 30 | 3 | 10 | 10 | 18 | 0.5 | 10 | 3 | 0.5 | 0 | |
| <i>Larix laricina</i> | tamarack | 2 | 7 | 7 | 3 | 10 | 20 | 5 | 4 | 0 | 0 | 15 | 12 | 15 | 0 | 7 | 20 | 5 | 15 | 5 | 25 | 1 | 15 | 7 | 5 | 20 | |
| <i>Kalmia polifolia</i> | bog laurel | 2 | | 5 | 0.5 | 2 | 0 | 2 | 5 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 1 | 2 | 0.5 | 0.5 | 1 | |
| <i>Kalmia angustifolia</i> | sheep laurel | 0 | 10 | 0 | 5 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | |
| <i>Rhododendron groenlandicum</i> | Labrador tea | 0 | 0 | 2 | 5 | 5 | 5 | 5 | 0.5 | 0.5 | 0 | 10 | 3 | 2 | 5 | 2 | 2 | 1 | 1 | 2 | 2 | 0 | 0 | 1 | 0 | 0 | |
| <i>Empetrum nigrum</i> | black crowberry | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 1 | 0 | 0 | 5 | 0 | 10 | 0 | 10 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Vaccinium uliginosum</i> | alpine bilberry | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 8 | 5 | 2 | 0.5 | 1 | 0 | 0 | 0 | 1 | 0.5 | 1 | 0 | |
| <i>Myrica gale</i> | sweet gale | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 5 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | |
| <i>Alnus incana</i> | speckled alder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Vaccinium boreale</i> | northern blueberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Betula glandulosa</i> | glandular birch | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Vaccinium angustifolium</i> | lowbush blueberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Betula pumila</i> | dwarf birch | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| <i>Betula michauxii</i> | Newfoundland dwarf birch | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 5 | 5 | 8 | 2 | |
| <i>Salix pedicellaris</i> | bog willow | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | |
| <i>Lonicera villosa</i> | mountain flyhoneysuckle | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | |
| <i>Salix discolor</i> | pussy willow | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Salix pyrifolia</i> | balsam willow | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Ribes glandulosum</i> | skunk currant | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Rubus idaeus</i> | wild red raspberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Ground Vegetation | Ground Vegetation | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Sphagnum</i> spp. | sphagnum moss | 90 | 95 | 90 | 95 | 90 | 85 | 95 | 80 | 95 | 60 | 85 | 90 | 80 | 80 | 90 | 90 | 90 | 95 | 90 | 90 | 50 | 20 | 30 | 50 | | |
| <i>Trichophorum cespitosum</i> | deer grass | 40 | 15 | 10 | 0 | 0 | 3 | 0 | 5 | 0 | 0 | 0 | 12 | 15 | 5 | 5 | 20 | 10 | 0 | 0 | 2 | 15 | 40 | 0 | 0 | | |
| <i>Eriophorum vaginatum</i> | hare's tail | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | | |
| <i>Rubus chamaemorus</i> | bakeapple | 15 | 5 | 10 | 5 | 2 | 8 | 0 | 8 | 0 | 10 | 0 | 0 | 3 | 15 | 7 | 15 | 2 | 5 | 2 | 0 | 0 | 2 | 0 | 0 | | |
| <i>Cladonia alpestris</i> | reindeer moss lichen | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| <i>Cladonia rangiferina</i> | reindeer moss lichen | 2 | 2 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 5 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0.5 | 0.5 | 0 | 0 | 0 | | |
| <i>Carex pauciflora</i> | fewflowered sedge | 0 | 7 | 0 | 10 | 0 | 5 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | | |
| <i>Lycopodium annotinum</i> | bristly clubmoss | 0 | 1 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| <i>Eriophorum virginicum</i> | tawny cottongrass | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | | |
| <i>Carex oligosperma</i> | fewseed sedge | 0 | 2 | 20 | 2 | 15 | 10 | 0 | 15 | 25 | 0 | 20 | 12 | 1 | 20 | 7 | 20 | 5 | 8 | 15 | 25 | 10 | 0.5 | 20 | 60 | 0 | |
| <i>Scheuchzeria palustris</i> | pod grass | 0 | 0.5 | 0 | 0 | 0 | 0 | 0.5 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | | |
| <i>Sarracenia purpurea</i> | pitcher plant | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | | |

db = Domed Bog
bb = Basin Bog
shb = Shore Bog
slb = Slope Bog
rf = Atlantic Ribbed Fen
slf = Slope Fen
stf = Stream Fen
km = Kettle Marsh

APPENDIX R

| Binomial | Common Name | Wetland Form | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-----------------------------------|--------------|----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|
| | | db | db | db | bb | bb | bb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb | shb |
| | | 346 | 4 | 310 | 3 | 342 | 287 | 1 | 263 | 95 | 2 | 266 | 335 | 345 | 32 | 207 | 273 | 336 | 24 | 118 | 190 | 5 | 340 | 334 | 299a | 79 |
| <i>Eriophorum chamissonis</i> | Chamisso's cottongrass | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| <i>Maianthemum trifolium</i> | three-leaved false Solomon's seal | 0 | 0 | 0 | 1 | 5 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0.5 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 2 |
| <i>Vaccinium oxycoccos</i> | small cranberry | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex limosa</i> | mud sedge | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 10 | 5 | 0 | 0 | 0 | 10 | 12 |
| <i>Coptis trifolia</i> | goldthread | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 5 | 1 | 0 | 0 | 0 |
| <i>Pleurozium schreberi</i> | Schreberer's moss | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex trisperma</i> | three-fruited sedge | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Gaultheria hispida</i> | creeping snowberry | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex megellanica</i> | bog sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Equisetum fluviatile</i> | water horsetail | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 |
| <i>Menyanthes trifoliata</i> | buckbean | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Comarum palustre</i> | marsh cinquefoil | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 |
| <i>Dicranum sp.</i> | broom moss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Polytrichum sp.</i> | hair-cap moss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eriophorum angustifolium</i> | tall cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 |
| <i>Aster radula</i> | rough aster | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0.5 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0.5 | 0 |
| <i>Carex exilis</i> | coastal sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 25 | 25 | 0 | 0 | 0 |
| <i>Eriophorum tetnelum</i> | rough cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| <i>Carex aquatilis</i> | water sedge | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 15 | 0 |
| <i>Calamagrostis canadensis</i> | bluejoint | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| <i>bryophyta</i> | moss sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| <i>Tricophorum alpinum</i> | alpine cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 |
| <i>Luzula parviflora</i> | smallflowered woodrush | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Agrostis scabra</i> | rough hairgrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex lachenalii</i> | arctic hare's-foot sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex echinata</i> | little prickly sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex canescens</i> | silvery sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex utriculata</i> | bottle sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Juncus filiformis</i> | thread rush | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex brunnescens</i> | brownish sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Viola sp.</i> | violet | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Galium sp.</i> | bedstraw | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Geum rivale</i> | purple avens | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Rubus pubescens</i> | dewberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Mitella nuda</i> | naked miterwort | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

db = Domed Bog
bb = Basin Bog
shb = Shore Bog
slb = Slope Bog
rf = Atlantic Ribbed Fen
slf = Slope Fen
stf = Stream Fen
km = Kettle Marsh

APPENDIX R

| Binomial | Common Name | Wetland Form | | | | | | | | | | |
|-----------------------------------|--------------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|
| | | slf | slf | stf | stf | stf | km | km | km | ss | ss | ss |
| | | Wetland Identification Number | | | | | | | | | | |
| | | 152 | 151 | 319 | 299 | 315 | 271 | 270 | 269 | 43 | 108 | 209 |
| Trees | Trees | Cover (%) | | | | | | | | | | |
| <i>Picea mariana</i> | black spruce | 0 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Larix laricina</i> | tamarack | 7 | 1 | 0 | 0.5 | 5 | 0 | 0 | 0 | 0 | 0 | 1 |
| Shrubs | Shrubs | | | | | | | | | | | |
| <i>Chamaedaphne calyculata</i> | leatherleaf | 0 | 0 | 3 | 15 | 8 | 2 | 0 | 0 | 0 | 0 | 0 |
| <i>Andromeda glaucophylla</i> | bog-rosemary | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Picea mariana</i> | black spruce | 0 | 3 | 0 | 0 | 10 | 0 | 0.5 | 0 | 0 | 0 | 0 |
| <i>Larix laricina</i> | tamarack | 2 | 5 | 0.5 | 0 | 10 | 0 | 0.5 | 0 | 0 | 0 | 1 |
| <i>Kalmia polifolia</i> | bog laurel | 0 | 4 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Kalmia angustifolia</i> | sheep laurel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Rhododendron groenlandicum</i> | Labrador tea | 0 | 0.5 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Empetrum nigrum</i> | black crowberry | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Vaccinium uliginosum</i> | alpine bilberry | 0 | 5 | 2 | 2 | 0 | 0 | 0.5 | 2 | 0 | 0 | 0 |
| <i>Myrica gale</i> | sweet gale | 0 | 0 | 10 | 20 | 15 | 0 | 0 | 0 | 0 | 0 | 1 |
| <i>Alnus incana</i> | speckled alder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 70 | 0 |
| <i>Vaccinium boreale</i> | northern blueberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Betula glandulosa</i> | glandular birch | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 |
| <i>Vaccinium angustifolium</i> | lowbush blueberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Betula pumila</i> | dwarf birch | 15 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Betula michauxii</i> | Newfoundland dwarf birch | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Salix pedicellaris</i> | bog willow | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| <i>Lonicera villosa</i> | mountain flyhoneysuckle | 0 | 3 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0.5 |
| <i>Salix discolor</i> | pussy willow | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 65 | 5 |
| <i>Salix pyrifolia</i> | balsam willow | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ribes glandulosum</i> | skunk currant | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| <i>Rubus idaeus</i> | wild red raspberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 |
| Ground Vegetation | Ground Vegetation | | | | | | | | | | | |
| <i>Sphagnum</i> spp. | sphagnum moss | 50 | 90 | 40 | 30 | 30 | 5 | 0 | 0 | 50 | 0 | 40 |
| <i>Trichophorum cespitosum</i> | deer grass | 0 | 0 | 5 | 0 | 40 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eriophorum vaginatum</i> | hare's tail | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Rubus chamaemorus</i> | bakeapple | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cladonia alpestris</i> | reindeer moss lichen | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cladonia rangiferina</i> | reindeer moss lichen | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex pauciflora</i> | fewflowered sedge | 0 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Lycopodium annotinum</i> | bristly clubmoss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eriophorum virginicum</i> | tawny cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Carex oligosperma</i> | fewseed sedge | 0 | 0 | 20 | 60 | 30 | 80 | 0 | 0 | 0 | 0 | 0 |
| <i>Scheuchzeria palustris</i> | pod grass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Sarracenia purpurea</i> | pitcher plant | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

db = Domed Bog
bb = Basin Bog
shb = Shore Bog
slb = Slope Bog
rf = Atlantic Ribbed Fen
slf = Slope Fen
stf = Stream Fen
km = Kettle Marsh

APPENDIX R

| Binomial | Common Name | Wetland Form | | | | | | | | | | |
|--------------------------|-----------------------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | slf | slf | stf | stf | stf | km | km | km | ss | ss | ss |
| | | Wetland Identification Number | | | | | | | | | | |
| | | 152 | 151 | 319 | 299 | 315 | 271 | 270 | 269 | 43 | 108 | 209 |
| Eriophorum chamissonis | Chamisso's cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Maianthemum trifolia | three-leaved false Solomon's seal | 2 | 25 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Vaccinium oxycoccos | small cranberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex limosa | mud sedge | 0 | 15 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Coptis trifolia | goldthread | 0 | 0 | 0.5 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pleurozium schreberi | Schreberer's moss | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex trisperma | three-fruited sedge | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| Gaultheria hispida | creeping snowberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex megellanica | bog sedge | 15 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Equisetum fluviatile | water horsetail | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Menyanthes trifoliata | buckbean | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Comarum palustre | marsh cinquefoil | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 |
| Dicranum sp. | broom moss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polytrichum sp. | hair-cap moss | 0 | 0 | 10 | 0 | 0 | 2 | 60 | 15 | 0 | 0 | 0 |
| Eriophorum angustifolium | tall cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Aster radula | rough aster | 0 | 4 | 0.5 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex exilis | coastal sedge | 0 | 0 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Eriophorum tennelum | rough cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex aquatilis | water sedge | 30 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Calamagrostis canadensis | bluejoint | 7 | 1 | 0 | 5 | 1 | 0 | 0 | 8 | 5 | 1 | 0.5 |
| bryophyta | moss sp. | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 10 | 0 |
| Tricophorum alpinum | alpine cottongrass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Luzula parviflora | smallflowered woodrush | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Agrostis scabra | rough hairgrass | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex lachenalii | arctic hare's-foot sedge | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex echinata | little prickly sedge | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex canescens | silvery sedge | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Carex utriculata | bottle sedge | 0 | 0 | 0 | 0 | 0 | 1 | 25 | 60 | 0 | 0 | 0 |
| Juncus filiformis | thread rush | 0 | 0 | 0 | 0 | 0 | 0.5 | 15 | 10 | 0 | 0 | 0 |
| Carex brunnescens | brownish sedge | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 0 | 0 | 0 |
| Viola sp. | violet | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 1 | 2 | 1 |
| Galium sp. | bedstraw | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 | 0.5 |
| Geum rivale | purple avens | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| Rubus pubescens | dewberry | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 |
| Mitella nuda | naked miterwort | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.5 | 0 |

db = Domed Bog
bb = Basin Bog
shb = Shore Bog
slb = Slope Bog
rf = Atlantic Ribbed Fen
slf = Slope Fen
stf = Stream Fen
km = Kettle Marsh