

COR-2023-2548

SEP 07 2023

Reg. #2258

Myron Roberts
Tundra Services Ltd.
PO Box 149, Station B
Happy Valley-Goose Bay, NL
AOP IEO
E-mail: myron.roberts@tundraservices.ca

Dear Myron Roberts:

RE: Happy Valley-Goose Bay Aggregate Quarry (the Project)

Your proposal has been reviewed by an interdepartmental environmental assessment screening committee and an opportunity to comment has been provided to the public as required by Part X of the Newfoundland and Labrador **Environmental Protection Act**, SNL 2002, cE-14.2. Please be advised that the Project is **released** from further environmental assessment subject to the following conditions:

- You must uphold all commitments made in your environmental assessment submission to mitigate the effects of the Project on the environment.
- The Water Resources Management Division (WRMD) of the Department of Environment and Climate Change requires a Water Resources Management Plan to address the following:
 - The type of water body and its distance from the site must be provided for any brook/river/stream, pond, or wetland present in or within the proximity of the project boundary.
 - A description must be provided of any impacts from site operations to the above-mentioned water bodies. A permit/license from the Water Resources Management Division may be required.
 - Where there is any potential for onsite drainage water or dewatering water to discharge into a natural water body, a description must be included of the precautionary measures, such as vegetative cover, filter strip, silt curtain, etc., to be deployed to ensure any effluent or runoff meets the requirements of the Environmental Control Water and Sewage Regulations, 2003.

- A description must be provided of water control measures to be deployed onsite for daily workings as well as for high-precipitation storms.
- A description must be provided of sediment control measures to be deployed onsite to avoid discharging sediment-laden water into the natural waterbody. For further information, please contact WRMD at (709) 729-2563.
- The Department of Fisheries, Forestry and Agriculture requires the following:
 - A minimum 30-metre undisturbed riparian buffer must be maintained from the high water mark of all wetlands and waterbodies within and adjacent to the Project that are identified on either the 1:50,000 scale National Topographic System maps, or the topographic mapping layer shown in the Provincial Land Use atlas, to protect sensitive riparian and aquatic species and their habitats.
 - No Vegetation clearing is to occur within 800 metres of a bald eagle or osprey nest during the nesting season (March 15 to July 31) or within 200 metres during the remainder of the year. The 200-metre buffer also applies to all other raptor nests (e.g. Northern Goshawk, Sharp-shinned Hawk, Merlin, American Kestrel, Great-horned Owl, Boreal Owl, Northern Saw-whet Owl). The location of any raptor nest site must be reported to the Wildlife Division. For further information, please contact the Wildlife Division at (709) 637-2025.
- You must advise the Environmental Assessment Division when the conditions of release have been met, by emailing a written description, documents, and images (where applicable) to demonstrate that the conditions have been fulfilled to EAProjectComments@gov.nl.ca.
- You must update the Environmental Assessment Division on the status of the Project, including a copy of all permits, licences, certificates, approvals and other authorizations required for the Project, one year from the date of this release letter and to provide additional updates if required. Please email the Project updates to EAProjectComments@gov.nl.ca.

Although the undertaking as proposed is released from further environmental assessment, it is still subject to other legislative requirements. You must comply with all relevant legislation and obtain all necessary permits and approvals. You must inform this Department of any proposed significant changes to the undertaking.



Please note that in accordance with Section 17 of the Environmental Assessment Regulations, my decision is valid for a period of three years from the date of this letter. If you have not commenced the Project within this three-year period, you may apply to extend the term of my decision for a maximum of three periods of one year. Should the term of my decision expire, the Project will have to be registered again for environmental assessment, if you wish to proceed. For further information, please email EAProjectComments@gov.nl.ca.

If you have any questions about the environmental assessment process, please contact Joanne Sweeney, Director of the Environmental Assessment Division, at (709) 729-0673 or email joannesweeney@gov.nl.ca

Sincerely,

A handwritten signature in blue ink, consisting of a large, stylized initial 'B' followed by a horizontal line.

HON. BERNARD DAVIS, MHA
District of Virginia Waters – Pleasantville
Minister

Enclosures

Cc: Perry Trimper, MHA – District of Lake Melville