

## AMENDMENT TO PERMIT

---

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 49


Date: **SEPTEMBER 05, 2017**

File No: **NDOM17-002**

Permit No: **GW9039-2017**

Amendment No: **1**

Permit Holder: **Sunshine Investments Inc.**



Attention: **Troy Humber**

---


Rc: **Sunshine Investments Inc. - Well for washroom facilities, barn, animal watering and farm market,  
Northern Arm**

---

**The original Permit dated FEBRUARY 08, 2017 is amended as follows:**

This amendment allows the construction of an additional well following the same conditions as the original non-domestic well permit.

**All other terms and conditions of the original Permit will apply and failure to comply with the terms and conditions of this amendment and the original Permit will render this Permit null and void, place the Permit Holder and their agent(s) in violation of the *Water Resources Act* and make the Permit Holder responsible for taking any remedial measures as may be prescribed by this Department.**



MINISTER

File No: NDOM17-002  
Permit No: GW9039-2017  
Amendment No: 1

## General Water Quality Parameter List for Groundwater

---

Alkalinity  
Aluminum  
Ammonia  
Antimony  
Arsenic  
Barium  
Boron  
Bromide  
Cadmium  
Calcium  
Chloride  
Chromium  
Colour (true)  
Conductivity  
Copper  
Dissolved Organic Carbon  
Fluoride  
Hardness  
Iron  
Kjeldahl Nitrogen  
Lead  
Magnesium  
Manganese  
Mercury  
Nickel  
Nitrate/Nitrite  
pH  
Potassium  
Selenium  
Sodium  
Sulphate  
Total Dissolved Solids  
Total Phosphorus  
Turbidity  
Uranium  
Zinc