



Government of Newfoundland and Labrador
Department of Municipal Affairs and Environment
Water Resources Management Division


AMENDMENT TO PERMIT

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 49

Date: **SEPTEMBER 05, 2017**

File No: **NDOM17-011**
Permit No: **GW9171-2017**
Amendment No: **1**

Permit Holder: **Exploits Meadow Farms Inc.**




Attention: **Rodney Reid**

Re: **Exploits Meadow Farms Inc.: Well for farm use, Botwood Highway**

The original Permit dated MAY 16, 2017 is amended as follows:

This amendment allows the construction of an additional well following the same conditions as the original non-domestic well permit.

All other terms and conditions of the original Permit will apply and failure to comply with the terms and conditions of this amendment and the original Permit will render this Permit null and void, place the Permit Holder and their agent(s) in violation of the *Water Resources Act* and make the Permit Holder responsible for taking any remedial measures as may be prescribed by this Department.


MINISTER

File No: NDOM17-011
Permit No: GW9171-2017
Amendment No: 1

General Water Quality Parameter List for Groundwater

Alkalinity
Aluminum
Ammonia
Antimony
Arsenic
Barium
Boron
Bromide
Cadmium
Calcium
Chloride
Chromium
Colour (true)
Conductivity
Copper
Dissolved Organic Carbon
Fluoride
Hardness
Iron
Kjeldahl Nitrogen
Lead
Magnesium
Manganese
Mercury
Nickel
Nitrate/Nitrite
pH
Potassium
Selenium
Sodium
Sulphate
Total Dissolved Solids
Total Phosphorus
Turbidity
Uranium
Zinc