

PERMIT TO ALTER A BODY OF WATER

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 48:

Date: **JULY 22, 2016**

File No: **534-02**

Permit No: **ALT8712-2016**



Permit Holder: **Iron Ore Company of Canada (IOC)
2 Avalon Drive
Labrador City, NL, A2V 2Y6**

Attention: **Mr. Lee Preziosi**

Re: **IOC Wabush 3 - Pumphouse Pond Control Structure**

Permission is hereby given for : **the construction of a gabion basket dam for the control of Pumphouse Pond at the Wabush 3 open pit mine site and associated activities as detailed in the application from IOC dated February 11, 2016 and supporting documentation received on June 7, 2016.**

- This Permit does not release the Permit Holder from the obligation to obtain appropriate approvals from other concerned municipal, provincial and federal agencies.
- The Permit Holder must obtain the approval of the Crown Lands Administration Division if the project is being carried out on Crown Land.
- This Permit is subject to the terms and conditions indicated in Appendices A and B (attached).
- It should be noted that prior to any significant changes in the design or installation of the proposed works, or in event of changes in ownership or management of the project, an amendment to this Permit must be obtained from the Department of Environment and Conservation under Section 49 of the *Water Resources Act*.
- Failure to comply with the terms and conditions will render this Permit null and void, place the Permit Holder and their agent (s) in violation of the *Water Resources Act* and make the Permit Holder responsible for taking any remedial measures as may be prescribed by this Department.



MINISTER

APPENDIX A
Terms and Conditions for Permit

Dam/Reservoir Design

1. Reservoirs must be provided with a spillway of adequate capacity to safely discharge design flows at non-erosive velocities without causing flooding of the reservoir or damage to the spillway or section downstream channel.
2. The dam and appurtenant structures shall be constructed at the following coordinates:

Name	Datum	Northing (m)	Easting (m)	Zone
Pumphouse Pond Control Structure	NAD 27	5871884	637165	19

3. The dam(s) must have the following dimensions:

Name	Height/Elev of Dam (m)	Height/Elev of Spillway (m)	Maximum Water Elevation (m)	Minimum Water Elevation (m)	Minimum Freeboard (m)
Pumphouse Pond Control Structure	2/755	1/754	754.6	754	0.4

4. To safely convey peak flows the dam(s) must be designed according to the following hydraulic criteria:

Name	Design Return Period (years)	Minimum Flow Capacity (m ³ /s)
Pumphouse Pond Control Structure	1:200	14.4

General Alterations

5. Any work that must be performed below the high water mark must be carried out during a period of low water levels.
6. Any flowing or standing water must be diverted around work sites so that work is carried out in the dry.
7. Water pumped from excavations or work areas, or any runoff or effluent directed out of work sites, must have silt and turbidity removed by settling ponds, filtration, or other suitable treatment before discharging to a body of water. Effluent discharged into receiving waters must comply with the *Environmental Control Water and Sewage Regulations, 2003*.
8. All operations must be carried out in a manner that prevents damage to land, vegetation, and watercourses, and which prevents pollution of bodies of water.
9. The use of heavy equipment in streams or bodies of water is not permitted. The operation of heavy equipment must be confined to dry stable areas.
10. All vehicles and equipment must be clean and in good repair, free of mud and oil, or other harmful substances that could

impair water quality.

11. Any areas adversely affected by this project must be restored to a state that resembles local natural conditions. Further remedial measures to mitigate environmental impacts on water resources can and will be specified, if considered necessary in the opinion of the Department.
12. The bed, banks and floodplains of watercourses, or other vulnerable areas affected by this project, must be adequately protected from erosion by seeding, sodding or placing of rip-rap.
13. All waste materials resulting from this project must be disposed of at a site approved by the Department of Service NL.
14. Periodic maintenance such as painting, resurfacing, clearing of debris, or minor repairs, must be carried out without causing any physical disruption of any watercourse. Care must be taken to prevent spillage of pollutants into the water.
15. The owners of structures are responsible for any environmental damage resulting from dislodgement caused by wind, wave, ice action, or structural failure.
16. Sediment and erosion control measures must be installed before starting work. All control measures must be inspected regularly and any necessary repairs made if damage is discovered.
17. Fill material must be of good quality, free of fines or other substances including metals, organics, or chemicals that may be harmful to the receiving waters.
18. The attached Completion Report (Appendix C) for Permit No. 8712 must be completed and returned to this Department upon completion of the approved works. Pictures must be submitted along with the completion report, showing the project site prior to and after development.
19. This Permit is valid for two years from the date of issue. Work must be completed by that date or the application and approval procedure must be repeated. The following terms are valid for the life cycle of the mine dam structure: 22.
20. The location of the work is highlighted on the Location Map for this Permit attached as Appendix D.
21. All work must be carried out within the proponent's legal property boundaries.

Dam Safety

22. The dam has been conditionally classified in the LOW Consequence category based on the 2007 Canadian Dam Association (CDA) guidelines. A Dam Safety Review is not required for low-consequence dams. However, the consequences of failure should be reviewed periodically, since they may change with downstream development. If the classification increases, a Dam Safety Review is required at that time.

Special Conditions

23. The Pumphouse Pond Control Structure dam must meet the requirements of the Environmental Protection Plan (latest version) and mine Rehabilitation and Closure Plan for the project.
24. The dam and associated works shall be designed according to the Canadian Dam Association Dam Safety Guidelines and associated Bulletins (most recent edition).
25. The dam and associated works must be designed and constructed under the direct supervision of an engineer eligible for membership with the Professional Engineers and Geoscientists of Newfoundland and Labrador (or equivalent Canadian organization) who is able to demonstrate competence in the design, construction, and surveillance of dams.

Dam Construction

26. Gabion dam foundations shall be prepared to ensure a clean, stable, competent foundation. Exposed foundations will be inspected and approved by a qualified engineer prior to gabion placement.
27. Fill material must be obtained from an approved quarry site. It must not be taken from beaches or streams, and must not be dredged from a body of water.
28. Reservoir shorelines with moderately steep slopes or vulnerability to wave induced erosion, must be adequately protected

with armour stone, rip-rap, or by other suitable measures.

29. The downstream toe of the dam spillway must be constructed with a 0.45 m thick apron of 300 mm armour stone or rip-rap extending 6 m to prevent erosion of the structure when overtopping occurs.
30. Where pumping is used to bypass flow, cofferdams must be installed both above and below areas of construction. The Permit Holder must provide pumps with sufficient capacity to prevent washout of cofferdams.
31. Cofferdams must be properly designed and constructed of suitable materials to prevent leakage and to resist loss of any material as a result of erosion. Cofferdams must be removed upon completion of their intended function. All material must be removed carefully to prevent disturbance of the water body and to prevent water quality degradation.
32. The area to be flooded by the reservoir must be prepared by removing timber, brush, and slash up to the maximum water elevation.
33. The transportation of labour and materials to the site must be along existing access roads.
34. The dam and spillway must be inspected regularly to identify any indications of structural failure, leaking, erosion or other problem so that immediate action can be taken to rectify the problem.

APPENDIX B

Special Terms and Conditions for Permit

1. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall keep all systems and works in good condition and repair and in accordance with all laws, by-laws, directions, rules and regulations of any governmental authority. The Permit Holder or its agent(s), subcontractor(s), or consultant(s) shall immediately notify the Minister if any problem arises which may threaten the structural stability of the systems and works, endanger public safety and/or the environment or adversely affect others and/or any body of water either in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for all damages suffered by the Minister and Government resulting from any defect in the systems and works, operational deficiencies/inadequacies, or structural failure.
2. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall operate the said Project and its systems and works in a manner which does not cause any water related and/or environmental problems, including but not limited to problems of erosion, deposition, flooding, and deterioration of water quality and groundwater depletion, in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for any and all damages associated with these problems caused as a result of changes, deficiencies, and inadequacies in the operational procedures by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
3. If the Permit Holder or its agent(s), subcontractor(s), or consultant(s) fails to perform, fulfil, or observe any of the terms and conditions, or provisions of this Permit and/or Ministerial orders and guidelines, as determined by this Department, the Minister may, after providing ten (10) day notice to the Permit Holder, amend, modify, suspend or cancel this Permit in accordance with the *Water Resources Act*.
4. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) indemnify and hold the Minister and Government harmless against any and all liabilities, losses, claims, demands, damages or expenses including legal expenses of any nature whatsoever whether arising in tort, contract, statute, trust or otherwise resulting directly or indirectly from granting this Permit, systems and works in or outside the said Project areas, or any act or omission of the Permit Holder or its agent(s), subcontractor(s), or consultant(s) in or outside the said Project areas, or arising out of a breach or non-performance of any of the terms and conditions, or provisions of this Permit by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
5. This Permit is subject to all provisions of the *Water Resources Act* and any regulations in effect either at the date of this Permit or hereafter made pursuant thereto or any other relevant legislation enacted by the Province of Newfoundland and Labrador in the future.
6. This Permit shall be construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador.

- cc: Ms. Paula Dawe, P.Eng.
Manager, Drinking Water and Wastewater Section
Water Resources Management Division
Department of Environment and Conservation
P.O. Box 8700
4th Floor, West Block, Confederation Building
St. John's, NL A1L 4J6
pauladawe@gov.nl.ca
- cc: Fisheries Protection Division
Ecosystem Management Branch
Fisheries and Oceans Canada
P.O. Box 5667
St. John's, NL A1C 5X1
FPP-NL@dfo-mpo.gc.ca
- cc: Mr. Todd Russell
President
NunatuKavut Community Council
PO Box 460, Station C
Happy Valley-Goose Bay NL A0P 1C0
- cc: Andre Gauthier
Naskapi Nation of Kawawachikamach
630 Blvd Rene-Levesque West - Office # 2780
Montreal QC H3B 1S6
kawawa@naskapi.ca, andre.gauthier@clew.ca
- cc: Chef Réal McKenzie
Conseil de la Nation Innu Matimekush-Lac John
172 Pearce Lake
Case Postale 1390
Schefferville, QC G0G 2T0
realmck@hotmail.com
- cc: Chief Mike McKenzie
Conseil Innu Takuaihan, Uashat mak Mani-Utenam
265, boulevard des Montagnais, C.P. 8000
Sept-Îles (Québec) G4R 4L9
mathilda.fontaine@itum.qc.ca
- cc: Chief Noah Swappie
Naskapi Nation of Kawawachikamach
1009 Naskapi Road
P.O. Box 5111
Kawawachikamach, QC G0G 2Z0
kawawa@naskapi.ca
- cc: Grand Chief Anastasia Qupee
Innu Nation
PO Box 119
Sheshatshiu NL A0P 1M0
- cc: Jean-Claude Pinette
Innu Takuaihan Uashat mak Mani-Utenam
P.O. Box 8000
265 Boul. Des Montagnais
Uashat, QC G4R 4L9
mathilda.fontaine@itum.qc.ca

- cc: Larry Innes and Paula Reid
Innu Nation
P.O. Box 119
Sheshatshiu, NL A0P 1M0
preid@innu.ca
- cc: Marie-Christine Gagnon
Borden Ladner Gervais LLP
1000 De La Gauchetière Street West
Suite 900
Montréal, QC H3B 5H4
MCGagnon@blg.com
- cc: Morgan Kendall
O'Reilly & Associates
1155 University, Bureau 1007
Montreal QC H3B 3A7
morgan.kendall@orassociates.ca
- cc: Mr. Christopher Coggan
Naskapi Nation of Kawawachikamach
5800 Monkland Avenue
2nd Floor
Montreal QC H4A 1G1
- cc: Mr. George Russell Jr.
Environment and Resource Manager
NunatuKavut Community Council Inc.
PO Box 460, Station C
Happy Valley-Goose Bay NL A0P 1C0
- cc: Paul Renzoni
General Advisor
Naskapi Nation of Kawawachikamach
5800 Monkland Avenue, 2nd Floor
Montreal, QC H4A 1G1
kawawa@naskapi.ca

Appendix C - Completion Report

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 48

Date: **JULY 22, 2016**

File No: **534-02**
Permit No: **ALT8712-2016**

Permit Holder: **Iron Ore Company of Canada (IOC)**
2 Avalon Drive
Labrador City, NL, A2V 2Y6

Attention: **Mr. Lee Preziosi**

Re: **IOC Wabush 3 - Pumphouse Pond Control Structure**

Permission was given for : the construction of a gabion basket dam for the control of Pumphouse Pond at the Wabush 3 open pit mine site and associated activities as detailed in the application from IOC dated February 11, 2016 and supporting documentation received on June 7, 2016.

I (the Permit Holder named above or agent authorized to represent the Permit Holder) do hereby certify that the project described above was completed in accordance with the plans and specifications submitted to the Department of Environment and Conservation and that the work was carried out in strict compliance with the terms and conditions of the Permit issued for this project.

Date: _____ Signature: _____

This completion report must be completed and forwarded to the following address upon completion of the approved work.

Department of Environment and Conservation
Water Resources Management Division
PO Box 8700
St. John's NL A1B 4J6

APPENDIX D
Location Map for Permit

