

**PERMIT TO ALTER A BODY OF WATER**

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 48

Date: **JULY 22, 2016**

File No: **534-02**

Permit No: **ALT8723-2016**



Permit Holder: **Iron Ore Company of Canada (IOC)  
2 Avalon Drive  
Labrador City, NL, A2V 2Y6**

Attention: **Mr. Lee Preziosi**

Re: **IOC Wabush 3- Overburden Stockpile Site Sedimentation Pond**

Permission is hereby given for : **the construction of a dam/sedimentation pond to control stormwater from the Wabush 3 open pit mine overburden stockpile site and associated activities as detailed in the application from IOC dated February 11, 2016 and supporting documentation received on June 7, 2016 and June 27, 2016.**

- This Permit does not release the Permit Holder from the obligation to obtain appropriate approvals from other concerned municipal, provincial and federal agencies.
- The Permit Holder must obtain the approval of the Crown Lands Administration Division if the project is being carried out on Crown Land.
- This Permit is subject to the terms and conditions indicated in Appendices A and B (attached).
- It should be noted that prior to any significant changes in the design or installation of the proposed works, or in event of changes in ownership or management of the project, an amendment to this Permit must be obtained from the Department of Environment and Conservation under Section 49 of the *Water Resources Act*.
- Failure to comply with the terms and conditions will render this Permit null and void, place the Permit Holder and their agent (s) in violation of the *Water Resources Act* and make the Permit Holder responsible for taking any remedial measures as may be prescribed by this Department.



MINISTER

**APPENDIX A**  
**Terms and Conditions for Permit**

**Dam/Reservoir Design**

1. Reservoirs must be provided with a spillway of adequate capacity to safely discharge design flows at non-erosive velocities without causing flooding of the reservoir or damage to the spillway or section downstream channel.
2. The dam and appurtenant structures shall be constructed at the following coordinates:

Name	Datum	Northing (m)	Easting (m)	Zone
Overburden Stockpile Sedimentation Pond	NAD 83	5871101.75	637032.38	19

3. The dam(s) must have the following dimensions:

Name	Height/Elev of Dam (m)	Elev of Spillway (m)	Maximum Water Elevation (m)	Minimum Water Elevation (m)	Minimum Freeboard (m)
Overburden Stockpile Sedimentation Pond	2.6/752	751.25	751.55	750.65	0.45

4. To safely convey peak flows the dam(s) must be designed according to the following hydraulic criteria:

Name	Design Return Period (years)	Minimum Flow Capacity (m <sup>3</sup> /s)
Overburden Stockpile Sedimentation Pond	1:200	6.7

**General Alterations**

5. Any work that must be performed below the high water mark must be carried out during a period of low water levels.
6. Any flowing or standing water must be diverted around work sites so that work is carried out in the dry.
7. Water pumped from excavations or work areas, or any runoff or effluent directed out of work sites, must have silt and turbidity removed by settling ponds, filtration, or other suitable treatment before discharging to a body of water. Effluent discharged into receiving waters must comply with the *Environmental Control Water and Sewage Regulations, 2003*.
8. All operations must be carried out in a manner that prevents damage to land, vegetation, and watercourses, and which prevents pollution of bodies of water.
9. The use of heavy equipment in streams or bodies of water is not permitted. The operation of heavy equipment must be

confined to dry stable areas.

10. All vehicles and equipment must be clean and in good repair, free of mud and oil, or other harmful substances that could impair water quality.
11. Any areas adversely affected by this project must be restored to a state that resembles local natural conditions. Further remedial measures to mitigate environmental impacts on water resources can and will be specified, if considered necessary in the opinion of the Department.
12. The bed, banks and floodplains of watercourses, or other vulnerable areas affected by this project, must be adequately protected from erosion by seeding, sodding or placing of rip-rap.
13. All waste materials resulting from this project must be disposed of at a site approved by the Department of Service NL.
14. Periodic maintenance such as painting, resurfacing, clearing of debris, or minor repairs, must be carried out without causing any physical disruption of any watercourse. Care must be taken to prevent spillage of pollutants into the water.
15. The owners of structures are responsible for any environmental damage resulting from dislodgement caused by wind, wave, ice action, or structural failure.
16. Sediment and erosion control measures must be installed before starting work. All control measures must be inspected regularly and any necessary repairs made if damage is discovered.
17. Fill material must be of good quality, free of fines or other substances including metals, organics, or chemicals that may be harmful to the receiving waters.
18. The attached Completion Report (Appendix C) for Permit No. 8723 must be completed and returned to this Department upon completion of the approved works. Pictures must be submitted along with the completion report, showing the project site prior to and after development.
19. This Permit is valid for two years from the date of issue. Work must be completed by that date or the application and approval procedure must be repeated. The following terms are valid for the life cycle of the mine dam structure: 22.
20. The location of the work is highlighted on the Location Map for this Permit attached as Appendix D.
21. All work must be carried out within the proponent's legal property boundaries.

#### **Dam Safety**

22. The dam has been conditionally classified in the LOW Consequence category based on the 2007 Canadian Dam Association (CDA) guidelines. A Dam Safety Review is not required for low-consequence dams. However, the consequences of failure should be reviewed periodically, since they may change with downstream development. If the classification increases, a Dam Safety Review is required at that time.

#### **Special Conditions**

23. The Overburden Stockpile Sedimentation Pond dam must meet the requirements of the Environmental Protection Plan (latest version) and mine Rehabilitation and Closure Plan for the project.
24. The dam and associated works shall be designed according to the Canadian Dam Association Dam Safety Guidelines and associated Bulletins (most recent edition).
25. The dam and associated works must be designed and constructed under the direct supervision of an engineer eligible for membership with the Professional Engineers and Geoscientists of Newfoundland and Labrador (or equivalent Canadian organization) who is able to demonstrate competence in the design, construction, and surveillance of dams.

#### **Dam Construction**

26. Embankment dam foundations shall be prepared to ensure a clean, stable, competent foundation. Exposed foundations will be inspected and approved by a qualified engineer prior to fill placement.
27. Fill material must be obtained from an approved quarry site. It must not be taken from beaches or streams, and must not be

dredged from a body of water.

28. Reservoir shorelines with moderately steep slopes or vulnerability to wave induced erosion, must be adequately protected with armour stone, rip-rap, or by other suitable measures.
29. The stormwater pond must be constructed with liner placed within a 0.6 m sand bedding with an anchor trench at the top of the berm and at the bottom toe of the dam/spillway. The reservoir side of the berms must be constructed with a 0.3 m facing of 155 mm armour stone or rip-rap to provide adequate protection from wave or ice induced erosion.
30. The dam structure must be constructed with an emergency spillway with a liner placed within a 0.6 m sand bedding along the upstream face and a 0.3 m sand bedding along the top and downstream face of the spillway with an anchor trench at the toe of the spillway. The spillway must be constructed with a 0.3 m layer of 150 mm riprap along the spillway inlet and a 0.45 m layer of 300 mm riprap along the spillway channel to prevent erosion of the structure when overtopping occurs.
31. The Waste Rock Sedimentation Pond shall have internal side slopes of 3 horizontal to 1 vertical. The finished downstream side of the Waste Rock Sedimentation Pond dam and spillway shall have a slope of 2 horizontal to 1 vertical. The emergency spillway inlet and side slopes shall have slopes of 3 horizontal to 1 vertical.
32. Where pumping is used to bypass flow, cofferdams must be installed both above and below areas of construction. The Permit Holder must provide pumps with sufficient capacity to prevent washout of cofferdams.
33. Cofferdams must be properly designed and constructed of suitable materials to prevent leakage and to resist loss of any material as a result of erosion. Cofferdams must be removed upon completion of their intended function. All material must be removed carefully to prevent disturbance of the water body and to prevent water quality degradation.
34. The area to be flooded by the reservoir must be prepared by removing timber, brush, and slash up to the maximum water elevation.
35. The transportation of labour and materials to the site must be along existing access roads.
36. The dam and spillway must be inspected regularly to identify any indications of structural failure, leaking, erosion or other problem so that immediate action can be taken to rectify the problem.
37. The sedimentation pond will be constructed with a compound weir spillway.

**Sedimentation Ponds**

38. The sedimentation pond(s) must have the following minimum dimensions:

Name	Length (m)	Width (m)	Depth (m)	Width of Overflow (m)
Overburden Stockpile Sedimentation Pond	171.4	41.61	2.6	3/10

39. The sedimentation pond(s) must be designed according to the following criteria:

Name	Flow Capacity (m <sup>3</sup> /s)	Contributing Watershed (ha)	Return Period (years)	Retention Time (hrs)
Overburden Stockpile Sedimentation Pond	0.1933	33.2	10	21

40. The sedimentation pond(s) design criteria should consider soil type and the required time it will take for particle settlement.

41. The sedimentation pond(s) must be designed in that the sediment-laden runoff is captured and detained allowing the suspended sediment to settle from the water.
42. The sedimentation pond(s) must provide enough storage for the captured sediment.
43. Dewatering practices must be implemented to ensure clean stormwater discharge, recovery of sediment, and prevent scour at discharge points.
44. The discharge locations shall be directed away from any open surface water bodies and into existing vegetation. In areas where vegetation has become overburdened with sediment during this undertaking, measures should be taken to prevent sediment from entering water bodies.

**APPENDIX B**

**Special Terms and Conditions for Permit**

---

1. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall keep all systems and works in good condition and repair and in accordance with all laws, by-laws, directions, rules and regulations of any governmental authority. The Permit Holder or its agent(s), subcontractor(s), or consultant(s) shall immediately notify the Minister if any problem arises which may threaten the structural stability of the systems and works, endanger public safety and/or the environment or adversely affect others and/or any body of water either in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for all damages suffered by the Minister and Government resulting from any defect in the systems and works, operational deficiencies/inadequacies, or structural failure.
2. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall operate the said Project and its systems and works in a manner which does not cause any water related and/or environmental problems, including but not limited to problems of erosion, deposition, flooding, and deterioration of water quality and groundwater depletion, in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for any and all damages associated with these problems caused as a result of changes, deficiencies, and inadequacies in the operational procedures by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
3. If the Permit Holder or its agent(s), subcontractor(s), or consultant(s) fails to perform, fulfil, or observe any of the terms and conditions, or provisions of this Permit and/or Ministerial orders and guidelines, as determined by this Department, the Minister may, after providing ten (10) day notice to the Permit Holder, amend, modify, suspend or cancel this Permit in accordance with the *Water Resources Act*.
4. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) indemnify and hold the Minister and Government harmless against any and all liabilities, losses, claims, demands, damages or expenses including legal expenses of any nature whatsoever whether arising in tort, contract, statute, trust or otherwise resulting directly or indirectly from granting this Permit, systems and works in or outside the said Project areas, or any act or omission of the Permit Holder or its agent(s), subcontractor(s), or consultant(s) in or outside the said Project areas, or arising out of a breach or non-performance of any of the terms and conditions, or provisions of this Permit by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
5. This Permit is subject to all provisions of the *Water Resources Act* and any regulations in effect either at the date of this Permit or hereafter made pursuant thereto or any other relevant legislation enacted by the Province of Newfoundland and Labrador in the future.
6. This Permit shall be construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador.

- cc: Ms. Paula Dawe, P.Eng.  
Manager, Drinking Water and Wastewater Section  
Water Resources Management Division  
Department of Environment and Conservation  
P.O. Box 8700  
4th Floor, West Block, Confederation Building  
St. John's, NL A1L 4J6  
pauladawe@gov.nl.ca
- cc: Mr. Todd Russell  
President  
NunatuKavut Community Council  
PO Box 460, Station C  
Happy Valley-Goose Bay NL A0P 1C0
- cc: Andre Gauthier  
Naskapi Nation of Kawawachikamach  
630 Blvd Rene-Levesque West - Office # 2780  
Montreal QC H3B 1S6  
kawawa@naskapi.ca, andre.gauthier@clcw.ca
- cc: Chef Réal McKenzie  
Conseil de la Nation Innu Matimekush-Lac John  
172 Pearce Lake  
Case Postale 1390  
Schefferville, QC G0G 2T0  
realmck@hotmail.com
- cc: Chief Mike McKenzie  
Conseil Innu Takuaikan, Uashat mak Mani-Utenam  
265, boulevard des Montagnais, C.P. 8000  
Sept-Îles (Québec) G4R 4L9  
mathilda.fontaine@itum.qc.ca
- cc: Chief Noah Swappie  
Naskapi Nation of Kawawachikamach  
1009 Naskapi Road  
P.O. Box 5111  
Kawawachikamach, QC G0G 2Z0  
kawawa@naskapi.ca
- cc: Grand Chief Anastasia Qupee  
Innu Nation  
PO Box 119  
Sheshatshiu NL A0P 1M0
- cc: Jean-Claude Pinette  
Innu Takuaikan Uashat mak Mani-Utenam  
P.O. Box 8000  
265 Boul. Des Montagnais  
Uashat, QC G4R 4L9  
mathilda.fontaine@itum.qc.ca
- cc: Larry Innes and Paula Reid  
Innu Nation  
P.O. Box 119  
Sheshatshiu, NL A0P 1M0  
preid@innu.ca

- cc: Marie-Christine Gagnon  
Borden Ladner Gervais LLP  
1000 De La Gauchetière Street West  
Suite 900  
Montréal, QC H3B 5H4  
MCGagnon@blg.com
- cc: Morgan Kendall  
O'Reilly & Associes  
1155 University, Bureau 1007  
Montreal QC H3B 3A7  
morgan.kendall@orassocies.ca
- cc: Mr. Christopher Coggan  
Naskapi Nation of Kawawachikamach  
5800 Monkland Avenue  
2nd Floor  
Montreal QC H4A 1G1
- cc: Mr. George Russell Jr.  
Environment and Resource Manager  
NunatuKavut Community Council Inc.  
PO Box 460, Station C  
Happy Valley-Goose Bay NL A0P 1C0
- cc: Paul Renzoni  
General Advisor  
Naskapi Nation of Kawawachikamach  
5800 Monkland Avenue, 2nd Floor  
Montreal, QC H4A 1G1  
kawawa@naskapi.ca





### Appendix C - Completion Report

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 48

Date: **JULY 22, 2016**

File No: **534-02**  
Permit No: **ALT8723-2016**

Permit Holder: **Iron Ore Company of Canada (IOC)**  
**2 Avalon Drive**  
**Labrador City, NL, A2V 2Y6**

Attention: **Mr. Lee Preziosi**

Re: **IOC Wabush 3- Overburden Stockpile Site Sedimentation Pond**

Permission was given for : **the construction of a dam/sedimentation pond to control stormwater from the Wabush 3 open pit mine overburden stockpile site and associated activities as detailed in the application from IOC dated February 11, 2016 and supporting documentation received on June 7, 2016 and June 27, 2016.**

*I (the Permit Holder named above or agent authorized to represent the Permit Holder) do hereby certify that the project described above was completed in accordance with the plans and specifications submitted to the Department of Environment and Conservation and that the work was carried out in strict compliance with the terms and conditions of the Permit issued for this project.*

Date: \_\_\_\_\_ Signature: \_\_\_\_\_

This completion report must be completed and forwarded to the following address upon completion of the approved work.

Department of Environment and Conservation  
Water Resources Management Division  
PO Box 8700  
St. John's NL A1B 4J6

APPENDIX D  
Location Map for Permit

