

Name	SampType	Sample#	SAWS#	Samp-Date	Lab	Alkalinity (mg/l CaCO3)	Color (TCU)	Conductivity (uS/cm)	Hardness (mg/l CaCO3)	pH	TDS (mg/l)	TSS	Turbidity (NTU)	Boron (mg/l)	Bromide (mg/l)	Calcium (mg/l)	Chloride (mg/l)	Fluoride (mg/l)	Potassium (mg/l)	Sodium (mg/l)	Sulphate (mg/l)	Ammonia (mg/l)	DOC	Nitrate(ite) (mg/l)	KjeldahlNitrogen (mg/l)	TotalPhosphorus (mg/l)	Aluminium (mg/l)	Antimony (mg/l)	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Iron (mg/l)	Lead (mg/l)	Magnesium (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Nickel (mg/l)	Selenium (mg/l)	Uranium (mg/l)	Zinc (mg/l)	Temperature-Source	TOC (mg/L)	Sr (mg/L)	Remarks						
Churchill River @ English Point	SI	2010-6074-00-SI-SP	WS-S-0000	6-Aug-10	AT	9	42	37	5	6.86	24		2.8	0	0	2	5	0	0	3	3	0.05	5.7	0	0	0	0.13	0	0	0	0	0	0	0.3	0	0	0	0.01	0	0	0	0	0	0	0	5.8	0.01					
Churchill River @ English Point	SI	2011-6305-00-SI-SP	WS-S-0000	27-May-11	AT	11	68	43	13	6.87	28	7	6.6	0	0	2	7	0	0	10	2	0	6	0	0.21	0.03	0.3	0	0	0	0	0.002	0	0.75	0	2	0.04	0	0	0	0	0	0	0	2.52	6.5	0.02	sample taken by Dennis Martin / Holding time for turbidity analysis was exceeded.				
Churchill River @ English Point	SI	2011-6326-00-SI-SP	WS-S-0000	3-Aug-11	AT	8	30	28	5	6.48	18	9	2.4	0	0	2	2	0	0	0	1	0	4.9	0	0	0.01	0.1	0	0	0	0	0	0	0.17	0	0	0	0	0	0	0	0	0	0	0	0	0	18.4	5.2	0.014	Holding time for turbidity analysis was exceeded.	
Churchill River @ English Point	SI	2011-6332-00-SI-SP	WS-S-0000	2-Sep-11	AT	11	41	43	9	6.41	28	<2	2.6	0	0	2	6	0	0	3	1	0.04	4.9	0	0.23	0.02	0.09	0	0	0	0	0	0.26	0	1	0	0	0	0	0	0	0	0	0	0	0	17.6	5.4	0.018	Holding time for turbidity analysis was exceeded.		
Churchill River @ English Point	SI	2011-6347-00-SI-SP	WS-S-0000	5-Oct-11	AT	14	49	44	12	6.34	29	10	4	0	0	3	6	0	0	3	1	0.02	4.7	0	0	0.03	0.16	0	0	0	0	0	0.4	0	1	0.02	0	0	0	0	0	0	0	0	0	0	0	9	4.8	0.02	Holding time for turbidity analysis was exceeded.	
Churchill River @ English Point	SI	2012-6304-00-SI-SP	WS-S-0000	29-Jun-12	AT	11	44	47	9	6.91	31	11	5.3	0	0	2	7	0	0	4	0	0	4.4	0	0.12	0.03	0.23	0	0	0.01	0	0	0.001	0.43	0	1	0.02	0	0	0	0	0	0	0	0	0	0	0	3.9	0.016	Holding time for DOC analysis was exceeded.	
Churchill River @ English Point	SI	2012-6319-00-SI-SP	WS-S-0000	25-Jul-12	AT	13	28	40	12	6.82	26	8	2.6	0	0	3	4	0	0	3	0	0	4.2	0	0	0.02	0.23	0	0	0.01	0	0	0.001	0.32	0	1	0.02	0	0	0	0	0	0	0	0	0	0	19.04	4	0.015	RTWQ	
Churchill River @ English Point	SI	2012-6331-00-SI-SP	WS-S-0000	22-Aug-12	AT	13	28	34	12	6.82	22	17	9	0	0	3	3	0	0	2	0	0	3.8	0	0.21	0.03	0.32	0	0	0.01	0	0	0.001	0.45	0	1	0.01	0	0	0	0	0	0	0	0	0	0	18.8	3.8	0.015	RTWQ	
Churchill River @ English Point	SI	2012-6340-00-SI-SP	WS-S-0000	25-Sep-12	AT	12	36	48	12	6.69	31	10	7.4	0	0	3	7	0	0	4	0	0	4.8	0	0	0.03	0.14	0	0	0	0	0.3	0	1	0.02	0	0	0	0	0	0	0	0	0	0	0	0	4.9	4.9	0.018		
Churchill River @ English Point	SI	2013-6303-00-SI-SP	WS-S-0000	24-May-13	AT	13	71	40	9	6.57	26	5	3	0	0	2	5	0	0	4	0	0	6.4	0	0.22	0.06	0.17	0	0	0	0	0	0.48	0	1	0.04	0	0	0	0	0	0	0	0	0	0	0	4.9	6.4	0.015	RTWQ Grab Sample / Holding time for turbidity analysis was exceeded.	
Churchill River @ English Point	SI	2013-6318-00-SI-SP	WS-S-0000	27-Jun-13	AT	7	40	37	5	6.78	24	3	1.5	0	0	2	5	0	0	4	0	0	5.7	0	0	0.02	0.2	0	0	0	0	0	0.35	0	0	0.01	0	0	0	0	0	0	0	0	0	0	0	14.7	5.9	0.017	Holding time for turbidity analysis was exceeded.	
Churchill River @ English Point	SI	2013-6331-00-SI-SP	WS-S-0000	13-Aug-13	AT	14	30	32	12	7.4	21	5	3.3	0	0	3	2	0	0	0	3	0.03	4.4	0	0.18	0.02	0.12	0	0	0	0	0.23	0	1	0.01	0	0	0	0	0	0	0	0	0	0	0	16	4.7	0.018	RTWQ / Holding time for Turbidity analysis was exceeded for the entire report.		
Churchill River @ English Point	SI	2013-6344-00-SI-SP	WS-S-0000	14-Sep-13	AT	13	30	32	12	6.5	21	<2	2.2	0	0	3	2	0	0	2	0	0	4.4	0	0.14	0.02	0.13	0	0	0.01	0	0	0.24	0	1	0.01	0	0	0	0	0	0	0	0	0	0	0	0	4.2	0.016	RTWQ / Holding time for Turbidity analysis was exceeded.	
Churchill River @ English Point	SI	2013-6356-00-SI-SP	WS-S-0000	11-Oct-13	AT	10	48	37	9	6.54	24	5	2.6	0	0	2	4	0	0	3	0	0.02	6	0	0.1	0.02	0.14	0	0	0.01	0	0	0.32	0	1	0.01	0	0	0	0	0	0	0	0	0	0	0	8.1	6.3	0.018	RTWQ	
Churchill River @ English Point	SI	2013-6356-00-SI-SP	WS-S-0000	11-Oct-13	AT	10	48	37	9	6.54	24	5	2.6	0	0	2	4	0	0	3	0	0.02	6	0	0.1	0.02	0.14	0	0	0.01	0	0	0.32	0	1	0.01	0	0	0	0	0	0	0	0	0	0	0	8.1	6.3	0.018	Holding time for turbidity analysis was exceeded.	
Churchill River @ English Point	SI	2014-6305-00-SI-SP	WS-S-0000	29-May-14	AT	12	51	20	5	7.18	13	2	10	0	0	2	1	0	0	0	0	0.08	6.2	0	0.21	0.03	0.5	0	0	0.01	0	0	0.002	0.61	0	0	0.02	0	0	0	0	0	0	0	0	0	0	6.1	6.3	0.012	Holding time for turbidity analysis was exceeded for the entire report.	
Churchill River @ English Point	SI	2014-6313-00-SI-SP	WS-S-0000	25-Jun-14	AT	12	62	55	9	6.97	36	7	7	0	0	2	9	0	0	6	2	0.11	7.5	0	0.27	0.03	0.33	0	0	0	0	0.001	0.51	0	1	0.02	0	0	0	0	0	0	0	0	0	0	0	16.5	8	0.02	RTWQ	
Churchill River @ English Point	SI	2014-6323-00-SI-SP	WS-S-0000	22-Jul-14	AT	7	41	30	5	6.97	20	3	8.2	0	0	2	3	0	0	2	1	0.03	5.3	0	0	0.02	0.38	0	0	0.01	0	0	0.001	0.41	0	0	0.01	0	0	0	0	0	0	0	0	0	0	0	18.2	5.3	0.016	RTWQ
Churchill River @ English Point	SI	2014-6333-00-SI-SP	WS-S-0000	14-Aug-14	AT	9	37	41	9	7.16	27	2	9.8	0	0	2	5	0	0	4	2	0.08	5.3	0	0	0.02	0.17	0	0	0	0	0.001	0.29	0	1	0.01	0	0	0	0	0	0	0	0	0	0	0	20.7	4.5	0.018	RTWQ	
Churchill River @ English Point	SI	2014-6349-00-SI-SP	WS-S-0000	1-Oct-14	AT	8	42	30	9	7.07	20	4	6.8	0	0	2	3	0	0	2	0	0.05	5.6	0	0.12	0.02	0.37	0	0	0.01	0	0	0.001	0.51	0	1	0.02	0	0	0	0	0	0	0	0	0	0	7.1	5.4	0.015	RTWQ Sample	
Churchill River @ English Point	SI	2014-6354-00-SI-SP	WS-S-0000	5-Nov-14	AT	11	45	28	9	7.04	18	12	11.1	0	0	2	2	0	0	0	0	0.07	4.8	0	0.12	0.03	0.36	0	0	0.01	0	0	0.002	0.52	0	1	0.02	0	0	0	0	0	0	0	0	0	0	3	5.2	0.014	RTWQ Sample / Holding time for turbidity analysis was exceeded.	
Churchill River @ English Point	SI	2015-6303-00-SI-SP	WS-S-0000	27-May-15	AT	14	74	43	9	7.11	28	17	7.3	0	0	2	4	0	0	4	1	0.16	7.5	0	0	0.03	0.59	0	0	0.01	0	0.001	0.001	0.97	0	1	0.03	0	0	0	0	0	0	0	0	0	0	5.1	7.2	0.017	RTWQ Sample	
Churchill River @ English Point	SI	2015-6311-00-SI-SP	WS-S-0000	25-Jun-15	AT	8	39	24	5	6.99	16	11	4.6	0	0	2	2	0	0	0	0	0	4.6	0	0.12	0	0.39	0	0	0	0	0.001	0.44	0	0	0.02	0	0	0	0	0	0	0	0	0	0	0	0	12.09	5.2	0.013	RTWQ Sample
Churchill River @ English Point	SI	2015-6317-00-SI-SP	WS-S-0000	5-Aug-15	AT	14	64	47	12	7.23	31	19	5	0	0	3	5	0	0	3	1	0	5	0	0.55	0	0.33	0	0	0.01	0	0	0.001	0.41	0	1	0.02	0	0	0	0	0	0	0	0	0	0	0	17.2	4.7	0.019	RTWQ Sample
Churchill River @ English Point	SI	2015-6327-00-SI-SP	WS-S-0000	2-Sep-15	AT	9	49	49	9	7.29	32	6	3.2	0	0	2	8	0	0	5	1	0	5.7	0	0.25	0	0.22	0	0	0	0	0.001	0.43	0	1	0.02	0	0	0	0	0	0	0	0	0	0	0	0	15.7	5.4	0.017	RTWQ Sample / Holding time for NO2 and NO3 analysis was exceeded.
Churchill River @ English Point	SI	2015-6335-00-SI-SP	WS-S-0000	1-Oct-15	AT	11	41	38	9	7.04	25	49	13.3	0	0	2	5	0	0	3	0	0.029	4.3	0	0.34	0.16	0.48	0	0	0.02	0	0	0.001	0.73	0	1	0.03	0	0	0	0	0	0	0	0	0	0	0.04	10.6	4.5	0.018	RTWQ Sample
Churchill River @ English Point	SI	2015-6339-00-SI-SP	WS-S-0000	6-Nov-15	AT	9	39	35	9	7.11	23	10	5.2	0																																						