

Wastewater Treatment Plants - Newfoundland and Labrador - Dec 2023

Community Name	Census Population (2021)	Region	LGP Number	Outfall ID	Outfall Type	Population Served	Average Load (L/d)	Receiving Environment Type	Receiving Environment Classification	Highest Treatment Level	Primary Treatment	Secondary Treatment	Treatment Process	Year of Construction/ Upgrade
Arnold's Cove	964	Eastern	110	110-2	Straight Piped	375	520,000	Saltwater	Bay	Primary	Septic Tank			1993
Arnold's Cove	964	Eastern	110	110-3	Straight Piped	252	306,000	Saltwater	Bay	Primary	Septic Tank			2003
Badger	682	Central	155	155-1	Straight Piped	813	276,420	Freshwater	River	Secondary		Activated Sludge	Contact Stabilization	1966
Baie Verte	1,311	Western	170	170-3	Straight Piped	325	173,000	Saltwater	Estuary	Secondary		Activated Sludge	Extended Aeration	1974
Benton	171	Central	345	345-1	Straight Piped	175	59,500	Freshwater	Wetland	Secondary	Septic Tank	Lagoon	Faculative Lagoon	1997
Bishop's Falls	3082	Central	405	405-10	Diffused	3350	2,900,000	Freshwater	River	Secondary	Sedimentation Tank	Wetlands Treatment System	ABYDOZ Reed Bed	2015
Buchans Junction	79	Central	690	690-1	Diffused	54	18,360	Freshwater	River	Secondary	Septic Tank	Wetlands Treatment System	ABYDOZ Reed Bed	2012
Burgeo	1,176	Western	715	715-1	Straight Piped	50	18,000	Saltwater	Bay	Primary	Septic Tank			1992
Burlington	304	Western	740	740-2	Straight Piped	60	28,350	Saltwater	Bay	Primary	Septic Tank			1999
Burlington	304	Western	740	740-3	Straight Piped	60	20,700	Saltwater	Bay	Primary	Septic Tank			2001
Burlington	304	Western	740	740-4	Straight Piped	40	15,750	Saltwater	Bay	Primary	Septic Tank			2001
Burlington	304	Western	740	740-5	Straight Piped	21	8,100	Saltwater	Bay	Primary	Septic Tank			2001
Burlington	304	Western	740	740-6	Straight Piped	69	25,875	Saltwater	Bay	Primary	Septic Tank			2006
Burlington	304	Western	740	N/A	N/A	30	10,200	Saltwater	Cove	Primary	Septic Tank		Communal septic tank with exfiltration bed between high	2021
Carmarville	784	Central	960	960-1	Straight Piped	45	15,300	Saltwater	Bay	Primary	Septic Tank		Communal Spitic tank with saltwater outfall	2017
Channel-Port aux Basques	3,547	Western	1025	1025-23	Straight Piped	66	155,520	Saltwater	Open Ocean	Primary	Septic Tank		Communal septic tank with saltwater outfall	2003
Channel-Port aux Basques	3,547	Western	1025	1025-24	Straight Piped	123	41,820	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2008
Channel-Port aux Basques	3,547	Western	1025	1025-7	Straight Piped	90	13,700	Saltwater	Open Ocean	Primary	Septic Tank		Communal septic tank with saltwater outfall	1994
Channel-Port aux Basques	3,547	Western	1025	1025-25	Straight Piped		40800	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2012
Charlottetown (Labrador)	292	Labrador	1047	1047-1	Straight Piped	135	43,650	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1992
Churchill Falls	634	Labrador	1050	1050-1	Straight Piped	669	227,460	Freshwater	Stream	Secondary		Activated Sludge	Extended Aeration; UV disinfection	1970, 2015
Clareville	6,704	Eastern	1055	1055-6	Straight Piped	36	12,240	Saltwater	Bay	Primary	Septic Tank			1999
Conception Bay South	27,168	Eastern	1145	1145-2	Diffused	15000	8000000	Salt	Bay	Preliminary			Screening, grit removal, chlorination and dechlorination	
Conne River	920	Central	1155	1155-2	Straight Piped	515	175,100	Saltwater	Bay	Secondary		Lagoon	Extended Aeration Lagoon	1990
Conne River	920	Central	1155	1155-1	Straight Piped	106	36,040	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Corner Brook	19,333	Western	1200	1200-1	Straight Piped	96	32,640	Saltwater	Estuary	Secondary		Fixed Film	BioGreen	1998
Cox's Cove	664	Western	1235	1235-2	Straight Piped	60	20,400	Freshwater	Stream	Secondary		Fixed Film	BioGreen; UV disinfection	1995
Daniel's Harbour	220	Western	1315	1315-1	Straight Piped	288	97,920	Saltwater	Open Ocean	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Deer Lake	4,864	Western	1380	1380-1	Straight Piped	4827	1,641,180	Freshwater	Stream	Secondary		Lagoon	Extended Aeration Lagoon	1997
Eastport	527	Central	1490	1490-1	Diffused	499	169,660	Saltwater	Bay	Secondary		Fixed Film	Rotating Biological Contactor	1979
Englee	489	Western	1520	1520-2	Straight Piped	126	54,000	Saltwater	Bay	Primary	Septic Tank			
Englee	489	Western	1520	1520-3	Straight Piped	27	11,250	Saltwater	Bay	Primary	Septic Tank			1992
Englee	489	Western	1520	1520-4	Straight Piped	66	22,440	Saltwater	Bay	Primary	Septic Tank			1975
Fogo	2117	Central	1630	1630-2	Straight Piped	9	3,060	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1999
Fogo	2117	Central	1630	1630-3	Straight Piped	12	4,080	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1999
Fogo	2117	Central	1630	1630-8	Straight Piped	10	3400	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2000
Fox Harbour	226	Eastern	1675	1675-1	Straight Piped	66	24,000	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2010
Fox Harbour	226	Eastern	1675	1675-2	Straight Piped	39	13,260	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2005
Fox Harbour	226	Eastern	1675	1675-3	Straight Piped			Saltwater	Bay	Primary	Septic Tank			
Gambo	1,816	Central	1755	1755-1	Straight Piped	415	141,100	Saltwater	Estuary	Secondary		Activated Sludge	Extended Aeration	1984
Gambo	1,816	Central	1755	1755-5	Straight Piped	388	131,920	Saltwater	Bay	Secondary		Activated Sludge	Extended Aeration	1979
Gander	11,880	Central	1760	1760-3	Straight Piped	11054	8,994,000	Freshwater	Pond	Secondary		Lagoon	Coarse Screening (2), Aerated grit removal (2), Multi cell aerated lagoon system (4), UV Disinfection	2019
George's Brook-Milton	765	Eastern	1800	1800-2	Straight Piped	45	45,900	Saltwater	Bay	Primary	Septic Tank			1988
George's Brook-Milton	765	Eastern	1800	3260-1	Straight Piped	80	22,440	Saltwater	Bay	Primary	Septic Tank			1985
Gillams	506	Western	1825	1825-1	Straight Piped	138	46,920	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2010
Glenwood (Appleton)	739	Central	1855	1855-2	Diffused	1344	456,960	Freshwater	River	Secondary	Sedimentation Tank	Wetlands Treatment System	ABYDOZ Reed Bed	2006
Glovertown	1,948	Central	1865	1865-15	Straight Piped	15	5,100	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2001
Glovertown	1,948	Central	1865	1865-16	Straight Piped	21	7,140	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2002

Wastewater Treatment Plants - Newfoundland and Labrador - Dec 2023

Community Name	Census Population (2021)	Region	LGP Number	Outfall ID	Outfall Type	Population Serviced	Average Load (L/d)	Receiving Environment Type	Receiving Environment Classification	Highest Treatment Level	Primary Treatment	Secondary Treatment	Treatment Process	Year of Construction/ Upgrade
Glovertown	1,948	Central	1865	1865-17	Straight Piped	21	7,140	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2002
Glovertown	1,948	Central	1865	1865-18	Diffused	3	1,020	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2001
Glovertown	1,948	Central	1865	239-14	Straight Piped	35	11,900	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2001
Goose Cove East	172	Western	1905	1905-1	Straight Piped	33	18,000	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1993
Grand Bank	2152	Eastern	1940			30	10,200	Land	Beach	Primary	Septic Tank		Communal Septic Tanks with Leaching Beds on Beach	
Grand Bank	2152	Eastern	1940			30	10,200	Land	Beach	Primary	Septic Tank		Communal Septic Tanks with Leaching Beds on Beach	
Grand Falls-Windsor	13,853	Central	1960	1960-1	Straight Piped	13000	4,420,000	Freshwater	River	Secondary		Lagoon	Aerated Lagoon	2021
Hampden	439	Western	2090	2090-2	Straight Piped	250	113,850	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1997
Hampden	439	Western	2090	2090-1	Straight Piped	268	91,120	Saltwater	Open Ocean	Primary	Septic Tank		Communal septic tank	2011
Happy Adventure	118	Central	2100	2100-1	Straight Piped	201	68,340	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2021
Happy Adventure	118	Central	2100	2100-2	Straight Piped	26	8,840	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2018
Happy Valley-Goose Bay	8040	Labrador	2105	2105-3	-	7572	2,574,480	Freshwater	Estuary	Secondary		Lagoon	Extended Aeration Lagoon; UV disinfection	2013
Holyrood	2,471	Eastern	2320	2320-1	Straight Piped	1380	469,200	Saltwater	Harbour	Secondary		Activated Sludge	Oxidation Ditch	1974
Holyrood	2,471	Eastern	2320			30	10,200	Land	Subsurface ground	Secondary	Septic Tank	Wetlands Treatment System	ABYDOZ Reed Bed System	2006
Holyrood	2,471	Eastern	2320			20	6,800	Land	Subsurface ground	Secondary	Septic Tank	Wetlands Treatment System	ABYDOZ Reed Bed System	2006
Holyrood	2,471	Eastern	2320			40	13,600	Land	Subsurface ground	Secondary	Septic Tank	Wetlands Treatment System	ABYDOZ Reed Bed System	2006
Holyrood	2,471	Eastern	2320	2320-2	Straight Piped	250	145,000	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1997
Holyrood	2,471	Eastern	2320	2320-3	Straight Piped	240	81,600	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2000
Humber Arm South	1,537	Western	335	335-4	Straight Piped	45	20,700	Saltwater	Beach	Primary	Septic Tank		Communal septic tank. Leaching bed on beach replaced with traditional outfall	1996
Humber Arm South	1,537	Western	335	335-5	Straight Piped	156	67,860	Saltwater	Beach	Primary	Septic Tank		Communal septic tank. Leaching bed on beach replaced with traditional outfall.	2002
Humber Arm South	1,537	Western	335	335-6	Straight Piped	156	67,860	Saltwater	Bay	Primary	Septic Tank		Communal septic tank	2002
Humber Arm South	1,537	Western	335	335-7	Straight Piped	270	91,800	Saltwater	Bay		Septic Tank			2011
Humber Arm South	1,537	Western	335	335-8	Straight Piped	39	13,260	Saltwater	Bay		Septic Tank			2011
Irishtown-Summerside	1,260	Western	2425	2425-4	Straight Piped	57	25,200	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1996
Irishtown-Summerside	1,260	Western	2425	2425-5	Straight Piped	126	42,840	saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2018
Irishtown-Summerside	1,260	Western	2425	2425-3	Straight Piped	198	67,320	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2021
Jackson's Arm	277	Western	2475	2475-3	Straight Piped	12	5,400	Saltwater	Bay	Primary	Septic Tank		Communal septic tank	1996
Labrador City	7,412	Labrador	2638	2638-2	Straight Piped	1619	550,460	Freshwater	Lake	Secondary		Activated Sludge	Contact Stabilizer	1975
Labrador City	7,412	Labrador	2638	2638-1	Straight Piped	6125	2,082,000	Freshwater	Lake	Primary	Yes		Primary Chlorination with Aerobic Digestion	1961 & expansion in 1970's
Lark Harbour	508	Western	2730	2730-1	Straight piped	76	25,840	Saltwater	Harbour	Primary	Septic tank		Communal Septic tank	2017
Lark Harbour	508	Western	2730	2730-2	Straight piped	115	45,900	Saltwater	Bay	Primary	Septic Tank		Communal Septic Tank	2018
Lawn	583	Eastern	2745	2745-1	Straight Piped	186	63,240	Saltwater	Bay	Primary	Septic Tank			1985
Lawn	583	Eastern	2745	2745-2	Straight Piped	120	40,800	Saltwater	Bay	Primary	Septic Tank			1988
Lawn	583	Eastern	2745	2745-3	Straight Piped	384	130,560	Saltwater	Bay	Primary	Septic Tank			1983
Lewin's Cove	546	Eastern	2770	2770-1	Straight Piped	162	55,080	Saltwater	Inlet	Primary	Septic Tank		Communal septic tank with saltwater outfall	2016
Lewin's Cove	546	Eastern	2770	2770-3	Straight Piped	273	92,820	Saltwater	Inlet	Primary	Septic Tank		Communal septic tank with saltwater outfall	2016
Lewin's Cove	546	Eastern	2770	2770-4	Straight Piped	60	20,400	Saltwater	Inlet	Primary	Septic Tank		Communal septic tank with saltwater outfall	2016
Lewin's Cove	546	Eastern	2770	2770-5	Straight Piped	15	5,100	Saltwater	Inlet	Primary	Septic Tank		Communal septic tank with saltwater outfall	2016
Little Bay East	84	Eastern	2800	2800-1	Straight Piped			Saltwater	Open Ocean	Primary	Septic Tank			
Little St. Lawrence	125	Eastern	2885	2885-1	Straight Piped	90	30,600	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1989
Lumsden	535	Central	3040	3040-1	Straight Piped	533	181,220	Freshwater	Pond	Secondary		Activated Sludge	Extended Aeration	1974
Marystown	5204	Eastern	3155			100	34,000	Land	Rock Pit	Secondary		Wetlands Treatment System	ABYDOZ Kikuth Reed Bed System	2002
Marystown	5204	Eastern	3155					Land	Subsurface ground	Secondary		Fixed Film	Blivet	2009
Marystown	5204	Eastern	3155					Land	Subsurface ground	Secondary		Fixed Film	Blivet	2009
Marystown	5,204	Eastern	3155	3155-35	Straight Piped	60	20,400	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1998

Wastewater Treatment Plants - Newfoundland and Labrador - Dec 2023

Community Name	Census Population (2021)	Region	LGP Number	Outfall ID	Outfall Type	Population Served	Average Load (L/d)	Receiving Environment Type	Receiving Environment Classification	Highest Treatment Level	Primary Treatment	Secondary Treatment	Treatment Process	Year of Construction/ Upgrade
Mclvers	575	Western	3065	3065-2	Straight Piped	225	90,000	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2004
Mclvers	575	Western	3065	3065-1	Straight Piped	198	67320	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2013
Mclvers	575	Western	3065	3065-3	Straight Piped	100	34,000	Land	Rock Pit	Secondary		Fixed Film	Blivet; UV disinfection	2017
Mclvers	575	Western	3065	3065-4	Straight Piped	45	15,300	Land	Rock Pit	Secondary		Fixed Film	Blivet; UV disinfection	2022
Millertown	87	Central	3240			100	34,000	Land	Subsurface ground	Secondary	Septic Tank	Soil Adsorption	Communal Septic Tank with Contour Disposal Bed	1991
Mount Moriah	700	Western	3340	3340-1	Straight Piped	139	47,260	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2010
Mount Moriah	700	Western	3340	3340-2	Straight Piped	426	144,840	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2010
Mount Moriah	700	Western	3340	3340-3	Straight Piped	122	41,480	Saltwater	Bay	Primary	Septic Tank			2008
Natuashish	931	Labrador	3394	3394-1	Straight Piped	706	240,040	Saltwater	Bay- estuary	Secondary		Lagoon	Facultative Lagoon	1998
New-Wes-Valley	2,044	Central	165	165-11	Straight Piped	3	1,000	Saltwater	Open Ocean	Primary	Septic Tank		Communal septic tank with saltwater outfall	
New-Wes-Valley	2,044	Central	165	165-9	Straight Piped	118	39,984	Saltwater	Open Ocean	Primary	Septic Tank		Communal septic tank with saltwater outfall	1991
New-Wes-Valley	2,044	Central	165	165-15	Straight Piped	55	18,700	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2012
New-Wes-Valley	2,044	Central	165	165-16	Straight Piped	33	11,220	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2012
New-Wes-Valley	2,044	Central	165	165-17	Straight Piped	68	23,120	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2012
New-Wes-Valley	2,044	Central	165	165-18	Straight Piped	43	14,620	Saltwater	Bay	Primary	Septic Tank		5 septic tanks connected to saltwater outfall	2012
Norman's Cove-Long Cove	647	Eastern	3500	3500-2	Straight Piped	63	21,420	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2009
Norris Arm	708	Central	3505	3505-1	Straight Piped	911	309,740	Saltwater	Bay	Secondary		Activated Sludge	Contact Stabilizer	1976
O'Donnell's	157	Eastern	3585			21	7,140	Land	Beach	Primary	Septic Tank		Communal 6.3 m3 septic tank	
Pacquet	145	Western	3645	3645-1	Straight Piped	90	30,600	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2011
Pacquet	145	Western	3645	3645-3	Straight Piped	21	7,140	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2023
Paradise	22,957	Eastern	3655	3655-1	Diffused	4500	3715200	Salt	Open Ocean	Primary			Screening (2), Primary fine screens (2), UV	upgraded 2019-20
Parsons Pond	368	Western	3675	3675-2	Straight Piped	400	136,000	Salt	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2017
Pasadena	3,524	Western	3685	3685-1	Straight Piped	3180	1,081,200	Freshwater	Stream	Secondary		Lagoon	Extended Aeration Lagoon	1991
Pensons Arm	53	Labrador	3793	3793-1	Straight Piped	30	11,250	Land	Beach	Primary	Septic Tank		Communal septic tank with leaching bed on beach	1992
Pensons Arm	53	Labrador	3793	3793-2	Straight Piped	31	12,150	Saltwater	Bay	Primary	Septic Tank			1992
Pilley's Island	286	Central	3785	3785-1	Straight Piped	15	4,998	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Pilley's Island	286	Central	3785	3785-6	Straight Piped	20	6,800	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1999
Placentia	3,289	Eastern	3800	3800-4	Straight Piped	99	33,660	Saltwater	Inlet	Secondary		Fixed Film	Blivet	1980
Point Lance	87	Eastern	3855		Straight Piped	30	10,200	Land	Beach	Primary	Septic Tank		Communal 66 m3 septic Tank with Leaching Pit	
Point Leamington	574	Central	3860	3860-2	Straight Piped	50	17,000	Saltwater	Bay	Primary	Septic Tank		2 communal septic tanks with saltwater outfall	2012
Port Anson	42	Central	3920	3920-2	Straight Piped	36	12,240	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	2014
Port Hope Simpson	403	Labrador	3960	3960-1	Straight Piped	495	259,650	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1991
Port Saunders	678	Western	3975	3975-2	Straight Piped	108	36,720	Saltwater	Bay	Primary	Septic Tank			2002
Port Saunders	678	Western	3975	3975-3	Straight Piped	120	40,800	Saltwater	Bay	Primary	Septic Tank			2002
Port Saunders	678	Western	3975	3975-4	Straight Piped	9	3,060	Land	Beach	Primary	Septic Tank		Septic tank with leaching bed on beach	2002
Port Saunders	678	Western	3975	3975-6	Straight Piped	132	61,920	Land	Beach	Primary	Septic Tank		Septic tank with leaching bed on beach	2008
Port Saunders	678	Western	3975	3975-7	Straight Piped	126	42,840	Land	Beach	Primary	Septic Tank		Septic tank with leaching bed on beach	2008
Portugal Cove-St. Phillips	8,415	Eastern	4000	4000-2	Straight Piped	900	172,800	Saltwater	Open Ocean	Secondary		Activated Sludge	Sequencing Batch Reactor; UV disinfection	2003
Portugal Cove-St. Phillips	8,415	Eastern	4000	4000-1	Straight Piped	1465	498,100	Saltwater	Open Ocean	Secondary		Activated Sludge	Sequencing Batch Reactor; UV disinfection	2007
Robert's Arm	722	Central	4230	4230-1	Diffused	841	285,940	Saltwater	Harbour	Secondary		Activated Sludge	Extended Aeration or Contact Stabilizer (Dual Mode)	1977
Rocky Harbour	937	Western	4245	4245-1	Straight Piped	978	389,700	Saltwater	Harbour	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	350	350-1	Straight Piped	20	12,150	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	350	350-2	Straight Piped	45	24,300	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	350	350-3	Straight Piped	40	21,600	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	350	350-4	Straight Piped	15	9,450	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	350	350-5	Straight Piped	30	17,100	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	350	350-6	Straight Piped	40	21,600	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	350	350-7	Straight Piped	25	14,400	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	4250	4250-2	Straight Piped	159	82,800	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	

Wastewater Treatment Plants - Newfoundland and Labrador - Dec 2023

Community Name	Census Population (2021)	Region	LGP Number	Outfall ID	Outfall Type	Population Served	Average Load (L/d)	Receiving Environment Type	Receiving Environment Classification	Highest Treatment Level	Primary Treatment	Secondary Treatment	Treatment Process	Year of Construction/ Upgrade
Roddickton-Bide Arm	928	Western	4250	4250-3	Straight Piped	150	131,660	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	4250	4250-4	Straight Piped	75	39,150	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
Roddickton-Bide Arm	928	Western	4250	4250-5	Straight Piped	39	42,300	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1997
Sandringham	205	Central	4545	4545-1	Straight Piped	65	22,100	Saltwater	Arm	Primary	Septic Tank		Communal septic tank with saltwater outfall	2014
Sheshatshiu	1,314	Labrador	4660	4660-1	Straight Piped	990	336,600	Estuary	Estuary	Secondary		Lagoon	Aerated Lagoon; UV disinfection	2011
St. Alban's	1,189	Central	4305	4305-1	Diffused	1278	434,520	Saltwater	Bay	Secondary		Activated Sludge	Extended Aeration or Contact Stabilization (Dual Mode)	1976
St. Anthony	2,180	Western	4320	4320-1	Straight Piped	45	13,500	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	
St. John's	110,525	Eastern	4400	4400-9	Diffused	130000	134,700,000	Saltwater	Bay	Primary	Settling Tank		headworks consisting of two pumping stations with screening; automatic and manual screens; three aerated grit chamber; three primary clarifiers; chlorine gas disinfection system; sodium bisulphate dechlorination system; two anaerobic sludge digesters; polymer injection dewatering unit; ozone system for building odor control	2010
St. Lewis	181	Labrador	4445	4445-1	Straight Piped	90	351,100	Saltwater	Bay	Primary	Yes			1992
St. Lunaire-Griquet	603	Western	2050	2050-4	Straight Piped	16	38,485	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2006
Steady Brook	416	Western	4935	4935-1	Straight Piped	435	147,900	Freshwater	River	Secondary		Lagoon	Extended Aeration Lagoon	1995
Stephenville	6,540	Western	4945	4945-3	Straight Piped	6588	2,239,920	Saltwater	Open Ocean	Secondary		Wetlands Treatment System	ABYDOZ Reed Bed	2005
Summerford	805	Central	4975	4975-7	Straight Piped	80	27,200	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2023
Sunnyside (T.B.)	407	Eastern	4990	4990-4	Straight Piped	60	20,400	Saltwater	Bay	Primary	Septic Tank			2007
Sunnyside (T.B.)	407	Eastern	4990	4990-5	Straight Piped	175	33,660	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	2009
Trinity	76	Eastern	5155	5155-1	Straight Piped	192	65,280	Saltwater	Open Ocean	Primary	Septic Tank			2003
Trinity	76	Eastern	5155	5155-2	Straight Piped	40	13,600	Saltwater	Open Ocean	Primary	Septic Tank		Communal septic tank with saltwater outfall	2013
Triton	896	Central	5170	5170-7	Straight Piped	135	45,982	Saltwater	Bay	Primary	Septic Tank		Communal septic tank with saltwater outfall	1996
Triton	896	Central	5170	5170-8	Straight Piped	38	15,300	Saltwater	Bay	Primary	Septic Tank			2009
Willingate	2,121	Central	5195	5195-16	Straight Piped	25	8,500	Saltwater	Bay	Primary	Septic Tank		2 communal septic tanks with saltwater outfall	2012
Victoria	1,658	Eastern	5225	5225-1	Straight Piped	1800	2,304,000	Freshwater	Pond	Secondary		Lagoon	Aerated Lagoon; UV disinfection	1997
Wabush	1,964	Labrador	5249	5249-1	Straight Piped	1542	869,850	Freshwater	Lake	Primary	Settling Tank		Pre-treatment (bar screen, grit classifier, settling tank), clari-gestion (two story clarifier-digester) and disinfection (chlorination system not operational)	2015 (major repairs)
Wabush	1,964	Labrador	5249	5249-2	Straight Piped	740	1,300,000	Freshwater	Lake	Secondary		Lagoon	coarse screen, grit removal, 2 aerated lagoon cells (operated in series), UV disinfection	2021
West St. Modeste	102	Labrador	5310	5310-1	Straight Piped	140	76,500	Saltwater	Open Ocean	Primary	Septic Tank			1992
Westport	185	Western	5335	5335-1	Straight Piped	27	13,950	Saltwater	Bay	Primary	Septic Tank			1992
Whitbourne	955	Eastern	5355	5355-1	Straight Piped	750	800,000	Freshwater	Pond	Secondary		Lagoon	Aerated Lagoon	1992
William's Harbour	52	Labrador	5400	5400-1	Straight Piped	52	42,750	Saltwater	Harbour	Primary	Septic Tank			1992