
## **APPENDIX G**

Canada's Food Guide

### Canada's Food Guide



Age in Years	Children Age in Years 2-3 4-8 9-13		Teens 14-18		Adults 19-50 51+				
Sex		irls and Bo		Females		Females	Males	Females	Males
Vegetables and Fruit	4	5	6	7	8	<i>7-8</i>	8-10	7	7
Grain Products	3	4	6	6	7	6-7	8	6	7
Milk and Alternatives	2	2	3-4	3-4	3-4	2	2	3	3
Meat and Alternatives	1	1	1-2	2	3	2	3	2	3
	Hav follo • Me • Re cer	d from or ring the owing t eet your duce yo rtain typ	amount he tips in needs four risk o	ows how he four f and typ n Canad or vitam f obesity ncer and	ne of food a's Food ins, min y, type 2 I osteop	oups eve od recon I Guide v erals and diabete porosis.	nmende will help d other es, heart	ed and : nutrient	s.

# What is One Food Guide Serving? Look at the examples below.





#### Oils and Fats

- Include a small amount 30 to 45 mL (2 to 3 Tbsp) of unsaturated fat each day. This includes oil used for cooking, salad dressings, margarine and mayonnaise.
- Use vegetable oils such as canola, olive and soybean.
- · Choose soft margarines that are low in saturated and trans fats.
- · Limit butter, hard margarine, lard and shortening.



# Make each Food Guide Serving count... wherever you are - at home, at school, at work or when eating out!

- > Eat at least one dark green and one orange vegetable each day.
  - Go for dark green vegetables such as broccoli, romaine lettuce and spinach.
  - Go for orange vegetables such as carrots, sweet potatoes and winter squash.
- > Choose vegetables and fruit prepared with little or no added fat, sugar or salt.
  - Enjoy vegetables steamed, baked or stir-fried instead of deep-fried.
- Have vegetables and fruit more often than juice.
- Make at least half of your grain products whole grain each day.
  - Eat a variety of whole grains such as barley, brown rice, oats, quinoa and wild rice.
  - Enjoy whole grain breads, oatmeal or whole wheat pasta.
- Choose grain products that are lower in fat, sugar or salt.
  - Compare the Nutrition Facts table on labels to make wise choices.
  - Enjoy the true taste of grain products. When adding sauces or spreads, use small amounts.
- Drink skim, 1%, or 2% milk each day.
  - Have 500 mL (2 cups) of milk every day for adequate vitamin D.
  - Drink fortified soy beverages if you do not drink milk.
- > Select lower fat milk alternatives.
  - Compare the Nutrition Facts table on yogurts or cheeses to make wise choices.
- Have meat alternatives such as beans, lentils and tofu often.
- > Eat at least two Food Guide Servings of fish each week.\*
  - · Choose fish such as char, herring, mackerel, salmon, sardines and trout.
- > Select lean meat and alternatives prepared with little or no added fat or salt.
  - · Trim the visible fat from meats. Remove the skin on poultry.
  - · Use cooking methods such as roasting, baking or poaching that require little or no added fat.
  - · If you eat luncheon meats, sausages or prepackaged meats, choose those lower in salt (sodium) and fat.





# Satisfy your thirst with water!

Drink water regularly. It's a calorie-free way to quench your thirst. Drink more water in hot weather or when you are very active.

<sup>\*</sup> Health Canada provides advice for limiting exposure to mercury from certain types of fish. Refer to www.healthcanada.gc.ca for the latest information.

### Advice for different ages and stages...

### Children

Following Canada's Food Guide helps children grow and thrive.

Young children have small appetites and need calories for growth and development.

- Serve small nutritious meals and snacks each day.
- Do not restrict nutritious foods because of their fat content. Offer a variety of foods from the four food groups.
- Most of all... be a good role model.



### Women of childbearing age

All women who could become pregnant and those who are pregnant or breastfeeding need a multivitamin containing **folic acid** every day. Pregnant women need to ensure that their multivitamin also contains **iron**. A health care professional can help you find the multivitamin that's right for you.

Pregnant and breastfeeding women need more calories. Include an extra 2 to 3 Food Guide Servings each day.

### Here are two examples:

- Have fruit and yogurt for a snack, or
- Have an extra slice of toast at breakfast and an extra glass of milk at supper.

### Men and women over 50

The need for **vitamin D** increases after the age of 50.

In addition to following *Canada's Food Guide*, everyone over the age of 50 should take a daily vitamin D supplement of 10 µg (400 IU).

### How do I count Food Guide Servings in a meal?



### Here is an example:

#### Vegetable and beef stir-fry with rice, a glass of milk and an apple for dessert

250 mL (1 cup) mixed broccoli, carrot and sweet red pepper = 2 **Vegetables and Fruit** Food Guide Servings

75 g (2 ½ oz.) lean beef = 1 Meat and Alternatives Food Guide Serving

250 mL (1 cup) brown rice = 2 Grain Products Food Guide Servings

5 mL (1 tsp) canola oil = part of your Oils and Fats intake for the day

250 mL (1 cup) 1% milk = 1 Milk and Alternatives Food Guide Serving

1 apple = 1 Vegetables and Fruit Food Guide Serving

### Eat well and be active today and every day!

### The benefits of eating well and being active include:

- · Better overall health.
- · Feeling and looking better.
- · Lower risk of disease.
- More energy.
- A healthy body weight.
- Stronger muscles and bones.

#### Be active

To be active every day is a step towards better health and a healthy body weight.

Canada's Physical Activity Guide recommends building 30 to 60 minutes of moderate physical activity into daily life for adults and at least 90 minutes a day for children and youth. You don't have to do it all at once. Add it up in periods of at least 10 minutes at a time for adults and five minutes at a time for children and youth.

Start slowly and build up.

#### Eat well

Read the label

and sodium.

Facts table.

Limit trans fat

trans and saturated fats.

Compare the Nutrition Facts table on food

fat, saturated fat, trans fat, sugar

· Keep in mind that the calories and

nutrients listed are for the amount of

food found at the top of the Nutrition

When a Nutrition Facts table is not available, ask

for nutrition information to choose foods lower in

labels to choose products that contain less

Another important step towards better health and a healthy body weight is to follow Canada's Food Guide by:

- Eating the recommended amount and type of food each day.
- Limiting foods and beverages high in calories, fat, sugar or salt (sodium) such as cakes and
  pastries, chocolate and candies, cookies and granola bars, doughnuts and muffins, ice cream
  and frozen desserts, french fries, potato chips, nachos and other salty snacks, alcohol, fruit
  flavoured drinks, soft drinks, sports and energy drinks, and sweetened hot or cold drinks.

# Nutrition Facts

Per 0 mL (0 g)

Amount	y Value	
Calories 0		
Fat 0 g		0 %
Saturates 0 g	0 %	
+ Trans 0 g		
Cholesterol 0 m	g	
Sodium 0 mg	0 %	
Carbohydrate 0	9	0 %
Fibre 0 g	0 %	
Sugars 0 g		
Protein 0 g		
Vitamin A 0 %	Vitamin C	0 %
Calcium 0 %	Iron	0%

### Take a step today...

- Have breakfast every day. It may help control your hunger later in the day.
- ✓ Walk wherever you can get off the bus early, use the stairs.
- Benefit from eating vegetables and fruit at all meals and as snacks.
- Spend less time being inactive such as watching TV or playing computer games.
- Request nutrition information about menu items when eating out to help you make healthier choices.
- Enjoy eating with family and friends!
- ✓ Take time to eat and savour every bite!

For more information, interactive tools, or additional copies visit Canada's Food Guide on-line at: www.healthcanada.ac.ca/foodquide

#### or contact:

Publications Health Canada

Ottawa, Ontario K1A OK9
E-Mail: publications@hc-sc.gc.ca

Tel.: 1-866-225-0709 Fax: (613) 941-5366 TTY: 1-800-267-1245

Également disponible en français sous le titre : Bien manger avec le Guide alimentaire canadien

This publication can be made available on request on diskette, large print, audio-cassette and braille.

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2007. This publication may be reproduced without permission. No changes permitted. HC Pub.: 4651 Cat.: H164-38/1-2007E ISBN: 0-662-44467-1

<b>APPENIDIX</b>	C. CVV	DVV	FOOD	CHIDE