

DIAMOND DRILL RECORD

NAME OF PROPERTY REID LOT 50
HOLE NO. 76-2 LENGTH 600 FEET
LOCATION LAKE BOND, NFLD.
LATITUDE 46 + 50 N DEPARTURE 1 + 39 W
ELEVATION _____ AZIMUTH 090° DIP -50°
STARTED NOV., 1 1976 FINISHED NOV. 4, 1976

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
65	54.5				
300	51.0				
600	50.0				

HOLE NO. 76-2 SHEET NO. 1
REMARKS _____
LOGGED BY Murray Merson

FOOTAGE		DESCRIPTION	SAMPLE					ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON	
					FROM	TO	TOTAL					
0.0	16.4	Casing. Sand, Gravel & Boulders (0.0-15.3). (15.3-15.8), Fine Grained, Gray Green, Porphyritic (Feldspar Phenocrysts) Intermediate to Basic Rock. Dyke? (15.8-16.4) Intermediate to Basic Dyke, with Fine Carbonate Stringers.										
16.4	50.0	Siliceous Sediments. Fine to Medium Grained, Quartz Pigh, Massive to Layered, in Part Gritty Sediment. Abundant Veining throughout (Quartz-Carbonate). Bedding C.A.=30° at 24.7 Feet. Colour varies from Light Gray to Gray Green, Mainly Light Gray Green.										
50.0	73.5	Similar to Above (16.4-50.0). Darker Gray Green Colour, Generally finer Grained. Brecciated Cherty Bands are Common. Cleavage C.A.=50° at 67.7 Feet. May be Bedding?										
73.5	77.3	Medium Green Gray, Fine Grained, Felsic Sediment? Quartz-Carbonate Stringers, Gritty Layered Section C.A.=54° at 76.9.										
77.3	78.8	Siliceous Cherty Section Interlayered with Coarser, More Mafic Sediment. First Appearance of Red Chert Fragment Within Beige Coloured Chert.										

EM. 6-1168

LANGRIDGE LIMITED,

DIAMOND DRILL RECORD

NAME OF PROPERTY REID LOT 50
HOLE NO. 76-2 LENGTH 600 FEET
LOCATION LAKE BOND, NFLD.
LATITUDE 46 + 50N DEPARTURE 1 + 39 W
ELEVATION _____ AZIMUTH 090° DIP -50°
STARTED NOV. 1, 1976 FINISHED NOV. 4, 1976

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
65	54.5				
300	51.0				
600	50.0				

HOLE NO. 76-2 SHEET NO. 2

REMARKS _____

LOGGED BY Murray Merson

FOOTAGE		DESCRIPTION	SAMPLE					ASSAYS				
FROM	TO		NO.	% SULPH- IDES	FOOTAGE			%	%	oz/TON	oz/TON	
					FROM	TO	TOTAL					
78.8	151.7	Red Basalt. Mainly Fine Grained, Soft, Red-Brown Rock, with Extensive Carbonate Veining. Colours varies from Red-Brown to Dark Red. The Red Colour due to Hematite. Some Hematite rich Fragments Mixed with Fine Grained Material. Some Cherty Sections.										
151.7	153.8	Dark Gray, Fine Grained Mafic Rock (Sediment?) With some Brecciated Cherty Bands. Mixed with some Red Basalt Lower Contact Sharp, C.A.=74° , Disseminated and Stringer Pyrite throughout.										
153.8	163.6	Dyke. Fine Grained, Dark Gray, Intermediate to Basic Rock. Odd Pyrite Specks. Lower contact not Sharp.										
163.6	169.3	Red Basalt as Above. Sharp Lower Contact, C.A.=75°.										
169.3	179.5	Dyke as Above. (153.8-163.6)										
179.5	232.1	Red Basalt. As Above. 2 Short Dykes in Section at (207.6-210.1) and (214.3-217.1). Sharp Lower Contact, C.A.=65°.										
232.1	238.5	Dyke. Fine Grained, Dark Gray Green, Intermediate to Basic Porphyritic Rock. Sharp Lower Contact C.A.=45°.										

EM. 6-1168

LANGRIDGE LIMITED,

DIAMOND DRILL RECORD

NAME OF PROPERTY REID LOT 50
HOLE NO. 76-2 LENGTH 600 FEET
LOCATION LAKE BOND, NFLD.
LATITUDE 46 + 50 N DEPARTURE 1 + 39 W
ELEVATION AZIMUTH 090° DIP -50°
STARTED NOV. 1, 1976 FINISHED NOV. 4, 1976

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
65	54.5				
300	51.0				
600	50.0				

HOLE NO. 76-2 SHEET NO. 3

REMARKS

LOGGED BY Murray Merson

EM. 6-11/8

FOOTAGE		DESCRIPTION	SAMPLE				ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON
					FROM	TO	TOTAL				
238.5	242.1	Dyke. Dark Gray Green, Intermediate to Basic, Porphyritic (Feldspar Phenocrysts=10%). Fairly sharp lower contact C.A.=60.									
242.1	252.7	Dyke. Dark Gray Green, Fine to Medium Grained, Intermediate to Basic Rock. Few thin veins of Pyrite and Quartz, C.A.=50. Becoming more Porphyritic with Depth (Feldspar Phenocrysts.) Sharp lower contact, C.A.=45°									
252.7	256.5	Dyke. Similar to Above (242.1-252.7) Non-Porphyritic. Sharp Lower contact, C.A.=50°									
256.5	263.1	Dyke. Dark Gray, Fine Grained, Intermediate to Basic Rock. Some Pyrite Specks.									
263.1	265.0	Red Basalt? Altered, Veined (Quartz and Epidote). Sharp Lower Contact, C.A.=90°									
265.0	266.2	Dyke. As Above (256.5-263.1).									
266.2	274.6	Red Basalt? As Above. Pistachio-Green, Epidotized-Sericitized Rock.									
274.6	310.6	Red Basalt? Similar to Above. (78. 8-151.7)									
310.6	315.0	Red Basalt? Altered, Chloritized? - Sericitized? Veined (Quartz-Carbonate). Odd Pyrite Specks.									

LANGRIDGE LIMITED,

DIAMOND DRILL RECORD

NAME OF PROPERTY REID LOT 50
HOLE NO. 76-2 LENGTH 600 FEET
LOCATION LAKE EOND, NFLD.
LATITUDE 46 + 50 N DEPARTURE 7 + 39 W
ELEVATION _____ AZIMUTH 090° DIP -50°
STARTED NOV. 1, 1976 FINISHED NOV. 4, 1976

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
65	54.5				
300	51.0				
600	50.0				

HOLE NO. 76-2 SHEET NO. 4

REMARKS _____

LOGGED BY Murray Merson

FOOTAGE		DESCRIPTION	SAMPLE				ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	OZ/TON	OZ/TON	%
					FROM	TO					
315.0	320.0	Mineralization. Start of Stockwork. Gray-Green, Altered Rock, Similar to Above (310.6-315.0). ≤ 1% Combined Sulphides, Mainly Pyrite. PY:sp=4:1. Dactic to Rhyodacitic Composition of Wallrock.	529			5	0.02	0.30	-	-	-
320.0	325.0	Mineralization. As Above. Stringers, Blebs, and Disseminated sulphides. 2-3% Sulphides. PY:sp=2:1.	530			5	0.07	1.76	Trace	1.20	0.68
325.0	330.0	Mineralization As Above. 15% Sulphides. PY:sp=1:1.	531			5	0.09	3.28			
330.0	335.0	Mineralization As Above. 8% Sulphides. PY:sp=1:1.	532			5	0.04	1.09			
335.0	340.0	Mineralization As Above. 10% Sulphides. PY:sp=1:1.	533			5	0.04	1.52			
340.0	345.0	Mineralization As Above. 9% Sulphides. PY:sp=1:1.	534			5	0.12	4.00			
345.0	350.0	Mineralization As Above. 8% Sulphides. PY:sp=1:1.	535			5	0.08	2.64			
350.0	355.0	Mineralization as Above. 8% Sulphides. PY:sp=2:1, Some cp	536			5	0.07	1.76			
355.0	360.0	Mineralization As Above. 10% Sulphides. PY:sp=1:4, Some cp	537			5	0.12	3.80			
360.0	365.0	Mineralization As Above. ≤5% Sulphides. PY:sp=1:1, Some cp	538			5	0.03	1.16			
365.0	370.0	Mineralization As Above. 6% Sulphides. PY:sp=2:1, 1%cp	539			5	0.06	3.16			
370.0	375.0	Mineralization As Above. 6% Sulphides. PY:sp=2:1, 1%cp	540			5	0.07	2.36			
375.0	380.0	Mineralization As Above. 6% Sulphides. PY:sp-3:1.	541			5	0.07	3.32			

EM. 6-1168

LANGRIDGE LIMITED,

EM. 6-1168

LANGRIDGE LIMITED,

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
65	54.5				
300	51.0				
600	50.0				

REMARKS _____

LOGGED BY Murray Merson

EM. 6-1168

FOOTAGE		DESCRIPTION	SAMPLE					ASSAYS				
FROM	TO		NO.	SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON	%
					FROM	TO	TOTAL					
390.0	395.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1, Galena	544				5	0.02	0.23	Trace	0.20	0.03
395.0	400.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1	545				5	0.02	0.52			
400.0	405.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1	546				5	0.04	0.42			
405.0	410.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1	547				5	Trace	0.23	Trace	NIL	0.04
410.0	415.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1	548				5	Trace	0.09			
415.0	420.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1	549				5	Trace	0.04			
420.0	425.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1	550				5	Trace	0.06			
425.0	430.0	Mineralization As Above. 5% Sulphides. PY:sp=4:1	551				5	Trace	0.09			
430.0	435.0	Mineralization As Above. 8% Sulphides. PY:sp=4:1	552				5	0.02	0.26			
435.0	440.0	Mineralization As Above. 5% Sulphides. PY:sp=4:1	553				5	Trace	0.25			
440.0	445.0	Mineralization As Above. 5% Sulphides. PY:sp=4:1	554				5	0.02	0.73			
445.0	450.0	Mineralization As Above. 5% Sulphides. PY:sp=4:1	555				5	0.01	0.55			
450.0	455.0	Mineralization As Above. 5% Sulphides. PY:sp=2:1	557				5	0.01	0.79			
455.0	460.0	Mineralization As Above. 15% Sulphides. PY:sp=4:1, Some cp	558				5	Trace	0.41			
460.0	465.0	Mineralization As Above. 5% Sulphides. PY:sp=4:1	559				5	Trace	0.16			

LANGRIDGE LIMITED,

DIAMOND DRILL RECORD

SHEET NO. 5 CONTINUED

NAME OF PROPERTY _____
HOLE NO. _____ LENGTH _____
LOCATION _____
LATITUDE _____ DEPARTURE _____
ELEVATION _____ AZIMUTH _____ DIP _____
STARTED _____ FINISHED _____

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

HOLE NO. 76-2 SHEET NO. 5

REMARKS _____

LOGGED BY _____

FOOTAGE		DESCRIPTION	SAMPLE				ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		TOTAL	%	%	OZ/TON	OZ/TON	%
					FROM	TO		CU	ZN	AU	AG	PB
465.0	470.0	Mineralization As Above. 8% Sulphides. PY:sp=3:1	560				5	0.01	0.78			
470.0	475.0	Mineralization As Above. 8% Sulphides. PY;sp=3:1, Some cp	561				5	0.02	0.85			
475.0	480.0	Mineralization As Above. 10% Sulphides. PY:sp=4:1, Some cp	562				5	0.01	1.14			
480.0	485.0	Mineralization As Above. 8% Sulphides. PY:sp=4:1, Some cp	563				5	Trace	0.17			
485.0	490.0	Mineralization As Above. 5% Sulphides. PY:sp=4:1, Some cp	564				5	Trace	0.09			

EM. 6-1158

LANGRIDGE LIMITED,

NAME OF PROPERTY REID LOT 50
HOLE NO. 76-2 LENGTH 600 FEET
LOCATION LAKE BOND, NFLD.
LATITUDE 46 + 50 N DEPARTURE 1 + 39 W
ELEVATION _____ AZIMUTH 090° DIP -50°
STARTED NOV. 1, 1976 FINISHED NOV. 4, 1976

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
65	54.5				
300	51.0				
600	50.0				

HOLE NO. 76-2 SHEET NO. 6

REMARKS _____

LOGGED BY Murray Merson

EM. 8-1168

LANGRIDGE LIMITED,

FOOTAGE		DESCRIPTION	SAMPLE					ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON	%
					FROM	TO	TOTAL					
490.0	495.0	Slightly Mineralized. Less than 1% sulphides, Mainly Pyrite. Lighter Gray than above, more Felsic.										
495.0	500.0	Slightly Mineralized. <1% Sulphides. Lighter Gray than above (490.0-495.0), more Felsic and Homogenous. Becoming coarser grained, Darker Gray, Mottled towards end of section. Diorite? at 498.										
500.0	505.0	Similar to end section above. Diorite? Spattered with Pistachio Green Mineral (Epidote). <1% Sulphides, Pyrite.										
505.0	510.0	Diorite? As Above. Lacking Epidote. <1% Sulphides, Pyrite.										
510.0	525.0	Diorite? As Above. <1% Sulphides, Pyrite.										
525.0	530.0	Mineralization Similar to (500.0-505.0). 6% Sulphides. PY:sp=4:1, Some cp.	565				5	0.02	0.80			
530.0	535.0	Mineralization As Above. 4% Sulphides, Mainly Pyrite, 5% sp.	566				5	0.02	0.15			
535.0	540.0	Mineralization As Above. 3% Sulphides, Mainly Pyrite, 5% sp.	567				5	Trace	0.48			
540.0	545.0	Mineralization As Above. 1% Sulphides, Mainly Pyrite.	568				5	Trace	0.43			
545.0	550.0	Mineralization As Above. 2% Sulphides, Mainly Pyrite.	569				5	0.02	0.79			

DIAMOND DRILL RECORD

SHEET NO. 6 CONTINUED

NAME OF PROPERTY _____
 HOLE NO. _____ LENGTH _____
 LOCATION _____
 LATITUDE _____ DEPARTURE _____
 ELEVATION _____ AZIMUTH _____ DIP _____
 STARTED _____ FINISHED _____

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

HOLE NO. _____ SHEET NO. _____

REMARKS _____

LOGGED BY _____

EM. 6-1168

FOOTAGE		DESCRIPTION	SAMPLE					ASSAYS					
FROM	TO		NO.	SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON	%	
					FROM	TO	TOTAL						
550.0	600.0	Diorite. Massive, Medium to Coarse Grained. Sulphides scarce. Intermediate to Basic composition, Mottled. Gray Green to Dark Gray Green Colour. Some Quartz and Carbonate Stringers.											
600.0	EOH												

LANGRIDGE LIMITED,

EM. 6-1168

LANGRIDGE LIMITED,