

Data Compilation Services

CORE LOG

Hole #: DDH 009

Grid: L 3 N		2+25 E		Planned Depth (m): 100		Company		Cabo Drilling Ltd.		Start: 26/07/10	
Datum: NAD83		NAD27		Drilled to (m): 101						Completion: 28/07/10	
UTM Zone: 21 U		21 U		Dip(degrees): -65		Manufacturer		Boyles		Type JKS-10	
UTM E: 567718		567640		Azimuth (TN): 110		Core Size:		NQ		Shifts: 3	
UTM N: 5459653		5459443		Vertical Depth(m): 83.5						m / shift: 33.67	
				Elevation (m): 197						m / hr: 2.81	
Flexit Data					Samples From		To		Logged By: R. James Weick P.Geo.		
Depth	Dip	Az. True N	Az. Mag N	Magnetics		20711		20750			
17	-64.2	113	133.5	52110							
50	-64.4	114.1	134.6	51930							
101	-64.4	114.8	135.3	51830							

Box Interval		Depth		Lithology	Description	Alteration	to C.A.	Min.	Au ppb	Samples	from	to
box	To	from	To									
1		0.0	0.5	Overburden	- basalt boulders and cobbles in Overburden							
		0.5	18.9	Gabbro	- dark green, fine to medium grained, massive - foliated, gabbroic with quartz-calcite veinlets - veins	chlorite, epidote						
	8.5											
2	12.7											
3	17											
4		18.9	29.5	Basalt	- dark green - black, fine grained, variably foliated, sheared, chloritized, silicified with quartz veinlets - stringers	chlorite						
5	21.1											
	25.4											
6		29.5	65.0	Mineralized Zone	- light - dark grey, fine grained, heterogeneous, variably locally foliated and sheared - brecciated	chlorite	pyrite +/- chalcopyrite		5	20711	29.0	29.5
	29.6								207	20712	29.5	30.5
7									5	20713	30.5	31.5
									5	20714	31.5	32.3
									5	20715	32.3	33.0
	33.9								55	20716	33.0	33.9
8									17	20717	33.9	34.9

Box Interval box	To	Depth from	To	Lithology	Description	Alteration	to C.A.	Min.	Au ppb	Samples	from	to
9	38.0								5	20718	34.9	35.8
									5	20719	35.8	36.6
									5	20720	36.6	37.0
									5	20721	37.0	38.0
									5	20722	38.0	39.0
10	41.1								31	20723	39.0	40.0
									17	20724	40.0	41.0
									22	20725	41.0	42.0
									5	20726	42.0	43.0
									5	20727	43.0	44.0
11	46.5								5	20728	44.0	45.0
									5	20729	45.0	46.0
									5	20730	46.0	47.0
									5	20731	47.0	48.0
									5	20732	48.0	49.0
12	50.7								5	20733	49.0	50.0
									97	20734	50.0	51.0
									77	20735	51.0	52.0
									40	20736	52.0	53.0
									54	20737	53.0	54.0
13	54.8								5	20738	54.0	55.0
									5	20739	55.0	56.0
									5	20740	56.0	56.8
									5	20741	56.8	57.8
									5	20742	57.8	58.5
14	59.0								5	20743	58.5	59.5
									45	20744	59.5	60.5
									34	20745	60.5	61.5
									290	20746	61.5	62.5
									608	20747	62.5	63.3
15	63.3	65.0	101.0	Footwall Volcanics	- dark green, fine grained, foliated, sheared, chloritized				111	20748	63.3	64.0

DDH-009 (continued)

Box Interval		Depth										
box	To	from	To	Lithology	Description	Alteration	to C.A.	Min.	Au ppb	Samples	from	to
	67.1								17	20749	64.0	65.0
16	71.3								178	20750	65.0	66.0
17	75.7											
18	80.0											
19	84.2											
20	88.4											
21	91.4											
22	96.4											
23	100.5											
24	101.0		101.0	EOH								