

FALCONBRIDGE NICKEL MINES LIMITED

635° N. 40° E. from
 Date: _____ Location: N.E. corner of shaft Bearing: (Mag.) Hole No. D.H. 5
 Logged by: D.J. Davies Elevation: _____ Dip: 82° Property: Great Gull Lake,
Newfoundland

<u>FROM</u>	<u>TO</u>	<u>DESCRIPTION</u>
0.0	11.0	Overburden.
11.0	133.0	Silicified diabase.
133.0	134.0	Quartz.
134.0	156.0	Silicified diabase.
156.0	185.0	Sheared diabase mineralized with marcasite.
185.0	207.0	Sheared pyritically mineralized diabase with traces of copper.
207.0	211.5	Diorite porphyrite dike.
211.5	353.5	Sheared diabase with marcasite, pyrrhotite and traces of copper.
353.5	367.0	Low grade copper ore in sheared diabase.
367.0	435.0	Copper ore in sheared diabase.
435.0	450.0	Diorite porphyrite dike.
450.0	521.0	Copper ore in sheared diabase.
521.0	541.0	Good copper ore.
541.0	600.0	Sheared diabase with pyrite, pyrrhotite and traces of copper.
600.0	621.0	Sheared diabase with pyrrhotite; no copper.
600.0	665.0	Sheared diabase, heavily pyritic and silicified in places.

END OF HOLE.

Hole started: November 1, 1922.

Hole Finished: December 25, 1922.

ASSAY RECORD SHEET

Drill Hole No. 5

GULLBRIDGE MINES LIMITED
Badger, Newfoundland

SAMPLE NO.	FROM	TO	LENGTH	% CU	DESCRIPTION
	362.0	367.0	5.0	1.74	Low grade copper ore in sheared diabase.
	367.0	371.5	4.5	1.50	
	371.5	376.5	5.0	1.43	
	376.5	381.5	5.0	0.94	
	381.5	386.5	5.0	2.56	Copper ore in sheared diabase - from 367 to 435.
	386.5	391.5	5.0	2.04	
	396.5	401.5	5.0	1.11	
	401.5	406.5	5.0	1.73	
	406.5	411.0	4.5	3.16	
	411.0	416.5	5.5	2.85	
	416.5	422.0	5.5	1.44	
	422.0	427.0	5.0	2.29	
	427.0	432.0	5.0	2.17	
	432.0	435.0	3.0	2.23	
	391.5	396.5	5.0	1.92	
	450.5	457.0	6.5	1.24	Copper ore in sheared diabase - from 450 to 521.
	457.0	462.0	5.0	3.16	
	462.0	467.0	5.0	3.10	

ASSAY RECORD SHEET

GULLBRIDGE MINES LIMITED
Badger, Newfoundland

Drill Hole No. 5
Page 2.

SAMPLE NO.	FROM	TO	LENGTH	% CU	DESCRIPTION
	467.0	472.0	5.0	0.96	Copper ore in sheared diabase - from 450 to 521.
	472.0	477.0	5.0	0.68	
	477.0	482.0	5.0	1.30	
	482.0	487.0	5.0	0.68	
	487.0	492.0	5.0	0.74	
	492.0	497.0	5.0	0.13	
	497.0	502.0	5.0	0.74	
	502.0	507.0	5.0	0.68	
	507.0	513.0	6.0	1.24	
	513.0	519.5	6.5	1.30	
	519.5	524.0	4.5	3.41	
	524.0	529.0	5.0	4.03	
	529.0	533.5	4.5	5.20	Good copper ore - from 521 to 541.
	533.5	538.5	5.0	2.60	
	538.5	541.0	2.5	1.92	

ASSAY RECORD SHEET

Drill Hole No. 5

GULLBRIDGE MINES LIMITED
 Badger, Newfoundland

Page 3.

SAMPLE NO.	FROM	TO	LENGTH	% CU	DESCRIPTION
------------	------	----	--------	------	-------------

Summary:

362.0	435.0	73.0	1.93	
450.5	467.0	16.5	2.38	
467.0	507.0	40.0	0.65	
507.0	541.0	34.0	2.72	