

FALCONBRIDGE NICKEL MINES LIMITED

Date: _____ Location: 1216N. 1500 E. Bearing: S. 56° .8 E. Hole No. D.H. 15
 Logged by: _____ Elevation: _____ Dip: _____ Property: Gull Lake, Nfld.

DIP TESTS:

<u>Footage</u>	<u>Angle etched on tube</u>	<u>Corrected angle</u>
22.0	75°	
100.0	75°	
200.0	73°	
300.0	72°	
400.0	68°	
496.0	68°	
600.0	68°	
700.0	65°	

<u>FROM</u>	<u>TO</u>	<u>DESCRIPTION</u>
0.0	22.0	Overburden.
22.0	86.0	Cherty lava or tuff. No sulphides.
86.0	102.0	Sheared cherty lava or tuff. Scant pyrite.
102.0	110.0	Sheared very altered cherty lava or tuff. Fairly abundant pyrite.
110.0	160.0	Cherty lava or tuff. Fairly abundant to abundant pyrite.
160.0	169.0	Very altered andesitic lava. Abundant pyrite.
169.0	235.0	Sheared andesitic lava some cherty lava or tuff. Fairly abundant to scant pyrite.
235.0	295.0	Sheared and altered andesitic lava. Abundant pyrite scant pyrrhotite.
295.0	405.0	Sheared altered andesitic lava.
405.0	460.0	Altered andesitic lava. Abundant pyrite.
460.0	475.0	Altered cherty lava or tuff. Abundant pyrite.
475.0	491.0	Altered cherty lava or tuff. Fairly abundant pyrite.
491.0	551.0	Cherty lava or tuff. Scant to fairly abundant pyrite.
551.0	607.0	Intercalated altered andesitic lava and cherty lava or tuff. Abundant to fairly abundant pyrite.
607.0	610.0	Highly altered andesitic lava. Very abundant pyrite, Fairly abundant pyrrhotite.
610.0	618.0	Mixed cherty lava or tuff and andesitic lava. Abundant pyrite.
618.0	638.0	Highly altered andesitic lava. Abundant pyrite and fairly abundant pyrrhotite.
638.0	676.0	Altered andesitic lava. Fairly abundant pyrite.
676.0	718.0	Andesitic lava. ^{Pyrite} Scant grading to nil at end.
		END OF HOLE.

Hole started: December 26, 1928
 Hole finished: January 10, 1929.
 Hole deepened: July 24, 1929 to July 29, 1929.

ASSAY RECORD SHEET

Drill Hole No. 15

GULLBRIDGE MINES LIMITED
Badger, Newfoundland

SAMPLE NO	FROM	TO	LENGTH	% CU	DESCRIPTION							
	295.0	300.0	5.0	1.80	Very abundant chalcopyrite, fairly abundant pyrrhotite and scant pyrite.							
	300.0	305.0	5.0	2.10	"	"	"	"	"	"	"	"
	305.0	310.0	5.0	4.26	"	"	"	"	"	"	"	"
	310.0	315.0	5.0	3.90	"	"	"	"	"	"	"	"
	315.0	320.0	5.0	3.93	"	"	"	"	"	"	"	"
	320.0	325.0	5.0	7.95	"	"	"	"	"	"	"	"
	325.0	330.0	5.0	5.07	"	"	"	"	"	"	"	"
	330.0	335.0	5.0	2.67	"	"	"	"	"	"	"	"
	335.0	340.0	5.0	3.51	"	"	"	"	"	"	"	"
	340.0	345.0	5.0	2.37	"	"	"	"	"	"	"	"
	345.0	350.0	5.0	1.56	"	"	"	"	"	"	"	"
	350.0	355.0	5.0	1.71	"	"	"	"	"	"	"	"
	355.0	360.0	5.0	1.35	"	"	"	"	"	"	"	"
	360.0	365.0	5.0	1.68	"	"	"	"	"	"	"	"
	365.0	370.0	5.0	2.58	"	"	"	"	"	"	"	"
	370.0	375.0	5.0	2.82	"	"	"	"	"	"	"	"
	375.0	380.0	5.0	0.90	"	"	"	"	"	"	"	"
	380.0	385.0	5.0	0.60	"	"	"	"	"	"	"	"

ASSAY RECORD SHEET

Drill Hole No. 15

GULBRIDGE MINES LIMITED
Badger, Newfoundland

Page 2.

SAMPLE NO.	FROM	TO	LENGTH	% CU	CU	DESCRIPTION
	385.0	390.0	5.0	1.35		Fairly abundant to abundant chalcopyrite, scant to fairly abundant pyrrhotite and fairly abundant to abundant pyrite.
	390.0	395.0	5.0	1.02	)	Same as above.
	395.0	400.0	5.0	1.44	)	
	400.0	405.0	5.0	0.49	)	
<u>Summary:</u>						
	295.0	400.0	105.0	2.61		