

PROPERTY

PAGE 1

LOCATION (App.) 47,808 N 25,034 E BEARING East HOLE NO. GB 121
 LOGGED BY KMN & HWO ELEVATION 9994.94 DIP -45 FINAL DEPTH 495.0'
 STARTED Oct. 23, 1969 TESTS (CORRECTED)
 FINISHED Oct. 30, 1969 250' = -45 deg.
 CASING 8'
 CORE SIZE AW Section 102

FROM	TO	DESCRIPTION
0.0	6.0	Overburden
6.0	34.6	Dike - Medium to dark grey diorite, fine to medium grained texture. Contains a few scattered pinkish feldspar phenocrysts. 23.5-29.0 oxidized shear almost parallel to the core/ 33.5-33.9 inclusion of cherty tuff. Chilled out contact at 30 deg. to the core.
34.6	46.0	Iron Formation Unit - Greenish black, grey and purple. Chloritic tuff and siliceous tuff interclate with narrow bands of ferruginous chert. Banding at 30 deg. to the core.
46.0	67.8	#3 Andesite - Greenish black, fine grained, moderate epidote quartz and carbonate veining. Weak chloritic alteration.
67.8	69.4	Dike - Dark grey, fine grained diorite. Chilled 20 deg. contacts.
69.4	81.5	#3 Andesite - Same as above.
81.5	107.0	Dike - Medium grey, fine to coarse grained diorite weak epidote veining. In contact at 10 deg. out contact at 70 deg. to the core.
107.0	116.8	Tuff - Medium to light grey, very siliceous with narrow chloritic sections, in part strongly drag folded.
116.8	127.7	#3 Andesite - Same as above.
127.7	215.7	Dike - Medium grey, fine to coarse grained diorite chilled in contact at 70 deg. to the core. From 192-215.7 strongly fractured with moderate carbonate veining. Sharp out contact at 45 deg. to the core.
215.7	232.2	Tuff - Same as above.

HOLE NO.

PROPERTY

PAGE 2

LOCATION _____ BEARING _____ HOLE NO. GB-121

LOGGED BY _____ ELEVATION _____ DIP _____ FINAL DEPTH _____

STARTED _____ TESTS (CORRECTED) _____

FINISHED _____

CASING _____

CORE SIZE _____

FROM	TO	DESCRIPTION
232.2	234.8	Altered Andesite - Medium to dark grey, medium grained moderate chlorite, cordierite alteration. Minor py mineralization. Chilled out contact.
234.8	287.0	Tuff - Medium to light grey, very siliceous, with minor chlorite, moderate cordierite alteration. Heavy py mineralization, out contact gradational.
287.0	302.9	Arkose (Grit) - Light to medium grey, medium to coarse grained, quartz veining, minor py mineralization. Same type as found on 550 level. Chilled out contact.
302.9	310.0	Tuff - Light grey, slightly siliceous, with narrow chloritic sections, out contact sharp.
310.0	335.8	#3 Andesite - Same as above. 331.5 - 335.0 fault zone.
335.8	382.5	Tuff - Medium to light grey, slightly siliceous, moderate cordierite alteration, scattered py. 371.5-376.5 fault zone, lost and ground core, out contact sharp at 45 deg. to the core.
382.5	411.2	#3 Andesite - Same as above.
411.2	414.2	Tuff - Medium to dark grey, very siliceous, with minor chlorite, moderate cordierite alteration, heavy py mineralization, chilled out contact.
414.2	437.2	#3 Andesite - Greenish black, fine grained, moderate epidote, quartz and carbonate veining, weak chloritic alteration.
437.2	440.8	Dike - Medium to dark grey, diorite, fine to medium grained texture.
440.8	458.0	Arkose - Light to medium grey, medium grained.

HOLE NO.

PROPERTY

PAGE 3

LOCATION _____ BEARING _____ HOLE NO. _____

LOGGED BY _____ ELEVATION _____ DIP _____ FINAL DEPTH _____

STARTED _____ TESTS (CORRECTED) _____

FINISHED _____

CASING _____

CORE SIZE _____

FROM	TO	DESCRIPTION
458.0	495.0	#3 Andesite - Greenish black fine grained, moderate epidote, scattered py.
		Hole stopped due to caving at 495'

HOLE NO.