

PROPERTY

PAGE 1

LOCATION 53,850 N 24,900 E BEARING East HOLE NO. GB-128LOGGED BY H.W.O. ELEVATION 9,985 DIP -65 FINAL DEPTH 611.0'STARTED March 10, 1970 TESTS (CORRECTED)FINISHED March 17, 1970CASING 64'CORE SIZE AW SECTION 139

FROM	TO	DESCRIPTION
0.0	78.0	Water and overburden, vertical depth of water 48'.
78.0	120.0	Andesite - Fine grained, med. grey to bluish grey with minor chlorite alteration, minor epidote veining. 96.3 - 105.6 light to medium grey with minor quartz veining. 105.6 - 120.0 light to medium grey with minor chlorite, cordierite alteration, minor disseminated py.
120.0	124.0	Tuff - Brownish grey, siliceous with moderate quartz present, 3 - 5% py.
124.0	130.0	Andesite - Same as from 96.3 - 105.6.
130.0	154.0	Andesite - Brownish grey to blue, fine grained with strong chlorite, cordierite alteration, 3 - 5% py from 130 - 135, specks of cp.
154.0	162.0	Tuff - Light to medium grey fine grained, slightly siliceous with moderate quartz, banding 40 - 60 deg. to the core, minor chlorite, cordierite, 3 - 5% py. Fault gauge at 162'. Vein of cp at 161'.
162.0	170.0	Andesite - Fine grained bluish grey, minor chlorite cordierite alteration, minor disseminated py.
170.0	187.0	Andesite - Bluish grey fine grained unaltered with minor quartz veining similar to the # 3 andesite.
187.0	199.5	Andesite - Fine grained, bluish grey, strong chlorite cordierite, minor anthophyllite alteration 2 - 3% py mineralization.
199.5	202.7	Same as from 170.0 - 187.0.
202.7	208.5	Same as from 187.0 - 199.5.
208.5	219.7	Tuff - Fine grained light grey, siliceous, banded quartz at 50 deg. to the core, minor chert present. Moderate cordierite alteration, minor disseminated py, fault gauge at 219.7'.

HOLE NO.

PROPERTY		PAGE
LOCATION	BEARING	HOLE NO. 128
LOGGED BY	ELEVATION	DIS
STARTED	TESTS (CORRECTED)	FINAL DEPTH
FINISHED		
HAZING		
ROPE SIZE		

FROM	TO	DESCRIPTION
219.7	226.0	Andesite - Bluish grey fine grained with chlorite cordierite alteration, 3 - 5% po, py, ground out contact.
226.0	252.1	Tuff - Medium to light grey, siliceous with moderate cordierite alteration, minor disseminated py, cherty with numerous quartz injections.
252.1	276.0	Andesite - 252.1 - 272.0 light grey, fine grained, minor quartz carbonate veining, barren of mineralization. 272.0 - 276.0 medium grey, fine grained with moderate chlorite, cordierite alteration, 2 - 5% py mineralization.
276.0	280.3	Fine grained, grey, with moderate quartz veining, similar in appearance to the dike, fault out contact.
280.3	293.7	Andesite - Fine grained medium grey with moderate cordierite alteration, minor quartz veining. 285 - 287 minor disseminated py.
293.7	301.0	# 3 Andesite - Fine grained medium grey with moderate epidote veining.
301.0	316.0	Andesite - Same as above with 5 - 6% py from 306 - 311.
316.0	357.0	Andesite - Light to medium grey fine grained with minor epidote and quartz carbonate veining at 45 deg. to the core, unaltered andesite, very similar to the # 3.
357.0	434.0	Andesite - Light to medium grey, fine grained with minor chlorite alteration, scattered specks of py from 405 - 420. 431 - 434 2' lost and broken core.
434.0	441.0	Dike - 40% lost and broken core, appears to be dike.

HOLE NO.

PROPERTY

PAGE 3

LOCATION _____ BEARING _____ HOLE NO. 128

LOGGED BY _____ ELEVATION _____ DIP _____ FINAL DEPTH _____

STARTED _____ TESTS (CORRECTED) _____

FINISHED _____

CASING _____

CORE SIZE _____

FROM	TO	DESCRIPTION
441.0	455.0	Andesite - Fine grained, blue, intense chlorite alteration appears to be talc in places, very poor core recovery, possible fault zone.
455.0	483.7	Tuff - 455.0 - 471.7 light to medium grey, minor chlorite cordierite, banding at 40 deg. to the core. 471.7 - 483.7 moderate chlorite, cordierite and minor biotite alteration, 3 - 5% po, py mineralization.
483.7	506.0	Andesite - Greenish grey, fine grained barren, very similar to the # 3 andesite. 491 - 492 altered andesite, chlorite cordierite and biotite alteration 2 - 3% py.
506.0	524.0	Tuff - Light to medium grey fine grained siliceous with strong chlorite, cordierite alteration, 3 - 5% py throughout. Moderate quartz present, banding from 30 - 45 deg. to the core.
524.0	553.0	Andesite - Bluish grey to black fine grained with chlorite cordierite, and minor anthophyllite alteration. 5 - 7% po, py mineralization. 541 - 553 core has a tuffaceous appearance with only minor chlorite, cordierite alteration, 2 - 3% py with scattered blebs of cp.
553.0	563.2	Andesite - Fine grained, greenish grey with moderate epidote and quartz carbonate veining, slightly chloritic with 1 - 2% py mineralization, could be # 3 andesite.
563.2	597.3	Andesitic Tuff - Light to medium grey fine grained siliceous, banding from 35 - 45 deg. to the core. 584 - 595 chlorite, cordierite alteration with 5 - 7% py mineralization.
597.3	605.2	Andesite - Same as from 553.0 - 563.2.
605.2	609.0	Tuff - Greenish grey, fine grained siliceous with minor chlorite cordierite alteration 2 - 3% py mineralization.

HOLE NO.

PROPERTY

PAGE

4

LOCATION _____ BEARING _____ HOLE NO. 128

LOGGED BY _____ ELEVATION _____ DIP _____ FINAL DEPTH _____

STARTED _____ TESTS (CORRECTED) _____

FINISHED _____

CASING _____

CORE SIZE _____

FROM	TO	DESCRIPTION
609.0	611.0	Andesite - Fine grained, bluish grey slightly chloritic, minor epidote veining barren of mineralization, could be # 3 andesite.
	611.0	END OF HOLE Casing pulled, hole cemented.

HOLE NO.