

2

HOLE NO. H1906

J. TUACH GEOLOGICAL CONSULTANTS, INC.
DIAMOND DRILL CORE ASSAYS

SHEET NO. 1 of 1

PROJECT NO. _____

HOLE NO. 1906

PROPERTY _____

75 m east of Oriental

Sample No.	From (metres)	To (metres)	Length (metres)	DESCRIPTION	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppb)	Ba (ppm)
1906	65.2	68.3	3.1	½ core, dacite tuff - altered minor py						
1906	68.3	71.3	3	½ core, dacite tuff - altered minor py						
1906	71.3	74.4	3.1	½ core, dacite tuff - altered minor py						
1906	74.4	77.4	3	½ core, dacite tuff - altered minor py						
1906	77.4	80.5	3.1	½ core, dacite tuff - altered minor py						
1906	80.5	83.5	3	½ core, dacite tuff - altered minor py						
1906	83.5	86.3	2.8	½ core, altered rhyolite, 1-2% py, sp, ga						
1906	86.3	87.8	1.5	¼ core, altered rhyolite, about 10% py, sp, ga						
1906	87.8	89.3	1.5	¼ core, altered rhyolite, about 10% py, sp, ga						
1906	89.3	90.8	1.5	¼ core, altered rhyolite, about 10% py, sp, ga						
1906	90.8	93.6	2.8	¼ core, altered rhyolite, ~ 10% py, sp, ga						
1906	93.6	96.6	3.0	½ core, altered rhyolite, 2-3% py						
1906	96.6	99.7	3.1	½ core, altered rhyolite, vf frag. 2-4% sulphide						
1906	99.7	102.7	3.0	½ core, altered rhyolite, vf frag. 2-4% sulphide						
1906	102.7	105.8	3.1	½ core, altered rhyolite, vf frag. 2-4% sulphide						
1906	105.8	108.8	3.0	½ core, altered rhyolite, vf frag. 2-4% sulphide						
1906	108.8	111.9	3.1	½ core, altered rhyolite, stockwork, py, sp, ga						
1906	111.9	114.9	3.0	½ core, altered rhyolite, stockwork, py, sp, ga						
1906	114.9	118.0	3.1	½ core, altered felsic volcanic, 5-8% sulphides						
1906	118.0	121.0	3.0	½ core, altered felsic volcanic, 5-8% sulphides						
1906	121.0	124.1	3.0	½ core, altered felsic volcanic, 5-8% sulphides						
1906	124.1	127.1	3.1	½ core, altered felsic volcanic, 1-5% py, minor sp, ga						
1906	127.1	130.1	3.0	½ core, altered felsic volcanic, 1-5% py, minor sp, ga						
1906	130.1	133.2	3.1	½ core, altered felsic volcanic, 1-5% py, minor sp, ga						
1906	133.2	136.2	3.0	½ core, altered felsic volcanic, 1-5% py, minor sp, ga						
1906	136.2	139.3	3.1	½ core, altered felsic volcanic, 1-5% py, minor sp, ga						
1906	139.3	142.3	3.0	½ core, altered felsic volcanic, 1-5% py, minor sp, ga						
1906	142.3	145.4	3.1	½ core, altered felsic volcanic, 1-5% py, minor sp, ga						

	Sample Ident Scheme Code Analysis Unit Detection Limit	Au FA301 ppb	Be ICP90 ppm	Mg ICP90 %	Al ICP90 %	P ICP90 %	K ICP90 %	Ca ICP90 %
H-1906		1	5	0.01	0.01	0.01	0.01	0.01
	20151	-1	-5	1.43	7.02	-0.01	2.31	1.14
	20152	4	-5	1.45	6.94	0.01	2	1.22
	20153	2	-5	1.87	7.02	0.02	1.66	1.06
	20154	3	-5	2.08	6.73	0.01	1.58	0.72
	20155	22	-5	2.8	9.69	0.05	1.58	2.77
	20156	25	-5	4.3	6	0.04	0.98	5.1
	20157	29	-5	0.44	7.2	0.04	3.48	0.36
	20158	70	-5	0.48	8.08	0.04	4.05	0.34
	20159	73	-5	0.3	5.84	0.03	3.31	0.32
	20160	54	-5	0.31	6.42	0.03	4.16	0.54
	20161	72	-5	0.42	5.86	0.04	3.18	0.2
	20162	43	-5	0.36	5.54	0.05	3.32	0.35
	20163	109	-5	1.34	5.37	0.06	2.25	0.24
	20164	125	-5	0.48	3.23	0.05	1.33	0.09
	20165	82	-5	1.09	6.68	0.06	2.53	0.24
	20166	42	-5	0.6	5.54	0.05	3.09	0.54
	20167	76	-5	0.21	5.75	0.06	3.84	0.78
	20168	54	-5	0.33	6.1	0.06	3.16	0.66
	20169	20	-5	0.43	7.42	0.06	3.84	0.5
	20170	34	-5	0.34	5.94	0.07	2.92	0.45
	20171	27	-5	0.35	6.12	0.07	2.85	0.33
	20172	25	-5	0.43	6.34	0.08	2.71	0.25
	20173	10	-5	1.14	5.76	0.07	1.98	0.24
	20174	19	-5	0.54	5.69	0.07	2.57	0.3
	20175	16	-5	0.55	4.67	0.07	2.07	0.25
	20176	34	-5	0.48	5.03	0.07	2.15	0.2
	20177	40	-5	0.53	4.59	0.07	1.93	0.42
	20178	12	-5	0.73	5.21	0.08	2.03	0.81
	DUP-20157	28	-5	0.45	7.24	0.04	3.52	0.37
	DUP-20169	18	-5	0.41	6.96	0.28	3.61	0.47

Sc ICP90 ppm	Ti ICP90 %	V ICP90 ppm	Cr ICP90 ppm	Mn ICP90 ppm	Fe ICP90 %	Co ICP90 ppm	Ni ICP90 ppm	Cu ICP90 ppm
5	0.01	10	10	10	0.01	10	10	10
6	0.13	15	94	379	1.22	-10	27	-10
7	0.12	17	79	367	1.11	-10	-10	-10
7	0.12	16	85	423	1.2	-10	-10	-10
7	0.12	19	58	321	1.2	-10	-10	-10
14	0.3	44	69	600	1.97	-10	18	32
12	0.2	65	43	1230	2.14	-10	-10	141
14	0.28	73	113	156	1.32	-10	-10	93
23	0.4	234	184	200	3.36	-10	25	421
18	0.28	171	137	166	3.5	16	16	934
20	0.33	196	242	212	3.37	15	29	555
18	0.29	189	167	265	3.86	24	10	1370
13	0.24	84	126	238	2.1	-10	22	189
19	0.29	165	138	1110	3.71	26	39	238
13	0.16	124	157	319	3.58	27	-10	460
24	0.35	251	151	869	4.17	17	20	55
14	0.25	95	130	476	2.29	19	17	599
12	0.25	65	124	192	2.24	10	11	1000
6	0.26	26	124	234	2.16	-10	-10	111
17	0.31	69	154	193	1.38	-10	-10	-10
11	0.26	52	137	292	1.63	-10	48	31
15	0.27	67	145	154	1.48	10	-10	189
18	0.29	97	127	274	2.22	11	-10	31
17	0.26	90	117	1240	3.28	-10	-10	23
17	0.26	87	107	482	1.92	12	-10	42
14	0.22	71	107	383	1.81	22	-10	34
14	0.23	73	126	292	2.2	-10	-10	265
12	0.21	60	85	544	1.93	14	29	63
13	0.23	64	157	751	2.72	-10	14	16
14	0.28	71	118	157	1.33	10	12	95
16	0.29	65	144	246	1.29	-10	-10	-10

Zn ICP90 ppm	Sr ICP90 ppm	Y ICP90 ppm	Cd ICP90 ppm	Sn ICP90 ppm	Sb ICP90 ppm	Ba ICP90 ppm	La ICP90 ppm	W ICP90 ppm
10	10	5	10	50	50	10	10	50
48	177	19	-10	-50	-50	1790	51	-50
45	237	19	-10	-50	-50	1720	26	-50
54	202	19	-10	-50	-50	1770	18	-50
54	153	19	-10	-50	-50	3130	27	-50
903	349	36	-10	-50	-50	7640	39	-50
1630	73	27	-10	-50	-50	1770	11	-50
1520	56	17	-10	-50	-50	5470	20	-50
3440	46	8	21	-50	-50	4250	11	-50
>10000	79	10	64	-50	-50	15220	-10	-50
7070	104	10	37	-50	-50	20360	-10	-50
>10000	200	10	48	-50	-50	31430	-10	-50
4370	112	15	23	-50	-50	19750	16	-50
4820	106	15	32	-50	-50	15340	24	-50
4900	233	10	22	-50	52	32510	-10	-50
889	41	15	-10	-50	-50	2850	-10	-50
4700	50	14	31	-50	-50	9330	13	-50
>10000	80	18	95	-50	-50	14410	12	-50
5090	55	9	23	-50	-50	9380	-10	-50
126	52	20	-10	-50	-50	6930	20	-50
1200	70	14	13	-50	-50	9740	48	-50
3650	145	19	15	-50	-50	20890	11	-50
207	37	20	-10	-50	-50	3550	-10	-50
115	19	20	-10	-50	-50	1390	-10	-50
343	23	19	-10	-50	-50	1610	-10	-50
312	17	17	-10	-50	-50	2520	-10	-50
251	55	17	-10	-50	-50	10610	-10	-50
674	36	15	-10	-50	-50	8380	30	-50
149	30	17	-10	-50	-50	1910	16	-50
1510	57	17	-10	-50	-50	6190	19	-50
111	54	19	-10	-50	-50	7040	21	-50