

PROPERTY ABID LOT 50, BADGER AREA, NFLJ

DIAMOND DRILL RECORD

SHEET NUMBER 1

HOLE NUMBER D.D.H. #3

TOTAL DEPTH 150.2 ft.

CO-ORDINATES COLLAR

LOCATION ^{On baseline 065°} at sta. 32+50

LAT. _____ DEP. _____

LOGGED BY 75'5 at 155°

ELEVATION COLLAR _____

DATE BEGUN July 15, 1955

BF'RING S25°E

DATE FINISHED July 21, 1955

ANGLE -45°

LOG FORM NO. 1

CORE FOOTAGE			CORE SAMPLE NO.	ASSAY	DESCRIPTION
FROM	TO	LENGTH			
0.0	7.0				<u>CASING:</u>
7.0	15.0				<u>AMYGDALOIDAL ANDESITE:</u> Dark green. Aphanitic. Cleaves at 50° to core. Amygdules are filled with carbonate. Rock cut by thin carbonate stringers or veinlets. In places rock is vuggy and stained with iron. Some epidotization. Very fine grained disseminated sulphides.
15.0	17.0				<u>ANDESITE TO BASALT:</u> Dark green to black. Aphanitic. Cleaves at 55° to core. Some epidote. Extremely fine grained disseminated sulphides.
17.0	22.3				<u>AMYGDALOIDAL ANDESITE:</u> Dark green, aphanitic. Cleaves at 45° to 50° to core. Amygdules filled with carbonate. Quartz-carbonate veinlets and stringers. Some epidotization. Silicification. Extremely fine grained sulphides.
22.3	53.7				<u>ANDESITE:</u> Green to dark green. Aphanitic. At 33 feet rocks cleaves at 60° to core and 57 feet have same cleavage. A few scattered amygdules of carbonate. Epidotized and silicified. Quartz-carbonate veinlets and stringers. From 47.0 to 53.0 feet have well defined pyrite veinlets, also extremely fine grained disseminated sulphides.

PROPERTY REID LOT 50, BADGER AREA, DIAMOND DRILL RECORD
HFLD.

SHEET NUMBER 2

HOLE NUMBER DD H #3

Log Form No. 2

CORE FOOTAGE			CORE SAMPLE NO.	ASSAY	DESCRIPTION
FROM	TO	LENGTH			
58.7	61.1				<u>MOTTLED ANDESITE</u> : Light to dark green. Aphanitic. Poor cleavage. Epidotized and silicified. Extremely fine grained disseminated sulphides.
61.1	82.0				<u>ANDESITE</u> : Light green to green. Aphanitic. Cleaves at 50° to core. Well epidotized and silicified. Extremely fine grained disseminated sulphides.
82.0	86.8				<u>BASALT</u> : Black. Aphanitic. Good cleavage at 30° to core. A few siliceous amygdulæ. Extremely fine grained disseminated sulphides.
86.8	94.2				<u>ANDESITE</u> : Light green to green. Aphanitic. Cleaves at 40 to 45° to core. Epidotized and silicified. Extremely fine grained disseminated sulphides.
94.2	101.9				<u>BASALT</u> : Grey to black. Aphanitic. Cleaves at 35° to core. a few carbonate amygdulæ. Extremely fine grained disseminated sulphides.
101.9	135.0				<u>ANDESITE</u> : Light to dark green. Aphanitic. Cleaves at about 50° to the core. Epidotized and silicified. Extremely fine grained disseminated sulphides.
135.0	140.3				<u>ANDESITE</u> : Dark green with light portions. Cleaves at between 10 and 20° to core. Strongly silicified. Extremely fine grained disseminated sulphides.
140.3	147.3				<u>ANDESITE TO DACITE</u> : Greenish grey to grey. Aphanitic. Cleaves at about 50° to the core. Epidotized and silicified. Extremely fine grained disseminated pyrite.
147.3	148.8				<u>FELDSPAR PORPHYRY DYKLET</u> : Grey, Porphyritic. Phenocrysts of feldspar about 1/8" or less.

PROPERTY

REID LOT 50. ~~EADIER~~ ~~1954~~, DIAMOND DRILL RECORD
NFLD.

PAGE NUMBER 2

HOLE NUMBER DDH #3

Log Form No. 2

[illegible]