

DIAMOND DRILL LOG

Drilling Company Petro Drilling Ltd		Collar Elevation	Bearing of Hole From True North 135	Total Metreage 230.73	Dip of hole at Collar - -50 98.15m -47 @141.3° 213.97m -47 @143.3° m m m	Location of Hole in Relation to a Fixed Point on the Claim L30+50N 52+00E	Hole Number SP-05-11	Page No. 1 of 5
Date Hole Started	Date Completed	Date Logged July, 2005	Logged By P.Delaney		Map Reference No. 12A/15		Claim No. 9283M	
Exploration Co, Owner/Optionee Vinland Resources Ltd.		Date Submitted	Submitted By (signature)		Property Name Seal Pond		Location	
Metreage From To	Rock Type	Description	Planar Feature Angle	Core Specimen Metreage	Sample Number	Sample Metreage From To	Sample Length (m)	Assays Au g/t Cu % Pb % Zn % Ag %
0.00 7.43		Overburden						
7.43 66.57	Mafic to Intermediate Volcanics	gm, fgr, chloritic, n-mag, fairly mass, prob andes flows. Cal v's & minor pods. 0-2% fine diss Py & mass patches & heavier % assoc w cal pods. Trace Cp noted 21.18-21.32 Gy, vfgr, mag, plag por diabase dike w chilled margins @ 80° TCA						
		Continues as andes flows and/or tuffs. Several vfgr sections of less than 0.5m, commonly w zoned frags, maybe quenched. May be flow top bx's. Minor Cp-Sp w py assoc w frac fill qtz v @ 27.25						
		33.50-33.71 weak fault bx text						
		38.65-38.82 fault bx and pug						
		42.96-44.44 start of blched/sil alt assoc w fault @ 44m area.						
		46.06 fault with blching @ 45.82-46.12						
		48.00-48.55 qtz-cal-Py healed bx zone, frags blched						
		49.23-49.63 fault bx, blch						
		54.91-55.38 gy & buff blched zone, minor Py						
		56.94-57.43 fault @ 57.06, blched either side and var blched to						
		59.28 w minor Py						
		59.90-60.89 sharp upper & grad lower contacts. Str-blch, spotted w diss Py & Py-qtz bands/veins to 8-10% total w trace Cp						
		Sp						

May be dike with assoc of above dike.

