Provincial Farm Equipment Leasing Program

Agriculture Production and Research Division

Department of Fisheries, Forestry and Agriculture



Overview

The Provincial Farm Equipment Leasing Program supports the Provincial Government's commitment to enhance the agricultural sector and increase food self-sufficiency in Newfoundland and Labrador. Access to government-owned equipment reduces the financial burden of overhead, maintenance, repair, and storage costs for established and new entrant farmers.

Eligibility

- Applicant must be registered as a farm enterprise with the Province of Newfoundland and Labrador and possess a current/valid farm registration number. To register a farm, contact the Farm Industry Review Board (MartinaGallant@gov.nl.ca).
- Applicant must be compliant with the terms and conditions of any previous agreements under this program.
- Applicant must be in good standing with the Government of Newfoundland and Labrador, and not in arrears.

Equipment Booking and Rates

Bookings are open to eligible producers throughout the year as weather conditions permit. Equipment is available at each location on a first-come, first-served basis, and should be booked by email at least 24 hours in advance of pick-up. For a list of equipment and rates, refer to Appendix A.

- *Note that not all equipment is available at each location.
- **Note that some pieces of equipment require consumables, which are the responsibility of the leaseholder. Please refer to Appendix A for details.

Note** Equipment can be booked no earlier than 30 days prior to desired rental date. Selected dates will be confirmed based on availability on receipt of the booking form.

Equipment can be leased based on daily or weekly rates. The minimum lease period is one day, and the maximum lease period is one week (seven days). If the equipment is required beyond the one-week period, the leaseholder may request to be added to a queue to lease the equipment again at the next available date. Equipment lease period and associated fees will not be adjusted in the event of inclement weather during the term of the lease.

All payments are due upon return of equipment.

To book equipment, please complete **Provincial Farm Equipment Leasing Program Booking Form**

Pick-up and Drop-off

Transportation of equipment is the responsibility of the leaseholder. Producers must have the appropriate tools required to properly secure the equipment during transportation. For a list of transportation requirements for each piece of equipment, refer to Appendix A.

Equipment must be picked up or returned from Monday to Friday between the hours of 9:00 a.m. and 3:00 p.m.

The leaseholder will be responsible for the equivalent charge to re-fuel equipment that is not fully fueled (if applicable) at the time of drop-off

Terms of Operation

All equipment available under the Provincial Farm Equipment Leasing Program must be operated within the guidelines established in the corresponding operator's manual and in accordance with the department's Safe Work Practices, which will be provided to the leaseholder prior to pick-up. Equipment must be operated by competent and qualified personnel only, who must comply with all applicable municipal, provincial, and federal Acts and Regulations. If implements are to be towed, the vehicle must be driven by an individual with a valid license.

Inspection and Damages

At the time of pick-up/drop-off, the equipment will be inspected visually to identify any new or pre-existing damages. Please note that any damages or malfunction incurred during the lease period should be reported immediately to the program coordinator. Leaseholders will not be liable for repair costs associated with **regular use** of the equipment; however, costs resulting from neglect/misuse or unauthorized repairs will be the responsibility of the leaseholder. In the event of theft, vandalism, or loss/damage that may occur beyond the equipment's intended use, the leaseholder will be held responsible for the cost of repair or replacement of the equipment.

Insurance

Proof of appropriate insurance will be required prior to signing a lease agreement. Insurance requirements are as follows:

- Commercial General Liability Must cover the use of farm equipment and have a minimum limit of \$2 million per incident. This policy must also include Waiver of Subrogation, Cross Liability, and Blanket Contractual Liability.
- 2. <u>Contractor's Equipment Floater</u> Required for equipment with a replacement cost value of \$7,500 or greater. Covers physical damage with a limit equal to or greater than the replacement value of the equipment.
- 3. <u>Replacement Cost Extension</u> Required for equipment three years or newer. The maximum acceptable deductible is \$2,500 and will be the responsibility of the

- leaseholder. For equipment with a value less than \$7,500, the leaseholder can choose to insure or personally cover a loss to the equipment.
- 4. <u>Automobile Liability extended to tow-behind units</u> Must have a minimum limit of \$1 million for bodily injury and property damage.
- 5. <u>A WorkPlaceNL Policy **or** an Accident Policy</u> Accident Policy must cover the operator and any other individuals acting on behalf of Workplace NL on the farm site.

Please note that a standard Commercial General Liability policy does not provide coverage for any environmental or pollution losses. The leaseholder will be responsible for any clean-up required on their own or neighboring properties in the event of incidents involving pollution or the environment.

For a list of insurances required for each piece of equipment, refer to Appendix A. Please provide your Insurance Provider/Broker with the completed **Certificate of Insurance**

Lease Payments

In-person payments can be made at the following locations:

- Pynn's Brook Western Agriculture Centre and Research Station
- Centre for Agriculture and Forestry Development (Wooddale)
- Elizabeth Goudie Building, Hamilton River Rd, Happy Valley-Goose Bay, NL AOP 1E0

To arrange payment via telephone, please contact coordinator Bradley Simms at 709-640-1909

* Credit or Debit Card only

Violations of Lease Agreement

If a leaseholder fails to pay the amount due under the terms of the lease agreement, and/or fails to return the equipment beyond the agreed-upon term, the leaseholder will be placed in arrears with the Government of Newfoundland and Labrador and full collection efforts will be pursued by the Department of Finance's collections unit. The leaseholder will also be considered ineligible for future lease of equipment or other departmental support programs until the debt is paid.

Contact Information

Program Coordinator Bradley Simms 709-640-1909 or equipmentleasing@gov.nl.ca

Pynn's Brook Main Line - 709-686-2702

Appendix A- Equipment Specifications and Requirements

Equipment	Equipment Description	Consumables Required	Requirements for Pick-Up/ Transport	Insurance Requirements and Value	Daily Rental Rate	Weekly Rental Rate	Equipment Location and Serial Number
	4WD	Grease	Trailer with appropriate weight capacity	Commercial general liability			Pynn's Brook Serial # 54770
	27 hp engine	15W40 oil	Half-ton truck	Workplace NL policy or Accident policy			
Kubota L2600DT	22.5 hp PTO	Universal tractor transmission oil	Chains and binders to secure load	Current Value \$4,369.82			
Tractor (Cab less)	Front-end loader with 882 lbs (400 kg) weight capacity		No permits required for transport		\$50	\$200	
	Category I 3 point hitch		Cannot be driven on roads				
	2359 lbs total weight						
	4WD	Grease	18 ft flat deck trailer with appropriate weight capacity	Commercial general liability			Pynn's Brook Serial # WW510031
	73 hp engine	15W40 oil	One-ton truck	Workplace NL policy or Accident policy			
	63 hp PTO	Universal tractor transmission oil	Chains and binders to secure load	Contractor's equipment floater			
Kioti RX7320 Tractor	Front-end loader model KL7320 with 3384 lbs lift capacity		No permits required for transport	Current Value \$8,864.01	\$100	\$400	
	3898 lbs (1768 kg) rear lift capacity		Cannot be driven on roads				
	6590 lbs total weight						
	Category II 3 point hitch						

	Hydraulic requirement: 12- 15 gal/min @ 1200-1500 psi (45- 47 L/min @ 8273- 1034 KPa)	Grease	Can be floated or towed	Commercial general liability			Pynn's Brook Serial # 21-1710
	Drop pin attachment (pin required)	Chain oil	Permits required: over dimensional farm vehicle, slow moving vehicle permit for farming/ forestry vehicle	Workplace NL policy or Accident policy			
Riteway Rock Picker (RR900ST)	Requires two hydraulic remotes, one with flow			Contractor's equipment floater	\$50	\$200	
	Approximately 10.6 ft wide			Current Value \$8,188.72			Bishop's Falls Serial # 21-1709
	5200 lbs total weight			Automobile liability extended to tow behind units (if towed for transport)			
	Recommended use: Sieves soil to clear rocks, roots, and debris. Can be used in combination with a rock rake.						
	540 PTO requirement	Grease	Must be floated, requires 20 ft trailer	Commercial general liability			Pynn's Brook Serial # 15174
S-Houle 15ft Rock Rake SRR15M	Requires tractor with 65-125 hp PTO	10W80 Gear oil	Narrow wheel base needs to be lifted on/ off trailer or drop deck trailer or using loading ramp	Workplace NL policy or Accident policy	\$60	\$240	

	4500 lbs total weight		Chains and binders to secure load	Contractor's equipment floater			
	Drop pin attachment (pin required)		No permits required for transport	Current Value \$9,748.48			
	Recommended use: Clearing rocks, roots, and debris from ground. The angle of the rake allows for windrowing.						
	540 PTO requirement	Grease	Can be transported using bed of pick-up truck or small ATV trailer	Commercial general liability			Bishop's Falls Serial # R30000105501
	One hydraulic remote without flow	80W90 gear oil	Ratchet straps to secure load	Workplace NL policy or Accident policy			
Shulte SRW800 Rock Rake (8ft)	Requires tractor with 35-100 hp	Chain oil	No permits required for transport	Current Value \$5,497.82	\$20	\$80	
	1350 lbs total weight						
	Recommended use: Clearing rocks, roots, and debris from ground. The angle of the rake allows for windrowing.						
Kubota Rock Bucket SRV1566	67" wide		Can be transported in bed of pick-up truck or using small ATV trailer	Commercial general liability	\$20	\$80	Pynn's Brook Serial # 1085597K
	Skid Steer Quick Hitch attachment		Ratchet straps to secure load	Workplace NL policy or Accident policy			

	Recommended use: Collecting rocks and debris. Tines retain large debris while allowing fine material to fall through.		No permits required for transport	Current Value \$640.61			Bishop's Falls Serial # 1085596K
	6 ft wide seating width	Grease	Can be towed or trailered, remove draw bar on trailer to avoid permits	Commercial general liability			Pynn's Brook Serial #GP-VV1696
	7.5' row spacing on 9 rows	Chain oil	Do not exceed 70- 80 km/hr	Workplace NL policy or Accident policy			
Great Plains 606NT 6ft No Till	Drop pin attachment (pin required)			Contractor's equipment floater	\$60	\$240	
606NT 6ft No Till Drill	Recommended use: For agricultural crops in conventional or minimum tillage applications (i.e. grains, beans, peas, grasses, legumes, sunflower, canola/rape).			Automobile liability extended to tow behind units (if towed for transport) Current Value \$9,830.40			
Land Pride	10 ft wide seating width	Grease	Can be transported using 20 ft trailer, draw bar removed. Must be lifted on/off.	Commercial general liability			Pynn's Brook Serial # 1488441
1006NT 10 ft No Till Drill	7.5" row spacing on 16 rows	Chain oil	Requires over dimensional and slow moving farming/ forestry vehicle permits, and an escort when towed	Workplace NL policy or Accident policy	\$85	\$340	

	4300 lbs total weight		Can be towed with a truck using a drop pin hitch	Contractor's equipment floater			
	Drop pin attachment (pin required)			Current Value \$13,697.02			
	Recommended use: For agricultural crops in conventional or minimum tillage applications (i.e. grains, beans, peas, grasses, legumes, sunflower, canola/rape).						
	12 ft wide seating width	Grease	Can be transported using 20 ft trailer, draw bar removed. Must be lifted on/off with large tractor or boom truck	Commercial general liability			Pynn's Brook Serial #GP-P1873
Great Plains 1205NT 12 ft No Till Drill	7.5" row spacing on ** rows	Chain oil	Requires over dimensional and slow moving farming/ forestry vehicle permits, and an escort when towed	Workplace NL policy or Accident policy	\$120	\$480	
	5965 lbs total weight		Can be towed with a truck using a drop pin hitch	Contractor's equipment floater			
	Drop pin attachment (pin required)			Current Value \$19,333.12			

	Recommended use: For agricultural crops in conventional or minimum tillage applications (i.e. grains, beans, peas, grasses, legumes, sunflower, canola/rape).						
	72" (6 ft) width	Grease	Can be transported in bed of pick-up truck or using small ATV trailer	Commercial general liability			Pynn's Brook Serial # 1610469
	18" notched disk blades		Ratchet straps to secure load	Workplace NL policy or Accident policy			Bishop's Falls Serial #1010470
Land Pride	7.5" disk spacing		No permits required for transport	Current Value \$948.63			
DH1572 Disk	Requires tractor with 25-65 hp				\$20	\$80	
Tidi10W	Category I 3 point hitch (pins required)						HVGB Serial # 1610496
	714 lbs total weight						
	Recommended use: Break and redistribute soil to prepare for seeding or transplant.						
	96" (8 ft) width	Grease	Flat deck trailer (8 ft)	Commercial general liability			Pynn's Brook Serial # 1690472
Land Pride DH2596 Disk Harrow	20" notched disk blades		Chains and binders to secure load	Workplace NL policy or Accident policy	\$20	\$80	
	7.5" disk spacing		Requires over dimensional permit and D sign	Replacement Cost Extension		·	
				Current Value			

	Requires tractor with 40-100 hp			\$3,187.20			
	Category I/II hitch (pins required)						
	1143 lbs total weight						
	Recommended use: Intended for breaking and lifting soil surface in preparation for seeding or transplanting.						
	39" (3.5 ft) width	Grease	Can be transported in bed of pick-up truck or using small ATV trailer	Commercial general liability			Pynn's Brook Serial # KKAB024829 HVGB Serial # KKAB024972
	3 furrows		Ratchet straps to secure load	Workplace NL policy or Accident policy			
2018 Kverneland AB100 Three- Bottom Mold	Category III hitch (pins required)		No permits required for transport		\$40	\$160	Bishop's Falls Serial # KKAB
Board Plow	Requires tractor with hydraulic output flow of 25- 35 L/min			Current Value \$6,135.81			
	Recommended use: Intended for breaking and lifting compacted soil, typically the first 10-20 cm.						
MK Martin Spring Tooth Cultivator CU6	72" (6 ft) width		Can be transported in back of pick-up truck or using small ATV trailer	Commercial general liability	\$20	\$80	Pynn's Brook Serial # H1440
- 000	11 tines		Ratchet straps to secure load	Workplace NL policy or Accident policy			HVGB Serial # H1439

	Category I 3 point hitch (pins required) 193 lbs total weight Recommended use: Soil tillage. Tines can be moved and removed to till between crops for weed control. Can also be used to rake roots.		No permits required for transport	Current Value \$306.38			Bishop's Falls Serial #H4145
	79" (6.6 ft) width, 74" (6.2 ft) total tillage area	Grease	Can be transported in bed of pick-up truck or using small ATV trailer	Commercial general liability			Pynn's Brook Serial # 1640172
	540 PTO requirement	10W80 Gear oil	Ratchet straps to secure load	Workplace NL policy or Accident policy			
Landpride RTA1274	Requires tractor with 15-60 hp		No permits required for transport	Current Value \$1,112.47	\$20	\$80	HVGB Serial # 1650444
Rototiller	Category I 3 point hitch (pins required)						
	521 lbs total weight						Bishop's Falls Serial # 1610470
	Recommended use: Tilling soil in preparation for seeding.						
Rain-Flo	78" (6.5 ft) width, 78" (6.5 ft) length	Grease	Can be transported in bed of pick-up truck or using small ATV trailer	Commercial general liability			Pynn's Brook Serial # 3305
·	8-24" row spacing, one or two planting wheels		Ratchet straps to secure load	Workplace NL policy or Accident policy	\$20	\$80	
	Requires 35-60 hp tractor			Current Value			

	Category I/II 3 point hitch (pins required) 675 lbs total weight Recommended use: Plant bare roots, pots, or plugs into plastic mulch or soil.		No permits required for transport	\$1,094.45			
	48" (4 ft) width, 84" (7 ft) length	Grease	Can be transported using bed of pick-up truck or an ATV trailer	Commercial general liability			Pynn's Brook Serial #870-2021-1
	3 rows, adjustable width	Some seeding belts, chokes and bases available. If you require parts we do not have inquire ahead of time as these may take weeks to arrive. See manual for configurations.	Ratchet straps to secure load	Workplace NL policy or Accident policy Current Value \$3,434.09			
Stanhay Belt Seeder 870	Depth adjustment every 5 mm from 0-50 mm	Configurations available for pelleted carrot, raw parsnip, red beets, and turnip	No permits required for transport		\$20	\$80	HVGB Serial # 870- 2021-3
	Category I 3 point hitch (pins required) Belts Base Choke 11/64 hole, 2-line, 72 holes/line A2 T 20/64 hole, 1-line, 56 holes/line S2						Bishop's Falls Serial #870-2021-2

	20/64 hole, 1-line, 45 holes/line D2 A 8.5/64 hole, 1- line, 24 holes/line Recommended use: Precision planting for vegetable seeds.						
	72" (6 ft) width	Grease	Can be transported using bed of pick-up truck or a small ATV trailer	Commercial general liability			Pynn's Brook Serial # 196007
	Requires 35+ hp tractor	Chain oil	Ratchet straps to secure load	Workplace NL policy or Accident policy			
Brillion LSS6 Seeder 6Ft	Category I 3 point hitch (pins required)		No permits required for transport	Current Value \$3,107.72	\$20	\$80	
	1242 lbs total weight						
	Recommended use: Planting forages such as grass and legumes.						
Kub ata 1/5400	400L capacity		Can be transported using bed of pick-up truck or a small ATV trailer	Commercial general liability			Pynn's Brook Serial # VN2240102234 HVGB Serial # VN2240102233
Kubota VS400 Fertilizer Spreader	Requires 20 hp PTO		Ratchet straps to secure load	Workplace NL policy or Accident policy	\$20	\$80	
	Category I/II 3 point hitch (pins required)		No permits required for transport	Current Value \$1,046.94			
	267 lbs total weight						Bishop's Falls Serial # VN2240102232

	Recommended use: Spreading fertilizer. May also be used for broadcasting seed.						
Mechanical Transplanter/ Low Tunnel Layer	96" (8 ft) width	Grease	Can be transported using bed of pick-up truck or a small ATV trailer	Commercial general liability			Pynn's Brook Serial # 204370
	Requires 30+ hp tractor	Chain oil	Ratchet straps to secure load	Workplace NL policy or Accident policy			
Model-95	Requires low tunnel wires and plastic	Low tunnel plastic	No permits required	Current Value \$3,005.15	\$20	\$80	
	Category I/II 3 point hitch (pins required)	Wires for low tunnel hoops					
	Recommended use: Laying plastic low tunnels. Does not plant transplants.						
Univerco Carrot Harvester	Requires 540 PTO	Grease	Can be transported using 1/2 ton pick-up with 20 ft trailer	Commercial general liability			Pynn's Brook Serial #U0102.21009
Model Mini Veg	Requires 75 hp tractor	Chain oil	Ratchet straps to secure load	Workplace NL policy or Accident policy	\$120	\$480	
	Category I 3 point hitch (pins required)	Hydraulic fluid	No permits required for transport	Contractor's equipment floater			
	Recommended use: Lifting carrots from soil.			Current Value \$19,660.80			
Landpride FM2572 Flail Mower	84" (7 ft) total length, 72" (6 ft) working length	Grease	Can be transported using bed of pick-up truck or small ATV trailer	Commercial general liability	\$20	\$80	Pynn's Brook Serial # 1599910

	Requires 540 PTO	Chain oil	Ratchet straps to secure load	Workplace NL policy or Accident policy			HVGB Serial # 1599908
	Requires 80 hp tractor	80W90 gear oil	No permits required for transport	Current Value \$2,424.83			
	Category I/II 3 point hitch		·				
	1040 lbs total weight						Bishop's Falls Serial # 1599899
	Recommended use: Intended for cutting tall grasses and light brush.						
	54" (4.5 ft) width, 186" (15.5 ft) length	Grease	16 ft trailer	Commercial general liability			Pynn's Brook Serial #KT444813
	55" (4.6 ft) transport width		Ratchet straps to secure load	Workplace NL policy or Accident policy			
	8 cutting disks		No permits required for transport	Current Value \$4,915.20			
Kubota DM2028 Disk Mower (10	Requires one hydraulic remote with flow				\$30	\$120	
ft) No Conditioner	Requires 540 PTO						
	Requires 50 hp tractor						
	Category I/II 3 point hitch (pins required)						
	1343 lbs total weight						
	Recommended use: Cutting forage crops.						

	96" (8 ft) width	Grease	Tow with 2 inch pintle hook, on a flatbed trailer, or on 20 ft deck over flatbed trailer with ramps	Commercial general liability	\$150	\$600	Pynn's Brook Serial # 780460
	Requires 540 PTO	Chain oil	Chains and binders to secure load	Workplace NL policy or Accident policy			
	Requires 70 hp tractor	Inoculant	No permits required for transport	Replacement cost extension			
2021 Murska 700 S2 HD	Requires agricultural bags and inoculant	Ag Bags 6.5-8 ft diameter		Contractor's equipment floater			
S2 HD	1990 lbs total weight			Automobile liability extended to tow behind units (if towed for transport)			
	Recommended use: Treating high moisture grains. Grain is crimped, sprayed with inoculant, then bagged or dropped for storage in a bunk silo.			Current Value \$37,591.04			
2012 Murska 700 S2 HD	96" (8 ft) width	Grease	Tow with 2 inch pintle hook, on a flatbed trailer, or on 20 ft deck over flatbed trailer with ramps	Commercial general liability	- \$150 \$600	4600	Pynn's Brook Serial # 371336
	Requires 540 PTO	Chain oil	Chains and binders to secure load	Workplace NL policy or Accident policy			
	Requires 70 hp tractor	Inoculant	No permits required for transport	Contractor's equipment floater			

	Requires agricultural bags and inoculant	Ag Bags 6.5-8 ft diameter		Automobile liability extended to tow behind units (if towed for transport)			
	1990 lbs total weight			Current Value \$18,677.76			
	Recommended use: Treating high moisture grains. Grain is crimped, sprayed with inoculant, then bagged or dropped for storage in a bunk silo.						
	108" (9 ft) width	Grease	Can be transported using a 20 ft trailer. Must be loaded with forks	Commercial general liability			Pynn's Brook Serial #10109
	Requires one hydraulic remote with flow	Chain oil	Chains and binders to secure load	Workplace NL policy or Accident policy			
2014 Murska MMTL Fill Device	Requires a 60+ hp tractor. The tractor operating the Murska can also operate the filler		No permits required for transport	Current Value \$6,553.60	\$40	\$160	
	Recommended use: Auguring high moisture grains into the Murska for treatment.						
	Requires 540 PTO	Grease	Must be towed	Commercial general liability			Pynn's Brook Serial # F11135
Demco 550 Grain Cart	Requires 1 hydraulic remote without flow		Requires 2 escorts	Workplace NL policy or Accident policy	\$50	\$200	
	Total weight: 5,972 lbs		Over dimensional "D" sign	Contractor's equipment floater			

	Total width: 117" (9' 6")		Permits required: Over dimensional farm vehicle, slow moving vehicle permit for agricultural/ forestry vehicle	Automobile liability extended to tow behind units (if towed for transport)			
	Drop pin hitch (pin required)			Current Value \$8,192.00			
	Requires a tractor with a 10 ton weight capacity						
	Requires 1000 PTO	Grease	Tow with standard pick-up truck using drop pin hitch	Commercial general liability			Pynn's Brook Serial #397019
	Requires 30+ hp tractor	Propane	No permits required for transport	Workplace NL policy or Accident policy			
GTMFG RB300 Series Grain Dryer	Requires liquid draw propane tank		Top auger must be removed for transport and assembled on site	Automobile liability extended to tow behind units (if towed for transport) Contractor's equipment floater	\$100	\$400	
				Current Value			
	Recommended use: Drying grains, other than canola, while retaining grain quality.			\$13,003.98			
New Holland BC5060 Square Baler	96" (8 ft) width, 216" (18 ft) length	Grease	Can be towed by half-ton or one-quarter-ton pick-up truck	Commercial general liability	\$60	\$240	Pynn's Brook Serial # YBN107219
	71" (5.9 ft) pick-up width	Chain oil	No permits required for transport	Workplace NL policy or Accident policy			

	Requires one hydraulic remote without flow	Bail twine		Contractor's equipment floater			
	Requires 540 PTO			Automobile liability extended to tow behind units (if towed for transport)			
	Requires 50 hp tractor			Current Value \$9,830.40			
	Recommended use: Creating bales of hay 12-52" in length.						
	74" (6.2 ft) total width	Grease	Can be transported in bed of pick-up truck or on a small ATV trailer	Commercial general liability			Pynn's Brook Serial # 15000589
Groundbuster DS	2 inch ball hitch		Ratchet straps to secure load	Workplace NL policy or Accident policy			
5000 DX Lime Spreader	Can be towed with an ATV or tractor		No permits required for transport	Contractor's equipment floater	\$55	\$220	
	1000 lbs total capacity			Current Value \$1,352.99			
	Recommended use: Spreading wet or dry pulverized lime.						
Stoltzfus Redhawk 50 Lime Spreader	192" (16 ft) total width	Grease	Can be towed by half-ton pick-up truck using drop pin hitch	Commercial general liability			Pynn's Brook Serial # M4271321
	5 ton maximum payload	Chain oil	No permits required for transport	Workplace NL policy or Accident policy	\$55	\$220	
	Requires 2 hydraulic remotes without flow			Contractor's equipment floater			HVGB Serial # M4270321

	Requires a 4+ ton tractor		Automobile liability extended to tow behind units (if towed for transport) Current Value \$8,821.15			Bishop's Falls Serial# M4270321
	2600 lbs total weight					
	Recommended use: Spreading wet or dry pulverized lime.					
	10 Deep Frames or 20 Medium/Shallow Frames		Commercial General Liability			Pynn's Brook
Maxant 1400PL Radial Honey Extractor	Dimensions		Workplace NL policy or Accident policy	\$20	\$80	
	26.5" Height		Replacement Cost Extension			
	26" Diameter		Current Value \$4200.00			
	1/3 HP Motor		_			