



**FOOD PREMISES INSPECTION REPORT  
for Non-Compliant  
Critical / Non-Critical Items  
Date of Report - February 24, 2026**

**The Residence of Littledale  
220 Waterford Bridge Road, St. John's, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:  
<https://www.gov.nl.ca/gs/inspections/>*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection <b>Jan 21, 2026</b>		Compliant at the time of this inspection	
Food - Routine Inspection <b>Aug 21, 2025</b>	<b>Critical Item(s)</b>	302 - Food in Good Condition, Safe and Unadulterated	
Food - Annual Inspection <b>Jan 07, 2025</b>	<b>Critical Item(s)</b>	303 - Food Properly Labeled	<b>Corrected During Inspection</b> Labels missing off open foods and prepped individually packed items.
		404 - Toxic Chemicals Properly Labeled, Stored and Used to Prevent Food Contam.	<b>Corrected During Inspection</b> "Shout" chemical not to be used in kitchen. Discussed procedure with manager. Bottle of shout observed on prep line.
	<b>Non-Critical Item(s)</b>	506 - Equipment in good repair, cleaned and sanitized	Thawing rack for fridge (walk in) too close to ready to eat items.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Cleaning of walls in kitchen required around hand wash sink.



**FOOD PREMISES INSPECTION REPORT  
for Non-Compliant  
Critical / Non-Critical Items  
Date of Report - February 24, 2026**

**The Residence of Littledale  
220 Waterford Bridge Road, St. John's, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:  
<https://www.gov.nl.ca/gs/inspections/>*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection <b>Jan 07, 2025</b>	<b>Non-Critical Item(s)</b>	803 - Chemical Test Kits and/or Papers provided	Chemical test strips required- on site expired.
		804 - Temperature logs maintained for refrigerated storage units	Temperature logs missing entry . Cooking temperature checks recommended two times per day.
Food - Routine Inspection <b>May 14, 2024</b>		Compliant at the time of this inspection	