


APPENDIX 3

Figures 39-109. Symbol Plots of Element Distributions of Sediment and Water Data for the Winokapau Lake Area

Figure 39.	Silver (Ag6) in lake sediment in the Winokapau Lake area	143
Figure 40.	Aluminum (Al2) in lake sediment in the Winokapau Lake area	144
Figure 41.	Arsenic (As1) in lake sediment in the Winokapau Lake area.	145
Figure 42.	Arsenic (As2) in lake sediment in the Winokapau Lake area.	146
Figure 43.	Barium (Ba1) in lake sediment in the Winokapau Lake area.	147
Figure 44.	Barium (Ba2) in lake sediment in the Winokapau Lake area.	148
Figure 45.	Beryllium (Be2) in lake sediment in the Winokapau Lake area.	149
Figure 46.	Bromine (Br1) in lake sediment in the Winokapau Lake area.	150
Figure 47.	Calcium (Ca2) in lake sediment in the Winokapau Lake area.	151
Figure 48.	Cadmium (Cd2) in lake sediment in the Winokapau Lake area.	152
Figure 49.	Cerium (Ce1) in lake sediment in the Winokapau Lake area.	153
Figure 50.	Cerium (Ce2) in lake sediment in the Winokapau Lake area.	154
Figure 51.	Cobalt (Co2) in lake sediment in the Winokapau Lake area	155
Figure 52.	Chromium (Cr2) in lake sediment in the Winokapau Lake area	156
Figure 53.	Cesium (Cs1) in lake sediment in the Winokapau Lake area	157
Figure 54.	Dysprosium (Dy2) in lake sediment in the Winokapau Lake area	158
Figure 55.	Europium (Eu1) in lake sediment in the Winokapau Lake area	159
Figure 56.	Fluoride (F9) in lake sediment in the Winokapau Lake area	160
Figure 57.	Iron (Fe1) in lake sediment in the Winokapau Lake area	161
Figure 58.	Hafnium (Hf1) in lake sediment in the Winokapau Lake area	162
Figure 59.	Potassium (K2) in lake sediment in the Winokapau Lake area	163
Figure 60.	Lanthanum (La1) in lake sediment in the Winokapau Lake area	164
Figure 61.	Lanthanum (La2) in lake sediment in the Winokapau Lake area	165
Figure 62.	Lithium (Li2) in lake sediment in the Winokapau Lake area	166
Figure 63.	Lutetium (Lu1) in lake sediment in the Winokapau Lake area	167
Figure 64.	Magnesium (Mg2) in lake sediment in the Winokapau Lake area	168
Figure 65.	Manganese (Mn2) in lake sediment in the Winokapau Lake area	169
Figure 66.	Molybdenum (Mo1) in lake sediment in the Winokapau Lake area	170
Figure 67.	Sodium (Na1) in lake sediment in the Winokapau Lake area	171
Figure 68.	Sodium (Na2) in lake sediment in the Winokapau Lake area	172
Figure 69.	Niobium (Nb2) in lake sediment in the Winokapau Lake area	173
Figure 70.	Nickel (Ni2) in lake sediment in the Winokapau Lake area	174
Figure 71.	Phosphorus (P2) in lake sediment in the Winokapau Lake area	175
Figure 72.	Lead (Pb2) in lake sediment in the Winokapau Lake area	176
Figure 73.	Rubidium (Rb1) in lake sediment in the Winokapau Lake area	177
Figure 74.	Rubidium (Rb2) in lake sediment in the Winokapau Lake area	178
Figure 75.	Scandium (Sc1) in lake sediment in the Winokapau Lake area	179
Figure 76.	Scandium (Sc2) in lake sediment in the Winokapau Lake area	180
Figure 77.	Samarium (Sm1) in lake sediment in the Winokapau Lake area	181

Figure 78.	Strontium (Sr2) in lake sediment in the Winokapau Lake area	182
Figure 79.	Tantalum (Ta1) in lake sediment in the Winokapau Lake area	183
Figure 80.	Terbium (Tb1) in lake sediment in the Winokapau Lake area	184
Figure 81.	Thorium (Th1) in lake sediment in the Winokapau Lake area	185
Figure 82.	Titanium (Ti2) in lake sediment in the Winokapau Lake area	186
Figure 83.	Vanadium (V2) in lake sediment in the Winokapau Lake area	187
Figure 84.	Tungsten (W1) in lake sediment in the Winokapau Lake area	188
Figure 85.	Yttrium (Y2) in lake sediment in the Winokapau Lake area	189
Figure 86.	Ytterbium (Yb1) in lake sediment in the Winokapau Lake area	190
Figure 87.	Zirconium (Zr1) in lake sediment in the Winokapau Lake area	191
Figure 88.	Zirconium (Zr2) in lake sediment in the Winokapau Lake area	192
Figure 89.	Aluminum (Alw2) in lake water in the Winokapau Lake area	193
Figure 90.	Arsenic (Asw2x) in lake water in the Winokapau Lake area	194
Figure 91.	Barium (Baw2) in lake water in the Winokapau Lake area	195
Figure 92.	Chromium (Crw2) in lake water in the Winokapau Lake area	196
Figure 93.	Iron (Few1) in lake water in the Winokapau Lake area	197
Figure 94.	Potassium (Kw1) in lake water in the Winokapau Lake area	198
Figure 95.	Lithium (Liw2) in lake water in the Winokapau Lake area	199
Figure 96.	Magnesium (Mgw1) in lake water in the Winokapau Lake area	200
Figure 97.	Manganese (Mnw1) in lake water in the Winokapau Lake area	201
Figure 98.	Molybdenum (Mow2) in lake water in the Winokapau Lake area	202
Figure 99.	Sodium (Naw1) in lake water in the Winokapau Lake area	203
Figure 100.	Nickel (Niw2) in lake water in the Winokapau Lake area	204
Figure 101.	Phosphorus (Pw2) in lake water in the Winokapau Lake area	205
Figure 102.	Lead (Pbw2) in lake water in the Winokapau Lake area	206
Figure 103.	Silicon (Siw1) in lake water in the Winokapau Lake area	207
Figure 104.	Sulphate (SO ₄ w1) in lake water in the Winokapau Lake area	208
Figure 105.	Strontium (Srw2) in lake water in the Winokapau Lake area	209
Figure 106.	Titanium (Tiw2) in lake water in the Winokapau Lake area	210
Figure 107.	Vanadium (Vw2) in lake water in the Winokapau Lake area	211
Figure 108.	Yttrium (Yw2) in lake water in the Winokapau Lake area	212
Figure 109.	Zinc (Znw2) in lake water in the Winokapau Lake area	213



GEOLOGY

Mesoproterozoic or older

- Pg: Foliated gabbro/quartz gabbro
- Pgrd: Wilson Lake granodiorite
- Pmg: Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn: Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
- Pum: Pyroxene, magnetite-bearing ultramafic rocks
- Pmgn: Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn: Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am: White marble
 - Awph: Welded granulite facies quartzofeldspathic paragneiss
 - Aod: Banded diorite to quartz diorite within unit Apm
 - Apm?: Probably unit Apm
 - Apm: Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 39. Silver (Ag6) in lake sediment in the Winokapau Lake area.





Figure 40. Aluminum (AI2) in lake sediment in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
[Apm?]	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 41. Arsenic (As1) in lake sediment in the Winokapau Lake area.






Figure 42. Arsenic (As2) in lake sediment in the Winokapau Lake area.



0 5 10
km

GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 43. Barium (Ba1) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbro-norite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am)
White marble	
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 44. Barium (Ba2) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

- Pg: Foliated gabbro/quartz gabbro
- Pgrd: Wilson Lake granodiorite
- Pmg: Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn: Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum: Pyroxene, magnetite-bearing ultramafic rocks
- Pmgnis: Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn: Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am: White marble
 - Awph: Welded granulite facies quartzofeldspathic paragneiss
- Aod: Banded diorite to quartz diorite within unit Apm
- [Apm?]: Probably unit Apm
- Apm: Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 45. Beryllium (*Be2*) in lake sediment in the Winokapau Lake area.



Mineralization

▲ Copper

△ Pyrite

0 5 10

km

Trans-Labrador Highway

GEOLOGY



Mesoproterozoic or older

- Pg Foliated gabbro/quartz gabbro
- Pgrd Wilson Lake granodiorite
- Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum Pyroxene, magnetite-bearing ultramafic rocks
- Pmgns Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am White marble
 - Awph Welded granulite facies quartzofeldspathic paragneiss
 - Aod Banded diorite to quartz diorite within unit Apm
 - Apm? Probably unit Apm
 - Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 46. Bromine (Br1) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
:Apm?:	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 47. Calcium (Ca2) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbro norite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 48. Cadmium (Cd2) in lake sediment in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am)
Apn?	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 49. Cerium (Ce1) in lake sediment in the Winokapau Lake area.






Figure 50. Cerium (Ce2) in lake sediment in the Winokapau Lake area.



Mineralization

▲ Copper

△ Pyrite

0 5 10

km

Trans-Labrador Highway

GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am)
Apn?	White marble
Apn?	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apn?	Probably unit Apm
Apn	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 51. Cobalt (Co2) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgnns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)
Am White marble
Awph Welded granulite facies quartzofeldspathic paragneiss
Aod Banded diorite to quartz diorite within unit Apm
Apm? Probably unit Apm
Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 52. Chromium (Cr2) in lake sediment in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 53. Cesium (Cs₁) in lake sediment in the Winokapau Lake area.






Figure 54. Dysprosium (Dy2) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?:	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 55. Europium (Eu1) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbro-norite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 56. Fluoride (F9) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am) White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 57. Iron (Fe1) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

- Pg: Foliated gabbro/quartz gabbro
- Pgrd: Wilson Lake granodiorite
- Pmg: Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn: Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
- Pum: Pyroxene, magnetite-bearing ultramafic rocks
- Pmgns: Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn: Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am: White marble
 - Apwh: Welded granulite facies quartzofeldspathic paragneiss
 - Aod: Banded diorite to quartz diorite within unit Apm
 - Apm?: Probably unit Apm
 - Apm: Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 58. Hafnium (Hf1) in lake sediment in the Winokapau Lake area.



Mineralization

- ▲ Copper
- △ Pyrite

0 5 10 km

Trans-Labrador Highway

GEOLOGY

Mesoproterozoic or older

- Pg Foliated gabbro/quartz gabbro
- Pgrd Wilson Lake granodiorite
- Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum Pyroxene, magnetite-bearing ultramafic rocks
- Pmgnb Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am White marble
 - Awph Welded granulite facies quartzofeldspathic paragneiss
 - Aod Banded diorite to quartz diorite within unit Apm
 - Apm?: Probably unit Apm
 - Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 59. Potassium (K2) in lake sediment in the Winokapau Lake area.





Figure 60. Lanthanum (*La1*) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 61. Lanthanum (La2) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 62. Lithium (Li2) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 63. Lutetium (Lu1) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbro

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
[Apm?]	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 64. Magnesium (Mg2) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am) White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 65. Manganese (Mn2) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 66. Molybdenum (Mo1) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbro-norite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 67. Sodium (Na1) in lake sediment in the Winokapau Lake area.



Mineralization

- ▲ Copper
- △ Pyrite

0 5 10 km

Trans-Labrador Highway

GEOLOGY

Mesoproterozoic or older

- Pg Foliated gabbro/quartz gabbro
- Pgrd Wilson Lake granodiorite
- Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum Pyroxene, magnetite-bearing ultramafic rocks
- Pmgn Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am White marble
 - Awph Welded granulite facies quartzofeldspathic paragneiss
 - Aod Banded diorite to quartz diorite within unit Apm
 - Apm? Probably unit Apm
 - Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 68. Sodium (Na2) in lake sediment in the Winokapau Lake area.






Figure 69. Niobium (Nb2) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am)
Awph	White marble
Welded granulite facies quartzofeldspathic paragneiss	
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 70. Nickel (Ni2) in lake sediment in the Winokapau Lake area.



Mineralization

- ▲ Copper
- △ Pyrite

0 5 10 km

Trans-Labrador Highway

GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 71. Phosphorus (P2) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 72. Lead (Pb2) in lake sediment in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)
Am White marble
Awph Welded granulite facies quartzofeldspathic paragneiss
Aod Banded diorite to quartz diorite within unit Apm
Apm? Probably unit Apm
Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 73. Rubidium (Rb1) in lake sediment in the Winokapau Lake area.






Figure 74. Rubidium (Rb2) in lake sediment in the Winokapau Lake area.



Mineralization

- ▲ Copper
- △ Pyrite

0 5 10 km

Trans-Labrador Highway

GEOLOGY



Mesoproterozoic or older

- Pg Foliated gabbro/quartz gabbro
- Pgrd Wilson Lake granodiorite
- Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum Pyroxene, magnetite-bearing ultramafic rocks
- Pmgn Beavers River gneiss: well-banded, mafic orthogneiss
- Pwgn Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am White marble
 - Awph Welded granulite facies quartzofeldspathic paragneiss
 - Aod Banded diorite to quartz diorite within unit Apm
 - Apm? Probably unit Apm
 - Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 75. Scandium (Sc1) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 76. Scandium (Sc2) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 77. Samarium (*Sm1*) in lake sediment in the Winokapau Lake area.



Mesoproterozoic or older

Pg Foliated gabbro/quartz gabbro

Pgrd Wilson Lake granodiorite

Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite

Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene

Pum Pyroxene, magnetite-bearing ultramafic rocks

Pmgns Beaver River gneiss: well-banded, mafic orthogneiss

Pwgn Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)

Am White marble



Awph Welded granulite facies quartzofeldspathic paragneiss

Aod Banded diorite to quartz diorite within unit Apm

:Apm?: Probably unit Apm

Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 78. Strontium (Sr2) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am)
Apwph	White marble
Aod	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 79. Tantalum (Ta1) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded - augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzfeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzfeldspathic paragneiss

Figure 80. Terbium (*Tb1*) in lake sediment in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbro norite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 81. Thorium (*Th1*) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 82. Titanium (Ti2) in lake sediment in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

- Pg Foliated gabbro/quartz gabbro
- Pgrd Wilson Lake granodiorite
- Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum Pyroxene, magnetite-bearing ultramafic rocks
- Pmgn Beaufort River gneiss: well-banded, mafic orthogneiss
- Pwgn Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am White marble
 - Awph Welded granulite facies quartzofeldspathic paragneiss
 - Aod Banded diorite to quartz diorite within unit Apm
 - [Apm?] Probably unit Apm
 - Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 83. Vanadium (V2) in lake sediment in the Winokapau Lake area.





Figure 84. Tungsten (*W1*) in lake sediment in the Winokapau Lake area.




Figure 85. Yttrium (Y2) in lake sediment in the Winokapau Lake area.






Figure 86. Ytterbium (Yb1) in lake sediment in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older


Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pogn is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
'Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 87. Zirconium (Zr1) in lake sediment in the Winokapau Lake area.





GEOLOGY


Mesoproterozoic or older

- Pg Foliated gabbro/quartz gabbro
- Pgrd Wilson Lake granodiorite
- Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum Pyroxene, magnetite-bearing ultramafic rocks
- Pmgns Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn Gabbronorite

Paleoproterozoic or older

- Am White marble
- Awph Welded granulite facies quartzofeldspathic paragneiss
- Aod Banded diorite to quartz diorite within unit Apm
- Apmp? Probably unit Apm
- Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 89. Aluminum (Alw2) in lake water in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 90. Arsenic (Asw₂x) in lake water in the Winokapau Lake area.



GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	Disappointment Lake paragneiss (Apm to Am) White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 91. Barium (Baw2) in lake water in the Winokapau Lake area.




Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgn	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 92. Chromium (Crw2) in lake water in the Winokapau Lake area.




Mesoproterozoic or older


Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 93. Iron (*Few1*) in lake water in the Winokapau Lake area.





GEOLOGY


Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	White marble
Apwh	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Ap?m	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 95. Lithium (LiW2) in lake water in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 96. Magnesium (*Mgw1*) in lake water in the Winokapau Lake area.





Figure 97. Manganese (*Mnw1*) in lake water in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Moun Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)
Am White marble
Awph Welded granulite facies quartzofeldspathic paragneiss
Aod Banded diorite to quartz diorite within unit Apm
Apm? Probably unit Apm
Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 98. Molybdenum (Mow2) in lake water in the Winokapau Lake area.






Figure 99. Sodium (Naw1) in lake water in the Winokapau Lake area.



Mineralization

- ▲ Copper
- △ Pyrite

0 5 10
km

Trans-Labrador Highway

GEOLOGY


Mesoproterozoic or older

- Pg Foliated gabbro/quartz gabbro
- Pgrd Wilson Lake granodiorite
- Pmg Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
- Pogn Banded- to augen-textured pink, migmatitic feldspar orthogneiss; **Pognh** is the same unit with hypersthene
- Pum Pyroxene, magnetite-bearing ultramafic rocks
- Pmgns Beaver River gneiss: well-banded, mafic orthogneiss
- Pwgn Gabbronorite

Paleoproterozoic or older

- Disappointment Lake paragneiss (Apm to Am)
 - Am White marble
 - Awph Welded granulite facies quartzofeldspathic paragneiss
 - Aod Banded diorite to quartz diorite within unit Apm
 - Apm? Probably unit Apm
 - Apm Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 100. Nickel (Niw2) in lake water in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 101. Phosphorus (Pw2) in lake water in the Winokapau Lake area.





Figure 102. Lead (Pbw_2) in lake water in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
[Apm?]	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 103. Silicon (*Siw1*) in lake water in the Winokapau Lake area.




Figure 104. Sulphate (SO₄w1) in lake water in the Winokapau Lake area.





Figure 105. Strontium ($\text{Sr}_{\text{w}2}$) in lake water in the Winokapau Lake area.



GEOLOGY



Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 106. Titanium (*Tiw2*) in lake water in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?:	Probably unit Apm
Apm	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 107. Vanadium (*Vw2*) in lake water in the Winokapau Lake area.





Figure 108. Yttrium (*Yw2*) in lake water in the Winokapau Lake area.



GEOLOGY

Mesoproterozoic or older

Pg	Foliated gabbro/quartz gabbro
Pgrd	Wilson Lake granodiorite
Pmg	Mouni Rapids pluton: foliated porphyritic to megacrystic granite/granodiorite
Pogn	Banded- to augen-textured pink, migmatitic feldspar orthogneiss; Pognh is the same unit with hypersthene
Pum	Pyroxene, magnetite-bearing ultramafic rocks
Pmgns	Beaver River gneiss: well-banded, mafic orthogneiss
Pwgn	Gabbronorite

Paleoproterozoic or older

Disappointment Lake paragneiss (Apm to Am)	
Am	White marble
Awph	Welded granulite facies quartzofeldspathic paragneiss
Aod	Banded diorite to quartz diorite within unit Apm
Apm?	Probably unit Apm
ApM	Middle to upper amphibolite facies quartzofeldspathic paragneiss

Figure 109. Zinc (Zn_{w2}) in lake water in the Winokapau Lake area.