

# **PORTABLE FIRE EXTINGUISHER**

## **Equipment and Shop Requirements**

A trained and certified person who has undergone the instructions necessary to reliably perform maintenance and has the manufacturer's service manuals shall service the fire extinguishers not more than 1 year apart, as outline in *NFPA 10*.

Maintenance, servicing and recharging shall be performed by trained and certified persons having available the appropriate servicing manual(s), the proper types of tools, recharge materials, lubricants, and manufacturer's recommended replacement parts or parts specifically listed for use in the fire extinguisher.

*Upon inspection of the service repair shop, the certified person will have at his/her disposal the following items required for portable fire extinguisher maintenance and repair:*

<b>Gas Recovery &amp; Recycle System</b>	<b>Yes</b>	<b>No</b>
CO <sub>2</sub> Transfer Pump		
*Hydrostatic Test Equipment for High Pressure Cylinders		

<b>Dry Chemical Recovery/Recharge</b>	<b>Yes</b>	<b>No</b>
Maintenance Kit		
Closed Dry Chemical Collection System		
Hydrostatic Test Equipment for Low Pressure Cylinders		
Nitrogen Cylinder, Regulator & Adapter		

<b>Service Equipment</b>	<b>Yes</b>	<b>No</b>
Brushes		
Hand Tools (Screwdrivers, Pliers, etc.)		
CO <sub>2</sub> Recharge Equipment		
Fasteners		
Funnels, Scoops & Air Hose		
Gauge Service Equipment		
Hole Punch & Chain Reel		
Air Supply (Compressor)		
Recharge Adapters/Fittings		
Recharge Equipment		
Hydrostatic Test Pump		
Hydrostatic Test Adapters		
<b>Service Equipment</b>	<b>Yes</b>	<b>No</b>
Safety Cage		

Cylinder Dryers		
Water Supply		
Cylinder Vice		
Rubber Mallets		
Weighing Scales for Extinguishers & Cartridges		
Inspection Light		
Stamps & Stamp Holder		
Tags & Tag Bags		
Tamper Seals		
Hydrostatic Test Labels		
Six Year Maintenance Test Labels		
Service Collar (Maintenance or Recharging)		
Wrenches (Extinguisher Specific)		
O-Ring Lubricant		
Cleaning Agent		
Dust Masks		
Exhaust System		
Replacement Extinguishers		

<b>Reference Material</b>	<b>Yes</b>	<b>No</b>
NFPA 10 (Current Edition)		
Manufacturers Service & Maintenance Manuals		
*TC Cylinder Requalifier Registered Mark #		
Portable Fire Extinguisher Licence (NL)		

\* If Applicable